

## 鋁材開料總表

工程號碼: J-835 工程名稱: 將軍澳天晉平臺

序號	鋁料編號	名稱	表面處理		開料長度	實用長料總數量		浪費率(%)
			顏色	層厚		支數	長度	
1	X85215-窗玉				5800	3	17400	22.01
2	X846550-玻線				5800	3	17400	28.11
3	X84985-拉巴				5800	1	5800	44.22
4	60x30x4鋁角	用60x40x4mm鋁角加工			5800	14	81200	7.80
5	29.5x23x4鋁角	用35x25x4mm鋁角加工			5800	14	81200	8.13
6	36.5x21x2槽	用50x36.5x2鋁槽加工			5800	14	81200	8.36
7	X848300-生頂橫				5800	8	46400	9.03
8	X848320-生底橫				5800	8	46400	9.60
9	X848280-生邊企				5800	11	63800	6.39
10	T10000016方通				5800	10	58000	11.37
11	X846090企工				5800	2	11600	34.65
12	47.5x3百葉玉				5800	13	75400	4.94
13	20X20X3擋水鋁角				5800	7	40600	12.73
14	X843600-生夾企				5800	5	29000	39.24
15	50x25x3鋁角-百葉玉				5800	17	98600	8.87
16	20x3鋁巴				5800	49	284200	2.80
17	30x10.5x3鋁槽	用60x30x3mm鋁通加工			5800	1	5800	63.66
18	X843331-百葉片				5500	179	984500	1.99

送至: \_\_\_\_\_

由: \_\_\_\_\_

日期: \_\_\_\_\_

簡短說明: \_\_\_\_\_

共1頁 第1頁

打印日期: 2016/10/13 打印時間: 11:50

工程號碼:J-835, 工程名稱:將軍澳天晉平臺  
開料長度:5800, 總長料支數:3, 總開料支數:12  
鋸片厚度(mm):4, 料頭尾總切除(mm):20, 浪費率(%):22.01

鋁材開料清單 X85215-窗玉

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800		2	1374.0	2	2	1	0	2@(3024)x1	
5800		(餘料)2	1367.5	4	2	0	1	2@(281)x1	
5800		3	1367.5		2	1	0	3@(3037)x1	
5800		1	874.0	6	6	1	0	1@(512)x1	

工程號碼:J-835, 工程名稱:將軍澳天晉平臺  
開料長度:5800, 總長料支數:3, 總開料支數:12  
鋸片厚度(mm):4, 料頭尾總切除(mm):20, 浪費率(%):28.11

鋁材開料清單 X846550-玻線

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)
5800		2	1269.0	2	2	1	0	2@(3234)x1
5800		(餘料)2	1262.5	4	2	0	1	2@(701)x1
5800		3	1262.5		2	1	0	3@(3247)x1
5800		1	802.0	6	6	1	0	1@(944)x1

鋁材開料清單 X84985-拉巴

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)
5800		1	539.5	1	1	1	0	1@(5236.5)x1
5800		(餘料)1	536.3	2	2	0	1	1@(4155.9)x1
5800		(餘料)1	528.5	1	1	0	1	1@(3623.4)x1
5800		(餘料)1	525.2	2	2	0	1	1@(2565)x1

鋁材開料清單 60x30x4鋁角

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	W3D2-V1	(餘料)1	2010.0	2	2	0	1	1@(1090.5)x1	
5800	W4/1F-V1	2	1560.0	2	2	1	0	2@(2652)x1	
5800	W3D2-H4	(餘料)2	1525.0	2	1	0	1	2@(1123)x1	
5800	W3D2-H4R	3	1525.0		1	1	0	3@(4251)x1	
5800	W4/1F-H2	(餘料)3	1487.5	30	2	0	1	3@(1268)x1	
5800	W4/1F-H2	4-13	1487.5		28	10	0	4-12@(1305.5)x9 13@(4288.5)x1	
5800	W4/1F-H1	(餘料)13	1462.5	4	2	0	1	13@(1355.5)x1	
5800	W4/1F-H1	14	1462.5		2	1	0	14@(2847)x1	
5800	W2D2-V1	(餘料)14	1410.0	2	2	0	1	14@(19)x1	
5800	W3D2-H1, W3D2-H1a	(餘料)1-2	895.0	2	2	0	2	1@(191.5)x1 2@(224)x1	
5800	W2D2-H1a	(餘料)3	657.5	2	1	0	1	3@(606.5)x1	
5800	W2D2-H1	1	657.5		1	1	0	1@(5118.5)x1	
5800	W2D2-H4, W2D2-H4a	(餘料)3-4	598.0	2	2	0	2	3@(4.5)x1 4@(703.5)x1	
5800	W3D2-H2, W3D2-H2R, W3D2-H3, W3D2-H3R	(餘料)4-5, 5-6	504.0	4	4	0	4	4@(195.5)x1 5@(797.5)x1 5@(289.5)x1 6@(797.5)x1	
5800	W2D2-H2, W2D2-H2R, W2D2-H3, W2D2-H3R	(餘料)6-7, 7-8	493.0	4	4	0	4	6@(300.5)x1 7@(808.5)x1 7@(311.5)x1 8@(808.5)x1	
5800	W3D2-H9, W3D2-H9a	(餘料)5-6	263.0	2	2	0	2	5@(22.5)x1 6@(33.5)x1	
5800	W3D2-H6, W3D2-H6R, W3D2-H7, W3D2-H7R	(餘料)7-8, 8, 8	254.0	4	4	0	4	7@(53.5)x1 8@(550.5)x1 8@(292.5)x1 8@(34.5)x1	
5800	W3D2-H5, W3D2-H5R, W3D2-H8, W3D2-H8R	(餘料)9, 9, 9, 9	252.0	4	4	0	4	9@(1049.5)x1 9@(793.5)x1 9@(537.5)x1 9@(281.5)x1	

鋁材開料清單 29.5x23x4鋁角

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	W3D2-V1	(餘料)1	2010.0	2	2	0	1	1@(1099.7)x1	
5800	W4/1F-V1	2	1560.0	2	2	1	0	2@(2652)x1	
5800	W3D2-H4	(餘料)2	1517.5	2	1	0	1	2@(1130.5)x1	
5800	W3D2-H4R	3	1517.5		1	1	0	3@(4258.5)x1	
5800	W4/1F-H2	(餘料)3	1487.5	30	2	0	1	3@(1275.5)x1	
5800	W4/1F-H2	4-13	1487.5		28	10	0	4-12@(1305.5)x9 13@(4288.5)x1	
5800	W4/1F-H1	(餘料)13	1462.5	4	2	0	1	13@(1355.5)x1	
5800	W4/1F-H1	14	1462.5		2	1	0	14@(2847)x1	
5800	W2D2-V1	(餘料)14	1410.0	2	2	0	1	14@(19)x1	
5800	W3D2-H1, W3D2-H1a	(餘料)1-2	885.8	2	2	0	2	1@(209.9)x1 2@(240.7)x1	
5800	W2D2-H1a	(餘料)3	648.3	2	1	0	1	3@(623.2)x1	
5800	W2D2-H1	1	648.3		1	1	0	1@(5127.7)x1	
5800	W2D2-H4, W2D2-H4a	(餘料)3-4	588.8	2	2	0	2	3@(30.4)x1 4@(712.7)x1	
5800	W3D2-H2, W3D2-H2R	(餘料)4-5	504.0	2	2	0	2	4@(204.7)x1 5@(797.5)x1	
5800	W3D2-H3, W3D2-H3R	(餘料)5-6	492.0	2	2	0	2	5@(301.5)x1 6@(809.5)x1	
5800	W2D2-H2, W2D2-H2R, W2D2-H3, W2D2-H3R	(餘料)6-7, 7-8	481.1	4	4	0	4	6@(324.4)x1 7@(820.4)x1 7@(335.3)x1 8@(820.4)x1	
5800	W3D2-H9, W3D2-H9a	(餘料)5-6	253.8	2	2	0	2	5@(43.7)x1 6@(66.6)x1	
5800	W3D2-H5, W3D2-H5R	(餘料)7-8	240.0	2	2	0	2	7@(91.3)x1 8@(576.4)x1	
5800	W3D2-H8, W3D2-H8R	(餘料)8, 8	239.5	2	2	0	2	8@(332.9)x1 8@(89.4)x1	
5800	W3D2-H6, W3D2-H6R, W3D2-H7, W3D2-H7R	(餘料)9, 9, 9, 9	238.2	4	4	0	4	9@(1063.3)x1 9@(821.1)x1 9@(578.9)x1 9@(336.7)x1	

鋁材開料清單 36.5x21x2槽

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	W3D2-GV1	1	2000.0	2	2	1	0	1@(1772)x1	
5800	W4/1F-GV1	(餘料)1	1550.0	2	1	0	1	1@(218)x1	
5800	W4/1F-GV1	2	1550.0		1	1	0	2@(4226)x1	
5800	W3D2-GH4, W3D2-GH4R	(餘料)2, 2	1517.5	2	2	0	2	2@(2704.5)x1 2@(1183)x1	
5800	W4/1F-GH2	3-12	1487.5	30	30	10	0	3-12@(1305.5)x10	
5800	W4/1F-GH1	13-14	1462.5	4	4	2	0	13@(1380.5)x1 14@(4313.5)x1	
5800	W2D2-GV1	(餘料)14	1400.0	2	2	0	1	14@(1505.5)x1	
5800	W3D2-GH1, W3D2-GH1R	(餘料)2-3	891.0	2	2	0	2	2@(288)x1 3@(410.5)x1	
5800	W2D2-GH1, W2D2-GH1R	(餘料)4-5	652.5	2	2	0	2	4-5@(649)x2	
5800	W2D2-GH4, W2D2-GH4R	(餘料)4-5	594.0	2	2	0	2	4-5@(51)x2	
5800	W3D2-GH2, W3D2-GH2R, W3D2-GH3, W3D2-GH3R	(餘料)6, 6-7, 7	492.0	4	4	0	4	6@(809.5)x1 6@(313.5)x1 7@(809.5)x1 7@(313.5)x1	
5800	W2D2-GH2, W2D2-GH2R, W2D2-GH3, W2D2-GH3R	(餘料)8, 8-9, 9	481.5	4	4	0	4	8@(820)x1 8@(334.5)x1 9@(820)x1 9@(334.5)x1	
5800	W3D2-GH9, W3D2-GH9R	(餘料)2-3	259.0	2	2	0	2	2@(25)x1 3@(147.5)x1	
5800	W3D2-GH6, W3D2-GH6R, W3D2-GH7, W3D2-GH7R	(餘料)6-9	238.0	4	4	0	4	6-7@(71.5)x2 8-9@(92.5)x2	
5800	W3D2-GH5, W3D2-GH5R, W3D2-GH8, W3D2-GH8R	(餘料)1, 10, 10, 10	204.5	4	4	0	4	1@(9.5)x1 10@(1097)x1 10@(888.5)x1 10@(680)x1	

鋁材開料清單 X848300-生頂橫

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	生窗	1	4141.0	1	1	1	0	1@(1635)x1	
5800	AL23B-BY1	2	3696.0	1	1	1	0	2@(2080)x1	
5800	AL21	3	3481.0	1	1	1	0	3@(2295)x1	
5800	AL21	4	3456.0	1	1	1	0	4@(2320)x1	
5800	AL23A-BY1	5	3246.0	1	1	1	0	5@(2530)x1	
5800	AL15-BY1	6	3046.0	1	1	1	0	6@(2730)x1	
5800	L1	7	3012.0	1	1	1	0	7@(2764)x1	
5800	AL11-BY1	8	2796.0	1	1	1	0	8@(2980)x1	
5800	AL10-BY1	(餘料)6	2606.0	1	1	0	1	6@(120)x1	
5800	AL21	(餘料)4	2295.0	1	1	0	1	4@(21)x1	
5800	AL19-BY1	(餘料)1	1221.0	1	1	0	1	1@(410)x1	
5800	L1	(餘料)2	1207.0	1	1	0	1	2@(869)x1	
5800	AL20B-BY1	(餘料)3	1146.0	1	1	0	1	3@(1145)x1	
5800	AL16-BY1	(餘料)3	1046.0	1	1	0	1	3@(95)x1	
5800	AL20A-BY1	(餘料)5	946.0	1	1	0	1	5@(1580)x1	
5800	AL13A-BY1	(餘料)2, 5	646.0	2	2	0	2	2@(219)x1 5@(930)x1	
5800	AL12A-BY1	(餘料)5, 7	546.0	4	4	0	2	5@(380)x1 7@(1114)x1	
5800	AL10-BY2	(餘料)1	291.0	1	1	0	1	1@(115)x1	
5800	AL10-BY4	(餘料)5	290.0	1	1	0	1	5@(86)x1	
5800	AL10-BY3	(餘料)7	276.0	2	2	0	1	7@(554)x1	

鋁材開料清單 X848320-生底橫

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	生窗	1	4129.0	1	1	1	0	1@(1647)x1	
5800	AL23B-BY1	2	3684.0	1	1	1	0	2@(2092)x1	
5800	AL21	3	3481.0	1	1	1	0	3@(2295)x1	
5800	AL21	4	3450.0	1	1	1	0	4@(2326)x1	
5800	AL23A-BY1	5	3234.0	1	1	1	0	5@(2542)x1	
5800	AL15-BY1	6	3034.0	1	1	1	0	6@(2742)x1	
5800	L1	7	3006.0	1	1	1	0	7@(2770)x1	
5800	AL11-BY1	8	2784.0	1	1	1	0	8@(2992)x1	
5800	AL10-BY1	(餘料)6	2594.0	1	1	0	1	6@(144)x1	
5800	AL21	(餘料)3	2289.0	1	1	0	1	3@(2)x1	
5800	AL19-BY1	(餘料)1	1209.0	1	1	0	1	1@(434)x1	
5800	L1	(餘料)2	1201.0	1	1	0	1	2@(887)x1	
5800	AL20B-BY1	(餘料)4	1134.0	1	1	0	1	4@(1188)x1	
5800	AL16-BY1	(餘料)4	1034.0	1	1	0	1	4@(150)x1	
5800	AL20A-BY1	(餘料)5	934.0	1	1	0	1	5@(1604)x1	
5800	AL13A-BY1	(餘料)2, 5	634.0	2	2	0	2	2@(249)x1 5@(966)x1	
5800	AL12A-BY1	(餘料)5, 7	534.0	4	4	0	2	5@(428)x1 7@(1156)x1	
5800	AL10-BY2	(餘料)1	279.0	1	1	0	1	1@(151)x1	
5800	AL10-BY4	(餘料)5	278.0	1	1	0	1	5@(146)x1	
5800	AL10-BY3	(餘料)7	264.0	2	2	0	1	7@(620)x1	

鋁材開料清單 X848280-生邊企

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	AL10-BY1, AL10-BY3, AL10-BY4, AL11-BY1	1-7	3500.0	7	7	7	0	1-7@(2276)x7	
5800	AL21	(餘料)8	2750.0	2	1	0	1	8@(272)x1	
5800	AL21	8	2750.0		1	1	0	8@(3026)x1	
5800	AL23A-BY1, AL23B-BY1	(餘料)9-10	2600.0	4	2	0	2	9-10@(572)x2	
5800	AL23A-BY1, AL23B-BY1	9-10	2600.0		2	2	0	9-10@(3176)x2	
5800	AL20B-BY1	(餘料)1-2	1300.0	2	2	0	2	1-2@(972)x2	
5800	AL15-BY1, AL19-BY1	(餘料)3, 3-4, 4	1000.0	4	4	0	4	3@(1272)x1 3@(268)x1 4@(1272)x1 4@(268)x1	
5800	生窗	(餘料)1-2	920.0	2	2	0	2	1-2@(48)x2	
5800	AL13A-BY1	(餘料)5, 5-6	700.0	4	4	0	3	5@(868)x1 5@(164)x1 6@(1572)x1	
5800	AL12A-BY1, AL16-BY1, AL20A-BY1	(餘料)6-7, 7, 11, 11, 11, 11	600.0	12	9	0	7	6@(364)x1 7@(1068)x1 7@(464)x1 11@(3364)x1 11@(2760)x1 11@(2156)x1 11@(1552)x1	
5800	AL12A-BY1	11	600.0		3	1	0	11@(3968)x1	
5800	L1	(餘料)3-4	255.0	2	2	0	2	3-4@(9)x2	

工程號碼:J-835, 工程名稱:將軍澳天晉平臺  
開料長度:5800, 總長料支數:10, 總開料支數:24  
鋸片厚度(mm):4, 料頭尾總切除(mm):20, 浪費率(%):11.37

鋁材開料清單 T10000016方通

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	AL10-FT1	1-2	3510.0	2	2	2	0	1-2@(2266)x2	
5800	AL21-FT2, AL21-YB1	3-6	2760.0	7	7	4	0	3-5@(252)x3 6@(3016)x1	
5800	AL23A-FT1	(餘料)6	2610.0	6	1	0	1	6@(402)x1	
5800	AL23A-FT1, AL23B-FT1	7-9	2610.0		5	3	0	7-8@(552)x2 9@(3166)x1	
5800	AL11-FT1	(餘料)9	2510.0	2	1	0	1	9@(652)x1	
5800	AL11-FT1	10	2510.0		1	1	0	10@(3266)x1	
5800	AL15-FT1	(餘料)1-2	1010.0	3	3	0	2	1@(238)x1 2@(1252)x1	
5800	L1-FT1	(餘料)2	265.0	4	4	0	1	2@(176)x1	

工程號碼:J-835, 工程名稱:將軍澳天晉平臺  
開料長度:5800, 總長料支數:2, 總開料支數:4  
鋸片厚度(mm):4, 料頭尾總切除(mm):20, 浪費率(%):34.65

鋁材開料清單 X846090企工

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	AL21	1	3507.5	1	1	1	0	1@(2268.5)x1	
5800	AL21	2	2289.0	1	1	1	0	2@(3487)x1	
5800	生窗	(餘料)1	864.0	2	2	0	1	1@(532.5)x1	

鋁材開料清單 47.5x3百葉玉

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	AL21-#4-1	1	1407.8	1	1	1	0	1@(4368.2)x1	
5800	AL21-#1-1	(餘料)1	1396.5	1	1	0	1	1@(2967.7)x1	
5800	AL23A-#1-1, AL23A-#3-1, AL23B-#3-1	(餘料)1, 1-2	1255.8	4	3	0	3	1@(1707.9)x1 1@(448.1)x1 2@(3260.4)x1	
5800	AL23B-#1-1	2	1255.8		1	1	0	2@(4520.2)x1	
5800	AL23A-#1-2, AL23A-#3-2, AL23B-#3-2	(餘料)2, 2-3	1253.0	4	3	0	3	2@(2003.4)x1 2@(746.4)x1 3@(3266)x1	
5800	AL23B-#1-2	3	1253.0		1	1	0	3@(4523)x1	
5800	AL21-#4-2	(餘料)3	1250.0	1	1	0	1	3@(2012)x1	
5800	AL21-#1-2	(餘料)3	1229.8	1	1	0	1	3@(778.2)x1	
5800	AL20B-YU1	4	1209.0	2	2	1	0	4@(3354)x1	
5800	AL10-#1-1, AL10-#3-1, AL10-#5-1, AL10-#6-1, AL11-#3-1	(餘料)4, 4-7	1207.0	12	7	0	5	4@(2143)x1 4@(932)x1 5-6@(936)x2 7@(3358)x1	
5800	AL10-#4-1, AL10-#5-1, AL11-#1-1	5-7	1207.0		5	3	0	5-6@(3358)x2 7@(4569)x1	
5800	AL10-#1-2, AL10-#3-2, AL10-#5-2, AL10-#6-2, AL11-#3-2	(餘料)7, 7-10	1204.8	12	7	0	5	7@(2149.2)x1 7@(940.4)x1 8-9@(944.8)x2 10@(3362.4)x1	
5800	AL10-#4-2, AL10-#5-2, AL11-#1-2	8-10	1204.8		5	3	0	8-9@(3362.4)x2 10@(4571.2)x1	
5800	AL10-#1-3, AL10-#3-3, AL10-#4-3, AL10-#5-3, AL11-#1-3, AL11-#3-3	(餘料)10, 10, 10-12, 12	995.0	12	9	0	6	10@(2363.4)x1 10@(1364.4)x1 10@(365.4)x1 11@(785)x1 12@(2783)x1 12@(1784)x1	
5800	AL10-#4-3, AL10-#6-3	11-12	995.0		3	2	0	11@(4781)x1 12@(3782)x1	
5800	AL15-#1, AL15-#3, AL19- YU1	(餘料)4-7	909.0	4	4	0	4	4@(19)x1 5-6@(23)x2 7@(27.4)x1	
5800	AL13A-YU1	(餘料)2-3, 8-9	609.0	4	4	0	4	2@(133.4)x1 3@(165.2)x1 8-9@(331.8)x2	
5800	AL12A-YU1, AL16-YU1, AL20A-YU1	(餘料)11-13, 13	509.0	12	8	0	4	11@(272)x1 12@(245)x1 13@(2702)x1 13@(1676)x1	
5800	AL12A-YU1	13	509.0		4	1	0	13@(3728)x1	
5800	L1-#1, L1-#4	(餘料)1, 1	164.0	2	2	0	2	1@(280.1)x1 1@(112.1)x1	

鋁材開料清單 X843331-百葉

鋁料長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要支數	開料支數	長料支數	餘料支數	編號(剩餘長度)	用料狀況
5500	AL23B-#2-2	(餘料)5	1238.0	38	1	0	1	5@(512)x1	
5500	AL23B-#2-1, AL23B-#2-2	1-10	1238.0		37	10	0	1-4@(512)x4 5@(1754)x1 6-9@(512)x4 10@(2996)x1	
5500	AL23B-#1-1, AL23B-#1-2, AL23B-#3-2	(餘料)10, 15, 24	1204.0	76	6	0	3	10@(580)x1 15@(648)x1 24@(648)x1	
5500	AL23B-#1-1, AL23B-#1-2, AL23B-#3-1, AL23B-#3-2	11-29	1204.0		70	19	0	11-14@(648)x4 15@(4272)x1 16-23@(648)x8 24@(1856)x1 25-28@(648)x4 29@(3064)x1	
5500	AL19-YU1	(餘料)29	1195.0	14	2	0	1	29@(666)x1	
5500	AL19-YU1	30-32	1195.0		12	3	0	30-32@(684)x3	
5500	AL21-#3-2	(餘料)62	1149.0	156	2	0	1	62@(868)x1	
5500	AL21-#2-1, AL21-#2-2, AL21-#3-1, AL21-#3-2	33-71	1149.0		154	39	0	33-61@(868)x29 62@(3174)x1 63-71@(868)x9	
5500	AL20B-YU1	72-73	1120.0	8	8	2	0	72-73@(984)x2	
5500	AL21-#1-2, AL21-#4-1	(餘料)76, 78	1116.0	59	3	0	2	76@(1000)x1 78@(1000)x1	
5500	AL21-#1-1, AL21-#1-2, AL21-#4-1, AL21-#4-2	74-88	1116.0		56	15	0	74-75@(1000)x2 76@(3240)x1 77@(1000)x1 78@(2120)x1 79-87@(1000)x9 88@(2120)x1	
5500	AL23A-#2-1, AL23A-#2-2	(餘料)88, 92	1088.0	38	3	0	2	88@(1028)x1 92@(20)x1	
5500	AL23A-#2-1, AL23A-#2-2	89-96	1088.0		35	8	0	89-91@(20)x3 92@(2204)x1 93-95@(20)x3 96@(3296)x1	
5500	AL23A-#1-1, AL23A-#1-2, AL23A-#3-2	(餘料)96, 100, 107	1054.0	76	8	0	3	96@(122)x1 100@(190)x1 107@(190)x1	
5500	AL23A-#1-1, AL23A-#1-2, AL23A-#3-1, AL23A-#3-2	97-111	1054.0		68	15	0	97-99@(190)x3 100@(4422)x1 101-106@(190)x6 107@(1248)x1 108-110@(190)x3 111@(2306)x1	
5500	AL15-#2	(餘料)88, 111	1021.0	14	3	0	2	88@(3)x1 111@(256)x1	
5500	AL15-#2	112-114	1021.0		11	3	0	112-113@(355)x2 114@(4455)x1	
5500	AL16-YU1	(餘料)114	1020.0	8	4	0	1	114@(359)x1	
5500	AL16-YU1	115	1020.0		4	1	0	115@(1384)x1	
5500	L1-#2	(餘料)115	1001.0	6	1	0	1	115@(379)x1	
5500	L1-#2	116	1001.0		5	1	0	116@(455)x1	
5500	AL15-#1	(餘料)74-87	987.0	28	14	0	14	74-87@(9)x14	
5500	AL15-#3	117-119	987.0		14	3	0	117-118@(525)x2 119@(1516)x1	
5500	L1-#1	(餘料)72-73, 119	968.0	3	3	0	3	72-73@(12)x2 119@(544)x1	
5500	AL11-#2-2, AL11-#2-3	(餘料)123, 127	938.0	51	6	0	2	123@(770)x1 127@(770)x1	

鋁材開料清單 X843331-百葉

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5500	AL11-#2-1, AL11-#2-2, AL11-#2-3	120-130	938.0		45	11	0	120-122@(770)x3 123@(2654)x1 124-126@(770)x3 127@(4538)x1 128-129@(770)x2 130@(4538)x1	
5500	AL20A-YU1	(餘料)130	920.0	8	4	0	1	130@(842)x1	
5500	AL20A-YU1	131	920.0		4	1	0	131@(1784)x1	
5500	AL11-#1-1, AL11-#1-2, AL11-#1-3, AL11-#3-1, AL11-#3-2, AL11-#3-3	(餘料)131, 134, 137, 140, 143, 146	904.0	102	15	0	6	131@(876)x1 134@(32)x1 137@(32)x1 140@(32)x1 143@(32)x1 146@(32)x1	
5500	AL11-#1-1, AL11-#1-2, AL11-#1-3, AL11-#3-1, AL11-#3-2, AL11-#3-3	132-148	904.0		87	17	0	132-133@(32)x2 134@(940)x1 135-136@(32)x2 137@(940)x1 138-139@(32)x2 140@(3664)x1 141-142@(32)x2 143@(3664)x1 144-145@(32)x2 146@(3664)x1 147@(32)x1 148@(940)x1	
5500	AL10-#1-1, AL10-#1-2, AL10-#1-3	(餘料)148, 151, 154	883.0	51	3	0	3	148@(53)x1 151@(158)x1 154@(158)x1	
5500	AL10-#1-1, AL10-#1-2, AL10-#1-3	149-157	883.0		48	9	0	149-150@(158)x2 151@(1045)x1 152-153@(158)x2 154@(1045)x1 155-156@(158)x2 157@(3706)x1	
5500	AL10-#2-1, AL10-#2-2, AL10-#2-3	(餘料)157, 160, 163	880.0	51	12	0	3	157@(170)x1 160@(176)x1 163@(176)x1	
5500	AL10-#2-1, AL10-#2-2, AL10-#2-3	158-165	880.0		39	8	0	158-159@(176)x2 160@(3712)x1 161-162@(176)x2 163@(3712)x1 164@(176)x1 165@(1060)x1	
5500	AL10-#3-1, AL10-#3-2, AL10-#3-3	(餘料)33-71, 130-131, 165	830.0	51	42	0	42	33-71@(34)x39 130@(8)x1 131@(42)x1 165@(226)x1	
5500	AL10-#3-3	166-167	830.0		9	2	0	166@(476)x1 167@(2978)x1	
5500	AL13A-YU1	(餘料)11-28	620.0	18	18	0	18	11-28@(24)x18	
5500	L1-#3	(餘料)29-31	605.5	3	3	0	3	29@(56.5)x1 30-31@(74.5)x2	
5500	L1-#4	(餘料)10, 32, 120	571.5	3	3	0	3	10@(4.5)x1 32@(108.5)x1 120@(194.5)x1	
5500	AL12A-YU1	(餘料)117-119, 121- 129, 167	520.0	32	17	0	13	117-118@(1)x2 119@(20)x1 121-129@(246)x9 167@(358)x1	
5500	AL12A-YU1	168-169	520.0		15	2	0	168@(240)x1 169@(2860)x1	

鋁材開料清單 X843331-百葉

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5500	AL10-#5-1, AL10-#5-2, AL10-#5-3	(餘料)1-9, 112-116, 166-167, 169-170, 172	284.0	102	43	0	19	1-9@(224)x9 112-113@(67)x2 114@(71)x1 115@(91)x1 116@(167)x1 166@(188)x1 167@(70)x1 169@(268)x1 170@(8)x1 172@(8)x1	
5500	AL10-#5-1, AL10-#5-2, AL10-#5-3	170-174	284.0		59	5	0	170@(2312)x1 171@(8)x1 172@(2888)x1 173@(8)x1 174@(5192)x1	
5500	AL10-#6-1, AL10-#6-2, AL10-#6-3	(餘料)174, 174-175	268.0	51	22	0	3	174@(296)x1 174@(24)x1 175@(40)x1	
5500	AL10-#6-2, AL10-#6-3	175-176	268.0		29	2	0	175@(856)x1 176@(2216)x1	
5500	AL10-#4-1, AL10-#4-2, AL10-#4-3	(餘料)176-178	265.0	51	30	0	3	176@(64)x1 177-178@(100)x2	
5500	AL10-#4-1, AL10-#4-2, AL10-#4-3	177-179	265.0		21	3	0	177@(2790)x1 178@(3328)x1 179@(4673)x1	

鋁材開料清單 20X20X3擋水鋁

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	AL23B-T1	1	3677.0	1	1	1	0	1@(2099)x1	
5800	AL21-T2	2	3481.0	1	1	1	0	2@(2295)x1	
5800	AL21-T3	3	3446.5	1	1	1	0	3@(2329.5)x1	
5800	AL23A-T1	4	3227.0	1	1	1	0	4@(2549)x1	
5800	AL15-T1	5	3026.0	1	1	1	0	5@(2750)x1	
5800	L1-T1	6	3002.5	1	1	1	0	6@(2773.5)x1	
5800	AL11-T1	7	2777.0	1	1	1	0	7@(2999)x1	
5800	AL10-T1	(餘料)5	2587.0	1	1	0	1	5@(159)x1	
5800	AL21-T1	(餘料)2	2285.5	1	1	0	1	2@(5.5)x1	
5800	AL19-BY1	(餘料)1	1201.0	1	1	0	1	1@(894)x1	
5800	L1-T2	(餘料)3	1197.5	1	1	0	1	3@(1128)x1	
5800	AL20B-BY1	(餘料)4	1126.0	1	1	0	1	4@(1419)x1	
5800	AL16-BY1	(餘料)3	1026.0	1	1	0	1	3@(98)x1	
5800	AL20A-BY1	(餘料)4	926.0	1	1	0	1	4@(489)x1	
5800	AL13A-BY1	(餘料)1	626.0	1	1	0	1	1@(264)x1	
5800	AL12A-BY1	(餘料)6	526.0	1	1	0	1	6@(2243.5)x1	
5800	AL10-T4	(餘料)4	287.0	1	1	0	1	4@(198)x1	
5800	AL10-T2	(餘料)6	272.0	1	1	0	1	6@(1967.5)x1	
5800	AL10-T3	(餘料)1, 6	257.0	2	2	0	2	1@(3)x1 6@(1706.5)x1	

工程號碼:J-835, 工程名稱:將軍澳天晉平臺  
開料長度:5800, 總長料支數:5, 總開料支數:5  
鋸片厚度(mm):4, 料頭尾總切除(mm):20, 浪費率(%):39.24

鋁材開料清單 X843600-生夾企

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	AL10-BY1, AL10-BY2, AL10-BY3	1-5	3500.0	5	5	5	0	1-5@(2276)x5	

鋁材開料清單 50x25x3鋁角-百

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	AL21-#3-1, AL21-#4-1	1-2	1407.8	5	5	2	0	1@(132.8)x1 2@(4368.2)x1	
5800	AL21-#1-1, AL21-#2-1	(餘料)2, 2	1396.5	9	3	0	2	2@(2967.7)x1 2@(166.7)x1	
5800	AL21-#2-1	3-4	1396.5		6	2	0	3@(178)x1 4@(2979)x1	
5800	AL23A-#1-1, AL23A-#2-1, AL23A-#3-1, AL23B-#1-1, AL23B-#2-1, AL23B-#3-1	(餘料)4, 4-5, 5, 5-6	1255.8	8	6	0	6	4@(1719.2)x1 4@(459.4)x1 5@(3260.4)x1 5@(2000.6)x1 5@(740.8)x1 6@(3260.4)x1	
5800	AL23A-#2-1, AL23B-#2-1	5-6	1255.8		2	2	0	5-6@(4520.2)x2	
5800	AL23A-#1-2, AL23A-#2-2, AL23A-#3-2, AL23B-#1-2, AL23B-#2-2, AL23B-#3-2	(餘料)6, 6-7, 7, 7-8	1253.0	8	6	0	6	6@(2003.4)x1 6@(746.4)x1 7@(3266)x1 7@(2009)x1 7@(752)x1 8@(3266)x1	
5800	AL23A-#2-2, AL23B-#2-2	7-8	1253.0		2	2	0	7-8@(4523)x2	
5800	AL21-#3-2, AL21-#4-2	(餘料)8-9	1250.0	5	3	0	2	8@(758)x1 9@(2018)x1	
5800	AL21-#3-2	9	1250.0		2	1	0	9@(3272)x1	
5800	AL21-#1-2	(餘料)9	1229.8	9	1	0	1	9@(784.2)x1	
5800	AL21-#2-2	10-11	1229.8		8	2	0	10-11@(844.8)x2	
5800	AL10-#2-1, AL10-#3-1, AL11-#2-1, AL11-#3-1	(餘料)12, 12-13, 13	1207.0	8	6	0	4	12@(2147)x1 12@(936)x1 13@(2147)x1 13@(936)x1	
5800	AL10-#1-1, AL11-#1-1	12-13	1207.0		2	2	0	12-13@(4569)x2	
5800	AL10-#2-2, AL10-#3-2, AL11-#2-2, AL11-#3-2	(餘料)14, 14-15, 15	1204.8	8	6	0	4	14@(2153.6)x1 14@(944.8)x1 15@(2153.6)x1 15@(944.8)x1	
5800	AL10-#1-2, AL11-#1-2	14-15	1204.8		2	2	0	14-15@(4571.2)x2	
5800	AL10-#2-3, AL10-#3-3, AL11-#1-3, AL11-#3-3	(餘料)16, 16, 16-17	995.0	8	5	0	4	16@(2783)x1 16@(1784)x1 16@(785)x1 17@(2783)x1	
5800	AL10-#1-3, AL11-#2-3	16-17	995.0		3	2	0	16@(4781)x1 17@(3782)x1	
5800	AL15-#1, AL15-#2, AL15- #3	(餘料)12-15	909.0	4	4	0	4	12-13@(23)x2 14-15@(31.8)x2	
5800	L1-#1, L1-#2, L1-#3, L1-#4	(餘料)3-5, 5-6	164.0	8	8	0	5	3@(10)x1 4@(123.4)x1 5@(404.8)x1 5@(68.8)x1 6@(578.4)x1	

鋁材開料清單 20x3鋁巴

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800		(餘料)1	3396.0	20	1	0	1	1@(2032)x1	
5800		2-20	3396.0		19	19	0	2-20@(2380)x19	
5800		21-24	3000.0	4	4	4	0	21-24@(2776)x4	
5800		(餘料)21-24, 36	2646.0	29	5	0	5	21-24@(126)x4 36@(480)x1	
5800		25-37	2646.0		24	13	0	25-35@(480)x11 36-37@(3130)x2	
5800		(餘料)37, 40	2496.0	12	2	0	2	37@(630)x1 40@(780)x1	
5800		38-43	2496.0		10	6	0	38-39@(780)x2 40@(3280)x1 41-42@(780)x2 43@(3280)x1	
5800	AL19-BY1	(餘料)1-2	1213.0	2	2	0	2	1@(815)x1 2@(1163)x1	
5800	AL20B-BY1	(餘料)3-4	1196.0	2	2	0	2	3-4@(1180)x2	
5800		(餘料)5-6	1192.0	2	2	0	2	5-6@(1184)x2	
5800		(餘料)7-10	1188.0	4	4	0	4	7-10@(1188)x4	
5800	AL20B-BY1	(餘料)2-3	1138.0	2	2	0	2	2@(21)x1 3@(38)x1	
5800		(餘料)4-10	1103.0	7	7	0	7	4@(73)x1 5-6@(77)x2 7-10@(81)x4	
5800		(餘料)11	1100.0	1	1	0	1	11@(1276)x1	
5800		(餘料)11-12	1042.0	2	2	0	2	11@(230)x1 12@(1334)x1	
5800	AL16-BY1,	(餘料)12-13, 13-14, 14-15	1038.0	6	6	0	6	12@(292)x1 13@(1338)x1 13@(296)x1 14@(1338)x1 14@(296)x1 15@(1338)x1	
5800		(餘料)15-16	975.0	2	2	0	2	15@(359)x1 16@(1401)x1	
5800		(餘料)16-17, 17-18	971.0	4	4	0	4	16@(426)x1 17@(1405)x1 17@(430)x1 18@(1405)x1	
5800		(餘料)18-19, 19-20	955.0	4	4	0	4	18@(446)x1 19@(1421)x1 19@(462)x1 20@(1421)x1	
5800		(餘料)20, 43	952.0	2	2	0	2	20@(465)x1 43@(2324)x1	
5800	AL20A-BY1	(餘料)43	938.0	2	2	0	1	43@(440)x1	
5800		(餘料)44	896.0	8	4	0	1	44@(380)x1	
5800	AL19-BY1,	44-45	896.0		4	2	0	44-45@(3980)x2	
5800		(餘料)45, 45	892.0	2	2	0	2	45@(3084)x1 45@(2188)x1	
5800		(餘料)45, 45-46	888.0	4	3	0	3	45@(1296)x1 45@(404)x1 46@(3996)x1	
5800		46	888.0		1	1	0	46@(4888)x1	
5800		(餘料)46, 46	834.0	2	2	0	2	46@(3158)x1 46@(2320)x1	
5800		(餘料)46, 46	830.0	2	2	0	2	46@(1486)x1 46@(652)x1	
5800		(餘料)47	814.0	2	1	0	1	47@(4144)x1	
5800		47	814.0		1	1	0	47@(4962)x1	
5800	AL13A-BY1	(餘料)1, 38-40	638.0	4	4	0	4	1@(173)x1 38-40@(138)x3	
5800	AL13A-BY1	(餘料)37, 41-42, 46	596.0	4	4	0	4	37@(30)x1 41-42@(180)x2 46@(52)x1	
5800		(餘料)47, 47	559.5	2	2	0	2	47@(3580.5)x1 47@(3017)x1	

鋁材開料清單 20x3鋁巴

鋁料長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要支數	開料支數	長料支數	餘料支數	編號(剩餘長度)	用料狀況
5800		(餘料)47, 47	555.5	2	2	0	2	47@(2457.5)x1 47@(1898)x1	
5800	AL12A-BY1	(餘料)47	538.0	8	3	0	1	47@(272)x1	
5800	AL12A-BY1	48	538.0		5	1	0	48@(3070)x1	
5800	AL12A-BY1, AL16-BY1, AL20A-BY1	(餘料)48-49, 49	496.0	12	10	0	3	48@(70)x1 49@(3780)x1 49@(2780)x1	
5800	AL12A-BY1	49	496.0		2	1	0	49@(4780)x1	
5800		(餘料)15-16	294.0	2	2	0	2	15@(61)x1 16@(128)x1	
5800		(餘料)12-13	279.0	2	2	0	2	12@(9)x1 13@(13)x1	
5800		(餘料)14, 17-19	264.0	4	4	0	4	14@(28)x1 17@(162)x1 18@(178)x1 19@(194)x1	
5800		(餘料)1, 11, 17-20, 25, 25-26	151.0	12	12	0	9	1@(18)x1 11@(75)x1 17@(7)x1 18@(23)x1 19@(39)x1 20@(0)x1 25@(170)x1 25@(15)x1 26@(325)x1	
5800	AL10-BY4, AL11-BY1, AL12A-BY1, AL13A-BY1, AL15-BY1, AL16-BY1, AL19-BY1, AL20A-BY1, AL20B-BY1, AL23A-BY1, AL23B-BY1,	(餘料)3-9, 9-11, 15-16, 19, 21-24, 26-27, 27-28, 28, 28-29, 29, 29, 29-30, 30, 30, 30-31, 31-32	25.0	146	134	0	34	3@(9)x1 4@(15)x1 5-6@(19)x2 7-8@(23)x2 9@(52)x1 9-10@(23)x2 11@(17)x1 15@(3)x1 16@(12)x1 19@(10)x1 21-24@(10)x4 26@(6)x1 27@(219)x1 27@(16)x1 28@(335)x1 28@(161)x1 28@(16)x1 29@(451)x1 29@(277)x1 29@(103)x1 29@(16)x1 30@(393)x1 30@(219)x1 30@(45)x1 30@(16)x1 31@(45)x1 31@(16)x1 32@(393)x1	
5800	AL10-BY1	1	25.0		12	1	0	1@(5432)x1	

工程號碼:J-835, 工程名稱:將軍澳天晉平臺  
開料長度:5800, 總長料支數:1, 總開料支數:72  
鋸片厚度(mm):4, 料頭尾總切除(mm):20, 浪費率(%):63.66

鋁材開料清單 30x10.5x3鋁槽

鋁料 長度	窗號	編號(用料狀況)	實用長度(長料開數)	需要 支數	開料 支數	長料 支數	餘料 支數	編號(剩餘長度)	用料 狀況
5800	AL10-BY2, AL10-BY3, AL10-BY4, AL10-BY1	(餘料)1, 1, 1, 1	25.0	72	72	1	3	1@(4736)x1 1@(4040)x1 1@(3692)x1 1@(5432)x1	