



工程指示 / 要求簡箋(E.I.)

工程指示編號：EI/0183 / 18

修改版次：C

工程編號：J837 平台

工程名稱：觀塘 裕民坊

工程項目：平台 Window Wall

廠用鋁料 BM

收件人：生統

發件人：Leung Hin Wai

日期：2/3 2019

要求提供 / 確認 事項：

- | | | |
|------------------------------------|-------------------------------------|-------------------------------|
| <input type="checkbox"/> 初步鋁料 B.M. | <input type="checkbox"/> 加工拆圖，然後生產 | <input type="checkbox"/> 尺寸表 |
| <input type="checkbox"/> 正式鋁料 B.M. | <input type="checkbox"/> 技術上資料 / 指示 | <input type="checkbox"/> 報價 |
| <input type="checkbox"/> 配件 B.M. | <input type="checkbox"/> 樣辦或貨品說明書 | <input type="checkbox"/> 分判合約 |
| <input type="checkbox"/> 其他：_____ | | |

內容：

請按附頁鋁料 BM 訂購。

增加鋁料長度

To: 陳進華 請盡快處理

請在 _____ 前完成上列要求。

附：- 1+3頁

以上項目為：

- 原合約工程包 原合約工程加 / 減賬 新工程報價

原因：-

分發東莞各部門：

- () 生產技術總監 連附件 () 技術部 連附件 () 生產部 連附件 () 機械設計部 連附件
 () 採購部 連附件 () 生產統籌部 連附件
 () 質檢部 連附件 () 會計部 連附件 () 報關組 連附件 () 其他 _____ 連附件

分發香港各部門：

- () 行政部 連附件 () 會計部 連附件 () 統籌部 連附件 () 工程部地盤科文 連附件
 (/) 採購部 連附件 () QS 部 連附件 () 維修部 連附件 () 其他 _____ 連附件

傳遞編號：7420674

發件人簽署：

項目經理簽署：

1
midi@midiltd.com.hk

From: Kammie Yip <kammie.yip@palum.com>
To: "midi@midiltd.com.hk" <midi@midiltd.com.hk>,
"midipur@midiltd.com.hk"
<midipur@midiltd.com.hk>
Copies to: Christy Wong <christy.wong@palum.com>,
Emily Cheng
<emily.cheng@palum.com>,
Josephine Li <josephine.li@palum.com>
Subject: TO MIDI / EI0183 訂單: 43972C01606 AO: PH2019-80
61PL 型號90184, 88207, 90133, 90298-90300 的長度
可以由5.55米改為6米, 請盡快提供修改訂單, 謝謝。
Date sent: Thu, 21 Mar 2019 08:17:51 +0000

Dear Ms. Eva & 細佬,

?

訂單: 43972C01606

AO: PH2019-8061PL

?

以下型號長度可以由5.55米改為6米, 請盡快提供修改訂單, 謝謝。

?

1. 型號LH0090184 (X85636)
2. 型號LH0088207 (X85369)
3. 型號LH0090133 (X85612)
4. 型號LH0090298 (X85658)
5. 型號LH0090299 (X85659)
6. 型號 LH0090300 (X85660)

?

?

Regards,

Kammie Yip

Direct: +852 3792 0865 | Mobile: +852 9272 2111 | palum.com

?

From: midi@midiltd.com.hk <midi@midiltd.com.hk>
Sent: Thursday, March 21, 2019 12:01 PM
To: Christy Wong <christy.wong@palum.com>; Emily Cheng <emily.cheng@palum.com>;
Josephine Li <josephine.li@palum.com>; Kamme Yip <kammie.yip@palum.com>
Subject: Re: EI0183

christy Wong

?

有關EI0183要修改的資料

?

?


From: 賤賤賤賤賤賤賤賤賤?midi@midiltd.com.hk <midi@midiltd.com.hk>
To: 賤賤賤賤賤賤賤賤賤賤賤賤賤christy Wong <christy.wong@palum.com>, emily Cheng
<emily.cheng@palum.com>,
賤賤賤賤賤賤賤賤賤賤賤賤賤賤賤賤賤osephine Li <josephine.li@palum.com>, kammie Yip
<kammie.yip@palum.com>

Subject: 賤賤賤賤賤賤賤賤賤賤I0183

Date sent: 賤賤賤賤賤賤賤賤賤Thu, 21 Mar 2019 09:11:40 +0800

?

emily



工程號: J-837
 地盤名稱: 觀塘平台
 項目類別: GLASS WALL & WINDOW WALL
 修改版次: B 版 2019-03-20
 計算: 曾建平
 核對: 王禮秋
 批准: *Handwritten signature*
 日期: 26/1/2019
 送呈: 施哥
 A/C Code: 此BM依據 收2019-01-23 施工圖 計算
 副本: *PO43972*
 備註: *ET0185*

BM編號: 1720.719
 有顏色鋁料(Kg): 10154.422
 無電鍍鋁料(Kg):
 V.F.總面積(米²):

序號	修改內容	物料編號	鋁料名稱	顏色	合金狀態	數量(支)		重量(Kg)		V.F.(米²)		備註		
						長度(mm)	實用	後備	總數	Kg/M	總重量		米²/米	Total V.F.
1		X85633	企向裝飾型材	EC-DG-W333007RY 白色	6063-T6	4100	167	7	174	3.243	2313.556	0.382	272.576	
2		X85633	企向裝飾型材	EC-DG-W333007RY 白色	6063-T6	5100	123	15	138	3.243	2282.423	0.382	268.908	
3		X85634	企向Z字料	EC-DG-W333007RY 白色	6063-T6	5100	50	2	52	0.415	110.058	0.032	8.574	
4		X85635	主企副框	EC-DG-W333007RY 白色	6063-T6	4100	167	7	174	0.687	490.106	0.074	52.913	
5		X85635	主企副框	EC-DG-W333007RY 白色	6063-T6	5100	123	15	138	0.687	483.511	0.074	52.201	
6		X85610	底橫料	EC-DG-W333007RY 白色	6063-T6	6000	55	6	61	2.923	1069.818	0.175	64.109	
7		X85610	底橫料	EC-DG-W333007RY 白色	6063-T4	6000	10	3	13	2.923	227.994	0.175	13.662	用於彎弧
8		X85611	頂橫料	EC-DG-W333007RY 白色	6063-T6	6000	55	6	61	2.923	1069.818	0.176	64.328	
9		X85611	頂橫料	EC-DG-W333007RY 白色	6063-T4	6000	10	3	13	2.923	227.994	0.176	13.709	用於彎弧
9a	A版新增	X85656	橫料打蓋	EC-DG-W333007RY 白色	6063-T6	6000	7	3	10	0.692	41.520	0.157	9.420	用於彎弧
9b	A版新增	X85656	橫料打蓋	EC-DG-W333007RY 白色	6063-T4	6000	7	3	10	0.692	41.520	0.157	9.420	用於彎弧
10		X85613	底副框	EC-DG-W333007RY 白色	6063-T6	6000	50	6	56	0.807	271.152	0.103	34.756	
11		X85613	底副框	EC-DG-W333007RY 白色	6063-T4	6000	10	3	13	0.807	62.946	0.103	8.068	用於彎弧
12		X85615	頂副框	EC-DG-W333007RY 白色	6063-T6	6000	50	6	56	0.702	235.872	0.065	21.941	
13		X85615	頂副框	EC-DG-W333007RY 白色	6063-T4	6000	10	3	13	0.702	54.756	0.065	5.093	用於彎弧
13a	A版新增		44x30x3mm厚鋁角	EC-DG-W333007RY 白色	6063-T6	6000	55	6	61	0.788	288.408	0.023	8.418	用於彎弧
13b	A版新增		44x30x3mm厚鋁角	EC-DG-W333007RY 白色	6063-T4	6000	10	3	13	0.788	61.464	0.023	1.794	用於彎弧
14	B版修改	X85612	企副框	EC-DG-W333007RY 白色	6063-T6	6000	290	20	310	0.765	1422.900	0.065	121.458	
15	B版修改	X85659	轉角企副框	EC-DG-W333007RY 白色	6063-T6	6000	10	3	13	0.822	64.116	0.070	5.460	
16	B版修改	X85658	轉角企副框	EC-DG-W333007RY 白色	6063-T6	6000	20	3	23	0.776	107.088	0.063	8.694	
17	B版修改	X85660	轉角企副框	EC-DG-W333007RY 白色	6063-T6	6000	10	3	13	0.978	76.284	0.085	6.630	
18	B版修改	X85636	裝飾條	EC-DG-S332054 香檳色	6063-T6	6000	10	2	12	4.181	301.032	0.220	15.857	
19	B版修改	X85369	裝飾打蓋	EC-DG-S332054 香檳色	6063-T5	6000	20	3	23	0.458	63.204	0.053	7.361	
20		PE00E3004	80x50x3mm厚鋁通	EC-DG-S332054 香檳色	6063-T5	6000	9	2	11	2.010	132.660	0.260	17.160	
21		X85618	百葉片	EC-DG-S332054 香檳色	6063-T5	6000	145	16	161	1.156	1116.696	0.297	286.612	
22		X85618	百葉片	EC-DG-S332054 香檳色	6063-T4	6000	10	2	12	1.156	83.232	0.297	21.362	用於彎弧

由5550改成6000

BM編號:		工程號:	計算:	曾建平	日期:	26/1/2019	送呈: 施哥	副本:					
鋁型材B.M.表		地盤名稱:	核對:	王禮秋	日期:	26/1/2019	A/C Code:						
修改版次:		項目類別:	批准:		日期:	2/3	此BM依據 收2019-01-23 施工圖 計算						
修改內容		物料編號	鋁料名稱	顏色	合金狀態	長度 (mm)	數量 (支)	重量 (Kg)	V.F. (米 ²)	備注			
					有顏色鋁料(Kg):	10154.422	無電鍍鋁料(Kg):	789.688	V.F.總面積(米 ²):	1720.719			
23	X85617	百葉頂框	EC-DG-S332054 香檳色	6063-T5	4600	11	2	13	1.172	70.086	0.167	9.958	
24	X85617	百葉頂框	EC-DG-S332054 香檳色	6063-T4	6000	2	1	3	1.172	21.096	0.167	2.997	用於彎弧
25	X85616	百葉底框	EC-DG-S332054 香檳色	6063-T5	4600	11	2	13	0.961	57.468	0.136	8.103	
26	X85616	百葉底框	EC-DG-S332054 香檳色	6063-T4	6000	2	1	3	0.961	17.298	0.136	2.439	用於彎弧
27	PE0E10034	75x50x3mm厚鋁角	EC-DG-S332054 香檳色	6063-T5	6000	20	4	24	0.998	143.712	0.200	28.800	用於百葉邊料
28	X85633	企向裝飾型材	EC-DG-W333007RY 白色	6063-T6	4100	80	10	90	3.243	1196.667	0.382	140.988	五樓游泳池用料
29	X85635	主企副框	EC-DG-W333007RY 白色	6063-T6	4100	80	7	87	0.687	245.053	0.074	26.456	五樓游泳池用料
30	X85610	底橫料	EC-DG-W333007RY 白色	6063-T6	6000	18	2	20	2.923	350.760	0.175	21.019	五樓游泳池用料
31	X85610	底橫料	EC-DG-W333007RY 白色	6063-T4	6000	5	2	7	2.923	122.766	0.175	7.357	用於彎弧五樓游泳池用料
32	X85611	頂橫料	EC-DG-W333007RY 白色	6063-T6	6000	18	2	20	2.923	350.760	0.176	21.091	五樓游泳池用料
33	X85611	頂橫料	EC-DG-W333007RY 白色	6063-T4	6000	5	2	7	2.923	122.766	0.176	7.382	用於彎弧五樓游泳池用料
34	X85613	底副框	EC-DG-W333007RY 白色	6063-T6	6000	18	2	20	0.807	96.840	0.103	12.413	五樓游泳池用料
35	X85613	底副框	EC-DG-W333007RY 白色	6063-T4	6000	5	2	7	0.807	33.894	0.103	4.344	用於彎弧五樓游泳池用料
36	X85615	頂副框	EC-DG-W333007RY 白色	6063-T6	6000	18	2	20	0.702	84.240	0.065	7.836	五樓游泳池用料
37	X85615	頂副框	EC-DG-W333007RY 白色	6063-T4	6000	5	2	7	0.702	29.484	0.065	2.743	用於彎弧五樓游泳池用料
38	X85612	企副框	EC-DG-W333007RY 白色	6063-T6	5550	40	5	45	0.765	191.059	0.065	16.309	五樓游泳池用料
39	X85261	後蓋底托料	MLL	6063-T5	4100	96	4	100	0.240	98.400			
40	X85261	後蓋底托料	MLL	6063-T5	5100	110	10	120	0.240	146.880			
41	PT0001060	63.5x63.5x4.78mm厚鋁通	MLL	6063-T5	4600	9	2	11	3.043	153.976			
42	X85614	鋁壁碼	MLL	6061-T6	6000	14	3	17	1.121	114.342			修橫框鋁碼
43	LH0080096	35x35x5mm厚鋁角	MLL	6061-T6	6000	11	2	13	0.881	68.718			
44	E10000004	T型料	MLL	6061-T6	6000	1	1	2	5.107	61.284			五樓游泳池用料
45	X85261	後蓋底托料	MLL	6063-T5	4100	80	4	84	0.240	82.656			
46	LH0080096	35x35x5mm厚鋁角	MLL	6061-T6	6000	10	2	12	0.881	63.432			修橫框鋁碼 五樓游泳池用料
47										16623.8	合計:	1720.719	