



工程指示 / 要求簡箋(E.I.)

工程指示編號：EI / 1495 / 20

修改版次：-

工程編號：J - 837

工程名稱：觀塘裕民坊

工程項目：佛沙轉後裝窗 後補 T1E, T3AB 鋁料 BM

收件人：Maggie / 生統 / 永林

發件人：Eric Liu

日期：23/01/2020

要求提供 / 確認 事項：

- | | | |
|------------------------------------|-------------------------------------|-------------------------------|
| <input type="checkbox"/> 初步鋁料 B.M. | <input type="checkbox"/> 加工拆圖，然後生產 | <input type="checkbox"/> 尺寸表 |
| <input type="checkbox"/> 正式鋁料 B.M. | <input type="checkbox"/> 技術上資料 / 指示 | <input type="checkbox"/> 報價 |
| <input type="checkbox"/> 配件 B.M. | <input type="checkbox"/> 樣辦或貨品說明書 | <input type="checkbox"/> 分判合約 |
| <input type="checkbox"/> 其他：_____ | | |

內容：

請按 BM 訂購鋁料送廠

T1E: 佛沙轉後裝，因 38-50F 已安裝的佛沙窗與下層位置偏移，不能開窗(EI1370 已重做, 有 SI)

T3AB: 相同情況，將發出 SI

永林: 請覆核鋁料 BM 數量是否足夠

謝謝!

請在 2020 / 02 / 15 前完成上列要求。

附：換 BM, 2 頁拆圖, 1 頁 SI, 1 份 cover

以上項目為：

- 原合約工程包 原合約工程加 / 減賬 新工程報價

原因：-

分發東莞各部門：

- () 生產技術總監 連附件 () 技術部 連附件 永林 () 生產部 連附件 () 機械設計部 連附件
 () 採購部 連附件 () 生產統籌部 連附件 梅
 () 質檢部 連附件 () 會計部 連附件 () 報關組 連附件 () 其他 楊榮輝 連附件

分發香港各部門：

- () 行政部 連附件 () 會計部 連附件 () 統籌部 連附件 () 工程部地盤科文 連附件
 () 採購部 連附件 () QS 部 連附件 () 維修部 連附件 () 其他 _____ 連附件

傳遞編號：

HK0130 / 20

發件人簽署：

項目經理簽署：


		美特鋁質有限公司 MTR Aluminium Fabricator Ltd.	工程號: J-837		計算: 陳俊賢	日期: 2019.12.16	送呈: 胡哥							
			地盤名稱: 觀塘裕民坊		核對: 謝永林	日期: 2019.12.17	副本:							
廠用鋁型材B.M.表		項目類別: 佛沙轉後裝窗 (T1W-E-1) (T3AB)		批准: Jason	日期:	此BM依據EI/1358施工圖來計算								
BM編號: J837-WI-M01-F-HP02		A/C Code:		有顏色鋁料(Kg) 403.63	無顏色鋁料(Kg) 20.18	V.F總(米 ²) 68.90								
序號	修改標示	物料編號	鋁料名稱	顏色	合金狀態	長度	數量(支)			重量(Kgs)		V.F.(米 ²)		備注
						(mm)	實用	後備	總數	Kg/M	總重量	米 ² /米	Total_V.F.	
1		X846370	生邊企	EC-DG-S332054 (3塗)	6063-T5	4100	19	1	20	0.733	60.106	0.144	11.808	一開二
2		X846390	生頂橫	EC-DG-S332054 (3塗)	6063-T5	5800	4	1	5	0.929	26.941	0.163	4.727	
3		X846420	梗底橫	EC-DG-S332054 (3塗)	6063-T5	5800	4	1	5	0.864	25.056	0.072	2.088	
4		X846080	上生下生中橫	EC-DG-S332054 (3塗)	6063-T5	5800	4	1	5	1.542	44.718	0.276	8.004	
5		X846100	上生下梗中橫	EC-DG-S332054 (3塗)	6063-T5	5800	4	1	5	1.443	41.847	0.178	5.162	
6		X846540	窗玉料	EC-DG-S332054 (3塗)	6063-T5	5800	13	1	14	0.991	80.469	0.148	12.018	
7		X846550	玻璃線	EC-DG-S332054 (3塗)	6063-T5	5800	20	1	21	0.252	30.694	0.044	5.359	梗窗+生窗玻璃線
8		X846070	反拍線	EC-DG-S332054 (3塗)	6063-T5	5800	5	1	6	0.767	26.692	0.050	1.740	
9		X845451	反拍線擋膠鋁角	MILL	6063-T5	5800	5	1	6	0.077	2.680	0	0.000	
10		X84236	窗玉碼	MILL	6063-T5	5800	2	0	2	1.509	17.504	0	0.000	用2500mm
11		ME000231 8	用47.5X3mm鋁巴 削成46X3mm鋁巴	EC-DG-S332054 (3塗)	6063-T5	5200	2	0	2	0.386	4.014	0.054	0.562	收百葉用
12		X844890	百葉托角	EC-DG-S332054 (3塗)	6063-T5	5800	4	1	5	0.186	5.394	0.103	2.987	
13		X843331	百葉片	EC-DG-S332054 (3塗)	6063-T5	5550	8	1	9	0.896	44.755	0.239	11.938	
14		14X3鋁巴	拉巴	EC-DG-S332054 (3塗)	6063-T5	5200	6	1	7	0.114	4.150	0.034	1.238	
15		X845420	壓板	EC-DG-S332054 (3塗)	6063-T5	5800	2	0	2	0.314	3.642	0.027	0.317	用1600mm
16		X845430	壓板	EC-DG-S332054 (3塗)	6063-T5	5800	2	0	2	0.114	1.322	0.021	0.244	用3500mm
17		X846400	生底橫	EC-DG-S332054 (3塗)	6063-T5	5500	3	0	3	0.114	1.881	0.021	0.347	
18		X846090	企工	EC-DG-S332054 (3塗)	6063-T5	5700	3	0	3	0.114	1.949	0.021	0.359	
17							合計:		122		423.81		68.896	

注: 依據EI1358新增佛沙轉後裝窗T1W-E-1 (38F-50F) 12幅, T3AB 7幅, 共19幅


J-837佛沙轉後窗 (T1W-E-1) 共12幅鋁料模圖




模號: X846370 ✓
名稱: 生邊企
合金狀態: 6063-T5
重量: 0.733KG/M
V.F.: 144 mm




模號: X846390 ✓
名稱: 生頂橫(百葉)
合金狀態: 6063-T5
重量: 0.929KG/M
V.F.: 163 mm




模號: X846420
名稱: 梗底橫
合金狀態: 6063-T5
重量: 0.864KG/M
V.F.: 72.4 mm




模號: X846080 ✓
名稱: 上生下生中橫
合金狀態: 6063-T5
重量: 1.542KG/M
V.F.: 276 mm



模號: X846100
名稱: 上生下梗中橫
合金狀態: 6063-T5
重量: 1.443KG/M
V.F.: 178 mm




模號: X846540
名稱: 窗玉料
合金狀態: 6063-T5
重量: 0.991KG/M
V.F.: 148 mm




模號: X846550
名稱: 玻璃線
合金狀態: 6063-T5
重量: 0.252KG/M
V.F.: 44 mm




模號: X846070
名稱: 反拍線
合金狀態: 6063-T5
重量: 0.767KG/M
V.F.: 50 mm



模號: X845451
名稱: 反拍線擋膠鋁角
合金狀態: 6063-T5
重量: 0.077KG/M
V.F.: 0 mm




模號: X84236
名稱: 窗玉碼
合金狀態: 6063-T5
重量: 1.509KG/M
V.F.: 0 mm




模號: ME0002318
名稱: 47.5X3mm鋁巴
合金狀態: 6063-T5
重量: 0.386KG/M
V.F.: 53.5 mm



模號: X844890
名稱: 擋角(百葉頂)
合金狀態: 6063-T5
重量: 0.186KG/M
V.F.: 103mm



模號: X843331
名稱: 百葉片
合金狀態: 6063-T5
重量: 0.896KG/M
V.F.: 238.5mm




模號: 14X3鋁巴
名稱: 拉巴
合金狀態: 6063-T5
重量: 0.114KG/M
V.F.: 34 mm



模號: X845420
名稱: 壓板
合金狀態: 6063-T5
重量: 0.314KG/M
V.F.: 26.5 mm
























模號: X845430
名稱: 壓板
合金狀態: 6063-T5
重量: 0.114KG/M
V.F.: 21.3 mm



模號: X846010
名稱: 生頂橫(獨立生窗)
合金狀態: 6063-T6
重量: 1.028KG/M
V.F.: 179 mm
用佛沙窗百葉頂做
佛沙轉後裝窗頂橫。
約2支頂橫料。

J-837後裝窗鋁料模圖

 <p>模號: X846370 名稱: 生邊企 合金狀態: 6063-T5 重量: 0.733 KG/M V.F.: 144 mm</p>	 <p>模號: X846390 名稱: 生頂橫(獨立生窗/百葉) 合金狀態: 6063-T5 重量: 0.929 KG/M V.F.: 163 mm</p>	 <p>模號: X846010 名稱: 生頂橫(FD門) 合金狀態: 6063-T5 重量: 1.028 KG/M V.F.: 163 mm</p>	 <p>模號: X846400 名稱: 生底橫 合金狀態: 6063-T5 重量: 0.933 KG/M V.F.: 134 mm</p>	 <p>模號: X846040 名稱: 梗底橫 合金狀態: 6063-T5 重量: 0.89 KG/M V.F.: 72.3 mm</p>	 <p>模號: ME0002318 名稱: 47.5X3mm鋁巴 合金狀態: 6063-T5 重量: 0.386 KG/M V.F.: 53.5 mm</p>	 <p>模號: X846130 名稱: FD門框企料 合金狀態: 6063-T6 重量: 1.577 KG/M V.F.: 179 mm</p>
 <p>模號: X846080 名稱: 上生下生中橫 合金狀態: 6063-T5 重量: 1.542 KG/M V.F.: 276 mm</p>	 <p>模號: X846100 名稱: 上生下生中橫 合金狀態: 6063-T5 重量: 1.443 KG/M V.F.: 178 mm</p>	 <p>模號: X846090 名稱: 企工 合金狀態: 6063-T5 重量: 1.495 KG/M V.F.: 260 mm</p>	 <p>模號: X846540 名稱: 窗玉料 合金狀態: 6063-T5 重量: 0.991 KG/M V.F.: 148 mm</p>	 <p>模號: X843331 名稱: 百葉片 合金狀態: 6063-T5 重量: 0.896 KG/M V.F.: 238.5 mm</p>	 <p>模號: X846070 名稱: 反拍線 合金狀態: 6063-T5 重量: 0.767 KG/M V.F.: 50 mm</p>	 <p>模號: X846550 名稱: 玻璃線 合金狀態: 6063-T5 重量: 0.252 KG/M V.F.: 44 mm</p>
 <p>模號: X846670 名稱: FD門框底料 合金狀態: 6063-T6 重量: 1.851 KG/M V.F.: 247 mm</p>	 <p>模號: X845351 名稱: FD門拉巴 合金狀態: 6063-T5 重量: 0.128 KG/M V.F.: 24.63 mm</p>	 <p>模號: 14X3鋁巴 名稱: 拉巴 合金狀態: 6063-T5 重量: 0.114 KG/M V.F.: 34 mm</p>	 <p>模號: X845451 名稱: 反拍線播膠鋁角 合金狀態: 6063-T5 重量: 0.077 KG/M V.F.: 0 mm</p>	 <p>模號: X84236 名稱: 窗玉碼 合金狀態: 6063-T5 重量: 1.509 KG/M V.F.: 0 mm</p>	 <p>模號: ME0001961 名稱: 50*50*3鋁角 合金狀態: 6063-T5 重量: 0.789 KG/M V.F.: 0 mm</p>	 <p>模號: PE0E10026 名稱: 50*50*4鋁角 合金狀態: 6063-T5 重量: 1.041 KG/M V.F.: 0 mm</p>

(A)+(B)+(C) = X84535

16/10/18

TIB S-1.

工程 Superstructure Main Contract (Tower)
for the Proposed Composite Development at N.K.I.L. 6514
Project : Kwun Tong Town Centre (Development Areas 2 & 3)



華營建築有限公司
CR CONSTRUCTION COMPANY LIMITED

分判商工作指令
Work Instruction to Sub-Contractor

致 To: Midi Aluminium Fabricator LTD.
工地 Project: SHW

日期 Date: 23 December 2019
編號 Ref: SHW/3.10/WI7925 Rev. -

現指示貴公司須組織所需資源按時進行及完成下列工程。
You are instructed to provide the necessary resource(s) to execute and complete the following works:

- 包工料 Labour, and Material
- 淨工、機械及工具 Labour, equipment, and tools
- 淨料 Material only
- 淨機械 Plant only
- 其他 Others: _____

工程概要

Subject: Tower 1 Flat E 主廁 38/F-50/F 生產及更換鋁窗事宜

工程內容及位置

Works Description and Location: Tower 1 Flat E 主人廁 鋁窗, 38/F至50/F, 共12幅窗

附件 Attachment: 圖則 Drawing (s): _____
 業主/則師指示 ERI/AI: _____
 其他文件 Others: _____

附註 Remarks:

預計開工日期 Tentative start date: 24/12/2019 地盘總管/施工經理 Site Agent / Construction Manager
 日期 Date: _____
 預計完工日期 Tentative finish date: 31/12/2019 項目經理 Project Manager
 日期 Date: 24/12/19

附註 Remarks: 以上指引只作一般施工紀錄, 不構成本公司對該指引至之工程費用或支出承擔任何責任。
 This instruction shall be treated as an instruction record to proceed with the Works, and will not be taken as a confirmation for payment.
 如有報價 加減工程及合約索償, 分判商需於兩星期內呈交有關資料給合約部以便按合約條款處理。
 Any quotation, variation, or monetary claim generated by this instruction, the sub-contractor shall submit to Contract Department with release supporting information within two weeks for processing in accordance with sub-contract provisions

內部文件 For internal use only
此部份由工程部填報 This section to be completed by Works Department

工作原因 Cause of work _____

責任 Responsibility: 業主 Employer 總承判商 Main Contractor 分判商 S/C
 指定分判商 NSC 其他 Others _____
 指示發起人 Instruction Initiator: Tip Ka Shing
 日期 Date: 23/12/2019

此部份由合約部填報 This section to be completed by Contracts Department

查閱合約 Contract Checking

<u>總承建合約</u> Main Contract	<u>分判合約</u> Sub-contract	<u>其他</u> Others
<input type="checkbox"/> 原總承建合約工程包 Included in Main Contract	<input type="checkbox"/> 代工 Day works	<input type="checkbox"/> 應扣其他分判商(請註明) Contra charge to others: _____
<input type="checkbox"/> 總承建合約加減工程 Main Contract's variation	<input type="checkbox"/> 原分判合約工程包 Sub-contract Works	<input type="checkbox"/> 新工程/廢工, 請於兩星期內呈交報價 New/Abortive Works, please quote within 2 week
<input type="checkbox"/> 合約索償 Contract claim	<input type="checkbox"/> 原分判合約加減工程/質量質度 Sub-contractors variation/remasurement	<input type="checkbox"/> 指定分判商 Named Sub-contractor/NSC

附註 Remarks:

工料測量師 Quantity Surveyor _____ 日期 Date: _____
 項目經理 Project Manager _____ 日期 Date: _____

T3A, B

From: <karlchan@czcgl.com.hk>
 To: <midi@midiltd.com.hk>, <jason.lcs.midi@gmail.com>, <ant.ysy.midi@gmail.com>, <eric.lkw.midi@gmail.com>
 Subject: SHW - Request for Kitchen Window re-fabricate and install at Tower 3
 Date sent: Thu, 23 Jan 2020 14:31:30 +0800
 Copies to: "SHW" <shw@czcgl.com.hk>

Dear Midi,

As discussed on site dated 22/1/2020 regarding the deviation on kitchen window at Tower 3, your office was instructed to re-fabricate, dismantle & re-install the below kitchen window.

Tower 3 (Total: 7 nos.)

Floor	Unit
28/F	A
46/F to 51/F	B

In this connection as above, please provide the fabrication and delivery schedule for our further site coordination.

Should you have any further enquiries, please contact us.

Best regard,

Karl Chan
 Senior Project Coordinator
 Mobile: 9844-8955



China Zhejiang Construction Group (H.K.) Limited

中國浙江建設集團(香港)有限公司

CR Construction Company Limited

華營建築有限公司

Unit No. 3-16, Level 32, Standard Chartered Tower of Millennium City 1,

No. 388 Kwun Tong Road, Kwun Tong, Kowloon, Hong Kong

九龍觀塘道388號創紀之城1期2座(渣打中心) 32樓3-16室

Phone: +852 2828 1515

Web: www.czcgl.com.hk & www.cr-construction.com.hk

DISCLAIMER: The information and attachments in this email are intended for the exclusive use of the addressee and may contain confidential or privileged information. If you are not the intended recipient, please do not forward, copy or print the message or its attachments. Notify me at the above address, and delete this message and any attachments.