



工程指示 / 要求簡箋(E.I.)

工程指示編號：EI/1219 / 19

修改版次：-

工程編號：J851

工程名稱：青衣明翹匯住宅

工程項目：要求色板

收件人：生統

發件人：Leung Hin Wai

日期：13/11/2019

要求提供 / 確認 事項：

- | | | |
|------------------------------------|-------------------------------------|-------------------------------|
| <input type="checkbox"/> 初步鋁料 B.M. | <input type="checkbox"/> 加工拆圖，然後生產 | <input type="checkbox"/> 尺寸表 |
| <input type="checkbox"/> 正式鋁料 B.M. | <input type="checkbox"/> 技術上資料 / 指示 | <input type="checkbox"/> 報價 |
| <input type="checkbox"/> 配件 B.M. | <input type="checkbox"/> 樣辦或貨品說明書 | <input type="checkbox"/> 分判合約 |
| <input type="checkbox"/> 其他：_____ | | |

內容：

請提供配色鋁板，配 5 套作上辦之用。

| | |
|--|------------------|
| 1. PPG UC43350 Bone White(3 coatings) 5 套 | 鋁板尺寸 300x300x3mm |
| 2. PPG UC54271 Charcoal Gray(3 coatings) 5 套 | 鋁板尺寸 300x300x3mm |
| 3. PANTONE 內 7508U Sandy Brown(3 coatings) 5 套 | 鋁板尺寸 300x300x3mm |
| 4. PANTONE 內 7509U Sandy Brown(3 coatings) 5 套 | 鋁板尺寸 300x300x3mm |
| 所有鋁色要 3-coatings，請送回香港寫字樓。(細佬收) | |

請在 _____ 前完成上列要求。

附：-

以上項目為：

- 原合約工程包 原合約工程加 / 減賬 新工程報價

原因：-

分發東莞各部門：

- () 生產技術總監 連附件 () 技術部 連附件 () 生產部 連附件 () 機械設計部 連附件
 () 採購部 連附件 () 生產統籌部 連附件
 () 質檢部 連附件 () 會計部 連附件 () 報關組 連附件 () 其他 _____ 連附件

分發香港各部門：

- () 行政部 連附件 () 會計部 連附件 () 統籌部 連附件 () 工程部地盤科文(柄) 連附件
 () 採購部 連附件 () QS 部 連附件 () 維修部 連附件 () 其他 _____ 連附件

傳遞編號：








HA 2319

發件人簽署：

項目經理簽署：



DURANAR® COATINGS (2-COAT SYSTEM)

| | | | | |
|---|---|--|---|---|
|  |  |  |  |  |
| UC43350 Bone White | UC51825 Fashion Gray | UC45392 Sandstone | UC54434 Aged Copper | |
|  |  |  |  | |
| UC54983 Colonial White | UC43352 Colonial Gray | UC54137 Beige | UC56785 Rosewood | |
|  |  |  |  | |
| UC54412 Ivory | UC54271 Charcoal Gray | UC45082 Sage Brown | UC56729 Coral | |
|  |  |  |  | |
| UC45074 Seawolf | UC40577 Black | UC43347 Statuary Bronze | UC43355 Brick Red | |

The DURANAR color chips provided in our color guide are as close as possible to the DURANAR paint color however color chip reproduction has limitations.

PANTONE®

PANTONE 7506 U 1½ pts PANTONE Yellow 2.2
¼ pt PANTONE Rub. Red .8
60% pts PANTONE Trans.Wt. 97.0

PANTONE 7507 U 2¼ pts PANTONE Yellow 4.2
¾ pt PANTONE Warm Red 1.5
47% pts PANTONE Trans.Wt. 94.3

PANTONE 7508 U ¼ pt PANTONE Yellow 4.2
¼ pt PANTONE Warm Red 1.4
¼ pt PANTONE Black .7
16% pts PANTONE Trans.Wt. 93.7

PANTONE 7509 U 1½ pts PANTONE Yellow 8.3
½ pt PANTONE Warm 2.8
¼ pt PANTONE Black 1.4
15% pts PANTONE Trans.Wt. 87.5

PANTONE 7510 U 5¾ pts PANTONE Yellow 16.7
1¾ pts PANTONE Warm Red 5.5
¾ pt PANTONE Black 2.8
24% pts PANTONE Trans.Wt. 75.0

PANTONE 7511 U 6 pts PANTONE Yellow 33.4
2 pts PANTONE Warm Red 11.1
1 pt PANTONE Black 5.5
9 pts PANTONE Trans.Wt. 50.0

PANTONE 7512 U 8¼ pts PANTONE Yellow 50.0
2¼ pts PANTONE Warm Red 11.1
1¾ pts PANTONE Black 5.5
4¼ pts PANTONE Trans.Wt. 28.8

pt(s) = part(s)
U = Uncoated Paper
:: = Achievable in CMYK