



工程指示編號：EI / 1309 / 19

修改版次：F

工程編號：J851

工程名稱：青衣明翹匯住宅

工程項目：樣板窗配件

收件人：生統

發件人：Leung Hin Wai

日期：15/1 - 2020

要求提供 / 確認 事項：

() 初步鋁料 B.M.

() 加工拆圖，然後生產

() 尺寸表

() 正式鋁料 B.M.

() 技術上資料 / 指示

() 報價

() 配件 B.M.

() 樣辦或貨品說明書

() 分判合約

() 其他：_____

內容：

請看附 BM 訂貨。

增加金屬灰色膠 (Metal Grey)

請在 16/1 前完成上列要求。

附：-

1 + 2 頁

以上項目為：

原合約工程包

原合約工程加 / 減賬

新工程報價

原因：-

分發東莞各部門：

() 生產技術總監 連附件 () 技術部 連附件 () 生產部 連附件 () 機械設計部 連附件

() 採購部 連附件 () 生產統籌部 連附件

() 質檢部 連附件 () 會計部 連附件 () 報關組 連附件 () 其他 _____ 連附件

分發香港各部門：

() 行政部 連附件 () 會計部 連附件 () 統籌部 連附件 () 工程部地盤科文(柄) 連附件

() 採購部 連附件 () QS 部 連附件 () 維修部 連附件 () 其他 _____ 連附件

傳遞編號：

HK 0081

發件人簽署：

項目經理簽署：

| BM編號: | | 工程號: | | J-851 | | 計算: | | Wai | | 6/12/2019 | | 送呈: | |
|--|------|----------|------|----------------------------|------------|-----|----|-----|----|-----------|--|-----|--|
| 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd. | | 地盤名稱: | | | | 核對: | | | | 日期: | | 施哥 | |
| 地盤用配件B.M.表 | | 項目類別: | | | | 批准: | | | | 日期: | | 副本: | |
| 序號 | 修改標示 | 配件圖號 | 物料編號 | 配件名稱 | 顏色 | 實用 | 後備 | 總數 | 單位 | 備注 | | | |
| 19 | | | | M12拉爆 | | 10 | 10 | 20 | 支 | 鋁柵隔用 | | | |
| 20 | | | | M8x25元頭螺絲 | | 60 | 20 | 80 | 粒 | 鋁柵隔用 | | | |
| 21 | | | | M5自攻自轉螺絲 | | 80 | 20 | 100 | 粒 | 鋁柵隔用 | | | |
| 22 | | | | M10拉爆 | | 32 | 8 | 40 | 支 | 鋁柵隔內企飾線用 | | | |
| 23 | | | | M8x25元頭螺絲 | | 32 | 8 | 40 | 粒 | 鋁柵隔內企飾線用 | | | |
| 24 | | | | | | | | | | | | | |
| 25 | | | | M8拉爆 | | 30 | 10 | 40 | 支 | 欄河底鋁板 | | | |
| 26 | | | | M5自攻自轉螺絲 | | 170 | 30 | 200 | 粒 | 欄河底鋁板 | | | |
| 27 | | | | M10拉爆 | | 32 | 8 | 40 | 支 | 欄河企橫 | | | |
| 28 | | | | M6自攻自轉螺絲 | | 130 | 20 | 150 | 粒 | 欄河企橫 | | | |
| 29 | | | | M5自攻自轉螺絲 | | 130 | 20 | 150 | 粒 | 欄河企橫 | | | |
| 30 | | | | 防水膠 | 黑色 | 30 | 10 | 40 | 支 | 欄河企橫 | | | |
| 31 | | DC791中性膠 | | 300絲吉利亞鎖 | | 4 | 1 | 5 | 套 | 見附圖 交廠 | | | |
| 32 | | 增加 | | 防水膠 | 白色 | 10 | 2 | 12 | 支 | 隔格收口 | | | |
| 33 | | | | Ø12mm海綿椅 | 白色 | 1 | 1 | 2 | 米 | | | | |
| 34 | | | | DC791金屬灰色 (Metal Grey) 中性膠 | Metal Grey | 10 | 2 | 12 | 支 | 欄河底鋁板 | | | |
| 35 | | | | | | | | | | | | | |

由於急用，可用其他品牌的接近顏色 15/1



DOW CORNING

DOW CORNING® 791

Silicone Weatherproofing Sealant
When You Need a Weatherseal Glazing Sealant

- ✓ Excellent weather-proofing performance
- ✓ Meets ASTM Specification C 920
- ✓ High movement capability $\pm 50\%$

STANDARD COLORS



黑色
Black



灰色
Grey



金屬灰色
Metal Grey



古銅色
Bronze



石灰岩色
Limestone




瓷白色
Precast White



白色
White



深灰色
Dark Grey



Color bead on chart is reference only.
Please refer to product literature for application
and technical information.
色卡上的顏色僅供參考，產品應用和技術信息，請參考產品數據表