

工程指示 / 要求簡箋(E.I.)

工程指示編號：EI / 1872 / 20

修改版次：B

工程編號：J - 852

工程名稱：亞皆老街中電

工程項目：幕牆 - 繪畫模圖 (11 個)

(x 85825 - x 85833, x 85836, 37)

收件人：Maggie / 生統

發件人：Ant Yeung

日期：09/07/2020

要求提供 / 確認 事項：

- | | | |
|------------------------------------|-------------------------------------|-------------------------------|
| <input type="checkbox"/> 初步鋁料 B.M. | <input type="checkbox"/> 加工拆圖，然後生產 | <input type="checkbox"/> 尺寸表 |
| <input type="checkbox"/> 正式鋁料 B.M. | <input type="checkbox"/> 技術上資料 / 指示 | <input type="checkbox"/> 報價 |
| <input type="checkbox"/> 配件 B.M. | <input type="checkbox"/> 樣辦或貨品說明書 | <input type="checkbox"/> 分判合約 |

內容：

請繪畫加工模圖共 11 個作幕牆用。

補回 CC dia meter 和膠條槽 供參考

(AL-14) 榮陽有通用料，可取消開模

水洪：訂鋁料 BM 前請特別覆核 合金狀態，謝謝

請在 2020 / 07 / 13 前完成上列要求。

附：1+ 12 頁

以上項目為：

- 原合約工程包 原合約工程加 / 減賬 新工程報價

原因：-

分發東莞各部門：

- () 生產技術總監 連附件 () 技術部 連附件 () 生產部 連附件 () 機械設計部 連附件
 () 採購部 連附件 () 生產統籌部 連附件
 () 質檢部 連附件 () 會計部 連附件 () 報關組 連附件 () 其他 楊榮輝 連附件

分發其他分判：

- (v) 水洪 連附件

分發香港各部門：

- () 行政部 連附件 () 會計部 連附件 () 統籌部 連附件 () 工程部地盤科文 連附件
 () 採購部 連附件 () QS 部 連附件 () 維修部 連附件 () 其他 _____ 連附件

傳遞編號：

HK 1329 / 20

發件人簽署：


項目經理簽署：

6


AL-01(0) 1/K 13-9

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-01(0)
		SECTION NO.	085825

a=0.1r
b=0.2r
c=0.3r
d=0.4r
e=0.5r
f=0.8r



美特鋁質有限公司
承認圖面
日期 8-7-20








SCALE 1:4


SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	177.20						
AREA (SQ MM)	2100.10	UNSPECIFIED THICKNESS	5.0	PERIMETER (MM)	838.97	STANDARD		SCALE	1:1
MASS (KG/M)	5.670	UNSPECIFIED CORNERS	-	SURFACE AREA	439.65	ALLOY	6063-T6	VERSION	
COMPANY ISSUE		DRAWA	CJM	DATE	2020-04-29	APELLATION	PAGE OF		
		STANDA-RDIZATION		DATE		<p>美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.</p>			
		TO SIGN		DATE					
		AUDITING		DATE					
MARKER	MODIFY	FILE NO	SIGNATURE	DATE	APPROV				

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-04(0)
		SECTION NO.	<i>x 85 p 27</i>


$a=0.1r$
 $b=0.2r$
 $c=0.3r$
 $d=0.4r$
 $e=0.5r$
 $f=0.8r$



美特鋁質有限公司
 承認圖面
 日期 P-7-20



SCALE 1:4




SCALE 1:2

SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	118.01						
AREA (SQ MM)	949.88	UNSPECIFIED THICKNESS	2.5	PERIMETER (MM)	385.76	STANDARD		SCALE	1:1
MASS (KG/M)	2.574	UNSPECIFIED CORNERS	-	SURFACE AREA	250.53	ALLOY	6063-T6	VERSION	B
COMPANY ISSUE			DRAWA	CJM	DATE	2020-04-29	APELLATION	PAGE OF	
			STANDAR-DIZATION		DATE				
			TO SIGN		DATE				
			AUDITING		DATE				
MARKER	MODIFY	FILE NO	SIGNATURE	DATE	APPROV	DATE			


美特鋁質有限公司
 MIDI Aluminium Fabricator Ltd.

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-FD04(0)
		SECTION NO.	<i>xjs</i>


$a=0.1r$
 $b=0.2r$
 $c=0.3r$
 $d=0.4r$
 $e=0.5r$
 $f=0.8r$




A
2:1




B
2:1




C
2:1



D
2:1



美特鋁質有限公司
 承認圖面 *[Signature]*
 日期 9-7-20



V.F





SCALE 1:4


SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	124.97						
AREA (SQ MM)	773.86	UNSPECIFIED THICKNESS	2.3	PERIMETER (MM)	427.28	STANDARD		SCALE	1:1
MASS (KG/M)	2.097	UNSPECIFIED CORNERS	-	SURFACE AREA	307.04	ALLOY	6063-T6	VERSION	A
COMPANY ISSUE			DRAWN	LHR	DATE	2020-02-29	APELATION		PAGE OF
			STANDARDIZATION		DATE				
			TO SIGN		DATE				
			AUDITING		DATE				
MARKER	MODIFY	FILE NO	SIGNATURE	DATE	APPROV	DATE			


 美特鋁質有限公司
 MIDI Aluminium Fabricator Ltd.

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-11(0)
		SECTION NO.	<i>x-fs-fz</i>


$a=0.1r$
 $b=0.2r$
 $c=0.3r$
 $d=0.4r$
 $e=0.5r$
 $f=0.8r$
 $h=5r$





SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	151.16						
AREA (SQ MM)	2423.35	UNSPECIFIED THICKNESS	12.0	PERIMETER (MM)	438.54	STANDARD	6061-76	SCALE	1:1
MASS (KG/M)	6.545	UNSPECIFIED CORNERS	-	SURFACE AREA	-	ALLOY	6063-T6	VERSION	
COMPANY ISSUE		DRAWA	CJM	DATE	2020-04-29	APELLATION	PAGE OF		
		STANDA		DATE		 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.			
		RDIZATI		DATE					
		TO SIGN		DATE					
		AUDITING		DATE					
MARKER	MODIFY	FILE NO	SIGNATURE	DATE	APPROV	DATE			

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-12
		SECTION NO.	XJ5830

$a=0.1r$
 $b=0.2r$
 $c=0.3r$
 $d=0.4r$
 $e=0.5r$
 $f=0.8r$
 $g=1r$
 $h=5r$



SCALE 2:1






SCALE 1:1

SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	40.45						
AREA (SQ MM)	264.92	UNSPECIFIED THICKNESS	6.0	PERIMETER (MM)	105.91	STANDARD	6061-T6	SCALE	1:1
MASS (KG/M)	0.715	UNSPECIFIED CORNERS	-	SURFACE AREA	-	ALLOY	6063-T6	VERSION	
COMPANY ISSUE			DRAWA	CJM	DATE	2020-04-29	APELLATION	PAGE OF	
			STANDA-		DATE				
			RDIZATION		DATE				
			TO SIGN		DATE				
			AUDITING		DATE				
MARKER	MODIFY	FILE NO	SIGNATURE	DATE	APPROV	DATE			



美特鋁質有限公司
 MIDI Aluminium Fabricator Ltd.

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-13(0)
		SECTION NO.	x f5f31

a=0.1r
b=0.2r
c=0.3r
d=0.4r
e=0.5r
f=0.8r
g=1r
h=5r



SCALE 1:4




SCALE 1:2



SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	102.49						
AREA (SQ MM)	1095.93	UNSPECIFIED THICKNESS	10.0	PERIMETER (MM)	260.72	STANDARD	6063-T6	SCALE	1:1
MASS (KG/M)	2.959	UNSPECIFIED CORNERS	-	SURFACE AREA	-	ALLOY	6063-T6	VERSION	
COMPANY ISSUE			DRAWN	CJM	DATE	2020-04-29	APELLATION	PAGE OF	
			STANDARDIZATION		DATE		 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.		
			TO SIGN		DATE				
			AUDITING		DATE				
MARKER	MODIFY	FILE NO	SIGNATURE	DATE	APPROV	DATE			

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-38(0)
		SECTION NO.	XJY 832



$a=0.1r$
 $b=0.2r$
 $c=0.3r$
 $d=0.4r$
 $e=0.5r$
 $f=0.8r$
 $g=1r$
 $h=5r$



A
2:1



B
2:1



SCALE 1:4





SCALE 1:4



SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	50.12						
AREA (SQ MM)	73.93	UNSPECIFIED THICKNESS	1.0	PERIMETER (MM)	133.49	STANDARD		SCALE	1:1
MASS (KG/M)	0.199	UNSPECIFIED CORNERS	-	SURFACE AREA	69.76	ALLOY	6063-T6	VERSION	
COMPANY ISSUE		DRAWN	CJM	DATE	2020-04-29	APELLATION	PAGE OF		
		STANDARDIZATION		DATE		 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.			
		TO SIGN		DATE					
		AUDITING		DATE					
MARKER	MODIFY	FILE NO	SIGNATURE	DATE	APPROV				

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-39(0)
		SECTION NO.	X-85 833


$a=0.1r$
 $b=0.2r$
 $c=0.3r$
 $d=0.4r$
 $e=0.5r$
 $f=0.8r$
 $g=1r$
 $h=5r$



SCALE 2:1



SCALE 1:2





SCALE 1:1

SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	19.13						
AREA (SQ MM)	24.25	UNSPECIFIED THICKNESS	1.0	PERIMETER (MM)	54.54	STANDARD		SCALE	1:1
MASS (KG/M)	0.065	UNSPECIFIED CORNERS	-	SURFACE AREA	20.81	ALLOY	6063-T5	VERSION	
COMPANY ISSUE			DRAWN	CJM	DATE	2020-04-29	APPELLATION	PAGE OF	
			STANDARDIZATION		DATE				
			TO SIGN		DATE				
			AUDITING		DATE				
MARKER	MODIFY	FILE NO	SIGNATURE	DATE	APPROV	DATE			



美特鋁質有限公司
 MIDI Aluminium Fabricator Ltd.

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-41(0)
		SECTION NO.	885836


$a=0.1r$
 $b=0.2r$
 $c=0.3r$
 $d=0.4r$
 $e=0.5r$
 $f=0.8r$




A
4:1



SCALE
1:2







SCALE
1:2


SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	70.71						
AREA (SQ MM)	447.34	UNSPECIFIED THICKNESS	3.0	PERIMETER (MM)	323.38	STANDARD		SCALE	1:1
MASS (KG/M)	1.208	UNSPECIFIED CORNERS	-	SURFACE AREA	106.51	ALLOY	6063-T6	VERSION	
COMPANY ISSUE		DRAWN	CJM	DATE	2020-06-02	APELLATION	PAGE OF		
		STANDARDIZATION		DATE		 美特铝质有限公司 MIDI Aluminium Fabricator Ltd.			
		TO SIGN		DATE					
		AUDITING		DATE					
MARKER	MODIFY	FILE NO	SIGNATURE	DATE	APPROV	DATE			

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-42(0)
		SECTION NO.	<i>AL-42(0)</i>

$a=0.1r$
 $b=0.2r$
 $c=0.3r$
 $d=0.4r$
 $e=0.5r$
 $f=0.8r$




SCALE
1:2




V.F

SCALE
1:2

SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	45.42						
AREA (SQ MM)	82.54	UNSPECIFIED THICKNESS	1.0	PERIMETER (MM)	187.81	STANDARD		SCALE	1:1
MASS (KG/M)	0.223	UNSPECIFIED CORNERS	-	SURFACE AREA	67.83	ALLOY	6063-T6	VERSION	
COMPANY ISSUE		DRAWN	CJM	DATE	2020-06-02	APELLATION	PAGE OF		
		STANDARDIZATION		DATE		 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.			
		TO SIGN		DATE					
		AUDITING		DATE					
MARKER	MODIFY	FILE NO	SIGNATURE	DATE	APPROV				

CUSTOMER	CUSTOMER APPROVAL	CUST PART NO.	AL-14(0)
		SECTION NO.	185835


$a=0.1r$
 $b=0.2r$
 $c=0.3r$
 $d=0.4r$
 $e=0.5r$
 $f=0.8r$
 $g=1r$
 $h=5r$




用通用材料
 陽
 PE 0E (0017)

東清開模

記錄用



SCALE 1:2

SIGNATURE GRADEING	HIGH SIGNATURE GRADEING	C.C.DIA(MM)	56.57						
AREA (SQ MM)	443.97	UNSPECIFIED THICKNESS	6.0	PERIMETER (MM)	838.97	STANDARD		SCALE	1:1
MASS (KG/M)	1.198	UNSPECIFIED CORNERS	-	SURFACE AREA	-	ALLOY	6063-T6	VERSION	
COMPANY ISSUE		DRAWA	CJM	DATE	2020-04-29	APELLATION	PAGE OF		
		STANDA-RDIZATION		DATE		 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.			
		TO SIGN		DATE					
		AUDITING		DATE					
MARKER MODIFY	FILE NO	SIGNATURE	DATE	APPROV	DATE				