

工程指示 / 要求簡箋(E.I.)

工程指示編號：EI / 3175 / 21

修改版次：-

工程編號：J - 852

工程名稱：亞皆老街中電 (1-21/F)

工程項目：佛沙窗 地盤用玻璃 B.M. 大貨 (T1-T3) *(減去 T3: 5/F)* (2992 件)

收件人：Maggie

發件人：Ant Yeung

日期：17/03/2021

要求提供 / 確認 事項：

- () 初步鋁料 B.M. () 加工拆圖，然後生產 () 尺寸表
- () 正式鋁料 B.M. () 技術上資料 / 指示 () 報價
- () 配件 B.M. () 樣辦或貨品說明書 () 分判合約
- () 其他：_____

內容：

(1-21/F)
請按 BM 訂購 T1-T3 佛沙窗玻璃 (共 2,992 件) (T1: 1067 件. T2: 953 件. T3: 972 件) 直送地盤.

EI2819 已生產 T3: 5/F 的佛沙窗玻璃, 此 EI 不用生產 T3: 5/F 數量

包裝要分座分層. * T3 優先出貨

GL01a-01: D21010039 (2390x2070)(共:35 件) 為大玻璃 (未能入沙機) 須另外分箱包裝.

IGU 膠用 DC983 結構膠

玻璃要做熱浸. Low-E: 8SEE0-83T.

請留意玻璃加工時不要固定的鋼化及熱浸標籤. 玻璃出貨時需加上"可移除" 標籤.

單片: 標籤在室外面 (注明半鋼化/ 鋼化); IGU: 標籤在室內外面 (注明半鋼化/ 鋼化)

請在 2021.04.30 前完成上列要求。

附：6 頁 BM+6 頁參考 BM + 1 頁 [] + 64 頁派位圖+ 4 頁加工圖

以上項目為：

- 原合約工程包 原合約工程加 / 減賬 新工程報價

原因：-

分發東莞各部門：

- () 生產技術總監口連附件 () 技術部 口連附件 () 生產部 口連附件 () 機械設計部口連附件
- () 採購部 口連附件 () 生產統籌部口連附件 () 小羅&清 口連附件
- () 質檢部 口連附件 () 會計部 口連附件 () 報關組 口連附件 () 其他 楊榮輝 口連附件

分發其他分判：

- (v) 水洪 口連附件

分發香港各部門：

- () 行政部口連附件 () 會計部口連附件 () 統籌部口連附件 () 工程地盤科文口連附件 () 祥哥
- () 採購部口連附件 () QS 部 口連附件 () 維修部口連附件 () 其他 _____ 口連附件

傳遞編號：

HK / 21

發件人簽署：

項目經理簽署：

包裝要求

J852

52 3175

*① 大玻璃 ← (優先鑄造)
T1A T3A
2390 W x 2070 H 此尺寸合開包。

另加一個同樣尺寸空箱 給 2390 W x 2070 H


*② 分座、分層包裝

*③ 所有 GL04 10mm 的單片
此單 (小件欄均玻璃)
按尺寸包裝。

*④ T3 優先, T1, T2 同步

*⑤ 2²/F 2³/F 優先

*⑥ 廁所玻璃優先

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.	工程號:	J852	計算:	sde	日期:	2021.02.20	送呈:	
	地盤名稱:		核對:		日期:		副本:	(訂購用)
地盤用玻璃B.M.表		項目類別:	佛沙窗-T1-(1F~21F)	批准:		日期:		A/C Code:
BM編號:		修改版次:	A-2021.03.12	總計玻璃面積 (平方米):		951.34		

序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度 (W mm)	高度 (H mm)				
1	A-搭位12mm	GL03-01	6mm+12mm AIR GAP+6mm THK. I.G.U. D21010040 Low e = 8SEE0-83T	24.0	601.0	1931.0	108	125.34	見位置圖	GL03-01
2	A-搭位12mm	GL03-02			801.0	1216.0	72	125.00	見位置圖	GL03-02
3	A-搭位12mm	GL03-03			801.0	1261.0	36	36.36	見位置圖	GL03-03
4	A-搭位12mm	GL03-04			596.0	1931.0	142	163.42	見位置圖	GL03-04
5	A-搭位12mm	GL03-05			346.0	1226.0	36	15.27	見位置圖	GL03-05
6	A-搭位12mm	GL03-06			396.0	1931.0	34	26.00	見位置圖	GL03-06
7	A-搭位12mm	GL03-07			321.0	1261.0	18	7.29	見位置圖	GL03-07
8	A-搭位12mm	GL03-08			246.0	1261.0	18	5.58	見位置圖	GL03-08
9	A-搭位12mm	GL03-09			521.0	1931.0	34	34.21	見位置圖	GL03-09
					合計:	498	538.47			
10	A-搭位18mm	GL01-01	8mm+12mm AIR GAP+10mm THK. I.G.U. D20120140 Low e = 8SEE0-83T	30.0	1296.0	2066.0	36	96.39	見位置圖	GL01-01
11	A-搭位18mm	GL01-02			896.0	2066.0	18	33.32	見位置圖	GL01-02
12	A-搭位18mm	GL01-03			813.0	618.0	72	36.18	見位置圖	GL01-03
13	A-搭位18mm	GL01-04			813.0	468.0	36	13.70	見位置圖	GL01-04
14	A-搭位18mm	GL01-05			333.0	468.0	18	2.81	見位置圖	GL01-05
15	A-搭位18mm	GL01-06			258.0	468.0	18	2.17	見位置圖	GL01-06
16	A-搭位18mm	GL01-07			506.0	2066.0	17	17.77	見位置圖	GL01-07
					合計:	215	202.33			
17	A-搭位20mm	GL01a-01	8mm+9mm AIR GAP+12mm THK.	29.0	2390.0	2070.0	18	89.05	見位置圖	GL01a-01

D21010039
Low e = 8SEE0-83T

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.		工程號:	J852	計算:	sde	日期:	2021.02.20	送呈:		
		地盤名稱:		核對:		日期:		副本:	<訂購用>	
地盤用玻璃B.M.表		項目類別:	佛沙窗-T1-(1F~21F)	批准:		日期:		A/C Code:		
BM編號:		修改版次:	A-2021.03.12	總計玻璃面積 (平方米):		951.34				
序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度 (W mm)	高度 (H mm)				
						合計:	18	89.05		
18		GL04-01	10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER) D20070686	10.0	666.0	593.0	108	42.65	見位置圖	GL04-01
19		GL04-02			586.0	593.0	34	11.81	見位置圖	GL04-02
20		GL04-03			461.0	593.0	34	9.29	見位置圖	GL04-03
21		GL04-04			661.0	593.0	142	55.66	見位置圖	GL04-04
22		GL04-05			311.0	368.0	18	2.06	見位置圖	GL04-05
						合計:	336	121.48		
						总合计:	1067	951.34		
加工注意事項:		1).本表中之所有玻璃顏色待定。								
		2).本表中所有玻璃對角線尺寸偏差要求不超過負2mm。								
		3).本表中玻璃要求粗磨邊處理並倒棱角，而所有玻璃之入爐方向需保持一致。								
		4).本表中所有玻璃成品均需做雙面保護，用透明靜電膠紙加四周一寸FK白膠紙做雙面加固保護處理。								
		5).本表中所有玻璃成品均需注明室內外及其玻璃編號，以便識別。								

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.		工程號: J852	計算: sde	日期: 2021.02.20	送呈:					
地盤名稱:		核對:	日期:	 副本: 〈訂購用〉						
地盤用玻璃B.M.表		項目類別: 佛沙窗-T2-(1F~21F)	批准:	日期:	A/C Code:					
BM編號:	修改版次: B-2021.03.16	總計玻璃面積(平方米):		716.39						
序號	修改內容	玻璃圖號	顏色與類型	厚度(mm)	玻璃尺寸		數量(塊)	總面積(平方米)	使用位置	加工圖參考
					寬度(W mm)	高度(H mm)				
1	A-搭位12mm	GL03-01	6mm+12mm AIR GAP+6mm THK. I.G.U. D21010040 Low e: 8SEE0-83T	24.0	601.0	1931.0	144	167.12	見位置圖	GL03-01
2	A-搭位12mm	GL03-04			596.0	1931.0	72	82.86	見位置圖	GL03-04
3	A-搭位12mm	GL03-05			346.0	1226.0	36	15.27	見位置圖	GL03-05
4	A-搭位12mm	GL03-06			396.0	1931.0	34	26.00	見位置圖	GL03-06
5	A-搭位12mm	GL03-07			321.0	1261.0	36	14.57	見位置圖	GL03-07
6	A-搭位12mm	GL03-08			246.0	1261.0	36	11.17	見位置圖	GL03-08
7	A-搭位12mm	GL03-09			521.0	1931.0	69	69.42	見位置圖	GL03-09
					合計:	427	386.41			
8	A-搭位18mm	GL01-01	8mm+12mm AIR GAP+10mm THK. I.G.U. Low e: 8SEE0-83T D20120140	30.0	1296.0	2066.0	36	96.39	見位置圖	GL01-01
9	B-修改尺寸	GL01-02			896.0	2066.0	36	66.64	見位置圖	GL01-02
10	B-修改尺寸	GL01-05			333.0	468.0	36	5.61	見位置圖	GL01-05
11	B-修改尺寸	GL01-06			258.0	468.0	36	4.35	見位置圖	GL01-06
12	B-修改尺寸	GL01-07			506.0	2066.0	34	35.54	見位置圖	GL01-07
					合計:	178	208.53			
13		GL04-01	10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER) D20070686	10.0	666.0	593.0	144	56.87	見位置圖	GL04-01
14		GL04-02			586.0	593.0	68	23.63	見位置圖	GL04-02
15		GL04-03			461.0	593.0	34	9.29	見位置圖	GL04-03
16		GL04-04			661.0	593.0	72	28.22	見位置圖	GL04-04
17		GL04-05			311.0	368.0	30	3.43	見位置圖	GL04-05
					合計:	348	121.45			

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.		工程號:	J852	計算:	sde	日期:	2021.02.20	送呈:		
		地盤名稱:		核對:		日期:		副本:		
地盤用玻璃B.M.表		項目類別:	佛沙窗-T2-(1F~21F)	批准:		日期:		A/C Code:		
BM編號:		修改版次:	B-2021.03.16	總計玻璃面積(平方米):		716.39				
序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度(W mm)	高度(H mm)				
					总合计:		953	716.39		
加工注意事項:		1).本表中之所有玻璃顏色待定。								
		2).本表中所有玻璃對角線尺寸偏差要求不超過負2mm。								
		3).本表中玻璃要求粗磨邊處理並倒棱角，而所有玻璃之入爐方向需保持一致。								
		4).本表中所有玻璃成品均需做雙面保護，用透明靜電膠紙加四周一寸FK白膠紙做雙面加固保護處理。								
		5).本表中所有玻璃成品均需注明室內外及其玻璃編號，以便識別。								

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.	工程號:	J852	計算:	sde	日期:	2021.02.20	送呈:	
	地盤名稱:		核對:		日期:		副本:	〈訂購用〉
地盤用玻璃B.M.表		項目類別:	佛沙窗-T3-(1F~3F, 6F~21F)		日期:		A/C Code:	
BM編號:		修改版次:	A-2021.03.12	總計玻璃面積 (平方米):	895.88			


T3

序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度 (W mm)	高度 (H mm)				
1	A-搭位12mm	GL03-01	6mm+12mm AIR GAP+6mm THK. I.G.U. D21010040 LowE: 8SEE0-83T	24.0	601.0	1931.0	102	118.37	見位置圖	GL03-01
2	A-搭位12mm	GL03-02			801.0	1216.0	51	125.00	見位置圖	GL03-02
3	A-搭位12mm	GL03-03			801.0	1261.0	34	34.34	見位置圖	GL03-03
4	A-搭位12mm	GL03-04			596.0	1931.0	134	153.91	見位置圖	GL03-04
5	A-搭位12mm	GL03-05			346.0	1226.0	34	14.42	見位置圖	GL03-05
6	A-搭位12mm	GL03-06			396.0	1931.0	32	24.27	見位置圖	GL03-06
7	A-搭位12mm	GL03-07			321.0	1261.0	17	6.88	見位置圖	GL03-07
8	A-搭位12mm	GL03-08			246.0	1261.0	17	5.27	見位置圖	GL03-08
9	A-搭位12mm	GL03-09			521.0	1931.0	32	32.19	見位置圖	GL03-09
					合計:	452	514.66			
10	A-搭位18mm	GL01-01	8mm+12mm AIR GAP+10mm THK. I.G.U. D20120140	30.0	1296.0	2066.0	34	91.04	見位置圖	GL01-01
11	A-搭位18mm	GL01-02			896.0	2066.0	17	31.47	見位置圖	GL01-02
12	A-搭位18mm	GL01-03			813.0	618.0	51	25.62	見位置圖	GL01-03
13	A-搭位18mm	GL01-04			813.0	468.0	34	12.94	見位置圖	GL01-04
14	A-搭位18mm	GL01-05			333.0	468.0	17	2.65	見位置圖	GL01-05
15	A-搭位18mm	GL01-06			258.0	468.0	17	2.05	見位置圖	GL01-06
16	A-搭位18mm	GL01-07			506.0	2066.0	16	16.73	見位置圖	GL01-07
					合計:	186	182.49			
17	A-搭位20mm	GL01a-01	8mm+9mm AIR GAP+12mm THK.	29.0	2390.0	2070.0	17	84.10	見位置圖	GL01a-01

D21010039
LowE: 8SEE0-83T


 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.		工程號:	J852	計算:	sde	日期:	2021.02.20	送呈:		
		地盤名稱:		核對:		日期:		副本:		
地盤用玻璃B.M.表		項目類別:	佛沙窗-T3-(1F~3F, 6F~21F)			日期:		A/C Code:		
BM編號:		修改版次:	A-2021.03.12	總計玻璃面積 (平方米):		895.88				
序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度 (W mm)	高度 (H mm)				
						合計:	17	84.10		
18		GL04-01	10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER) <i>D20070686</i>	10.0	666.0	593.0	102	40.28	見位置圖	GL04-01
19		GL04-02			586.0	593.0	32	11.12	見位置圖	GL04-02
20		GL04-03			461.0	593.0	32	8.75	見位置圖	GL04-03
21		GL04-04			661.0	593.0	134	52.52	見位置圖	GL04-04
22		GL04-05			311.0	368.0	17	1.95	見位置圖	GL04-05
						合計:	317	114.62		
						总合计:	972	895.88		
加工注意事項:		1).本表中之所有玻璃顏色待定。								
		2).本表中所有玻璃對角線尺寸偏差要求不超過負2mm。								
		3).本表中玻璃要求粗磨邊處理並倒棱角，而所有玻璃之入爐方向需保持一致。								
		4).本表中所有玻璃成品均需做雙面保護，用透明靜電膠紙加四周一寸FK白膠紙做雙面加固保護處理。								
		5).本表中所有玻璃成品均需注明室內外及其玻璃編號，以便識別。								

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.	類別		物料號	
	制圖	van	2020-09-04	圖號 GL01-01~08
修改				數量 一
日期				位置 佛沙窗用





工程號	J-852	地盤	—	附件
名稱	玻璃加工圖		採用	
材料	8mm+12mm AIR GAP+10mm THK. I.G.U.		地盤	
顏色	—		工廠 <input checked="" type="checkbox"/>	

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.				類別		物料號	
				制圖	ivan	2020-09-04	圖號 GL01a-01
修改				復核			數量 —
日期				批准			位置 佛沙窗用




工程號	J-852	地盤	—	附件
名稱	玻璃加工圖		採用	
材料	8mm+9mm AIR GAP+12mm THK. I.G.U.		地盤	
顏色	—		工廠 <input checked="" type="checkbox"/>	

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.				類別		物料號	
				制圖	ivan	2020-09-04	圖號 GL03-01~10
修改				復核			數量 一
日期				批准			位置 佛沙窗用






工程號	J-852	地盤	—	附件
名稱	玻璃加工圖		採用	
材料	6mm+12mm AIR GAP+6mm THK. I.G.U.		地盤	
顏色	—	工廠	✓	

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.				類別	物料號			
				制圖	ivan	2020-09-04	圖號	GL04-01~04
修改				復核			數量	—
日期				批准			位置	佛沙窗用




工程號	J-852	地盤	—	附件	—	
名稱	玻璃加工圖		採用			
材料	10mm THK. TEMPERED GLASS		地盤			✓
顏色	—		工廠			



SECTION "X-X"

SECTION "Y-Y"



PART PLAN A

ELEVATION

T1 W3/T1B

TYPE A	
OPENABLE WINDOW DIMENSION	(WIDTH) = 800
	(HEIGHT) = 2130
FIXED WINDOW DIMENSION	(WIDTH) = 1360
	(HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	2
GLAZING AREA	
OPENABLE	
WIDTH = 800-111.5-111.5	= 577 mm
HEIGHT = 2130-111.5-111.5	= 1907 mm
FIXED	
WIDTH = 1360-50-50	= 1260 mm
HEIGHT = 2130-50-50	= 2030 mm
TOTAL = ((577x1907)+(1260x2030))1000000	= 4.758478 m ²
OPENABLE AREA	
WIDTH = 800-77-77	= 646 mm
HEIGHT = 2130-77-(1160-385-15)	= 1283 mm
TOTAL = ((646x1283)x2)1000000	= 1.670556 m ²

PROVIDED	
GLAZING AREA	4.758 m ²
OPENABLE AREA	1.671 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
① - DETAIL MARK NO.
② - REFER SHEET NO.

1. F.F.L - FINISHED FLOOR LEVEL.
2. S.F.L - STRUCTURAL FLOOR LEVEL.
3. (Z) - REVERSED DETAIL.
4. ▲ - FIXING LOCATION.
5. △ - FIXING LUG LOCATION.
6. GLASS LEGEND:
GL01 - 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01a - 8mm+9mm AIR GAP+12mm THK. L.G.U.
GL03 - 8mm+12mm AIR GAP+8mm THK. L.G.U.
GL04 - 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 - 8mm+12mm AIR GAP+10mm THK. L.G.U.

B	24/04/2020	REVISION SUBJECT TO APPROVALMENT	PH
C	22/04/2020	REVISION SUBJECT TO APPROVALMENT	PH
B	05/03/2020	REVISION SUBJECT TO APPROVALMENT	PH
A	24/02/2020	REVISION SUBJECT TO APPROVALMENT	SH
REV.	DATE	REVISION	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.


TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW


美特铝业有限公司
MIDI ALUMINIUM FABRICATOR Sdn. Bhd.
Units 6-8, Sunray Industrial Centre, 1/F
810 Chee Koo Ling Road, Kowloon
Tel: 23488211-4 Fax: (852) 27727668

DWG NO. : J852-SD-PW-4101 REV. : D


WINDOW MARK	W3/T1B
LOCATION	1/F-18/F MASTER ENSUITE AT TOWER 1 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	15
REMARKS	FAÇADE (PF-9)




ELEVATION



SECTION "X-X"



SECTION "Y-Y"



PART PLAN A

ELEVATION

TYPE A	
OPENABLE WINDOW DIMENSION	(WIDTH) = 800 (HEIGHT) = 2130
FIXED WINDOW DIMENSION	(WIDTH) = 1360 (HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	2
GLAZING AREA	
OPENABLE	
WIDTH = 800-111.5-111.5	= 577 mm
HEIGHT = 2130-111.5-111.5	= 1907 mm
FIXED	
WIDTH = 1360-50-50	= 1260 mm
HEIGHT = 2130-50-50	= 2030 mm
TOTAL	= ((577x1907)x2+(1260x2030))/1000000 = 4.758478 m ²
OPENABLE AREA	
WIDTH = 800-77-77	= 646 mm
HEIGHT = 2130-77-(1160-385-15)	= 1253 mm
TOTAL	= ((646x1253)x2)/1000000 = 1.670556 m ²

PROVIDED	
GLAZING AREA	4.758 m ²
OPENABLE AREA	1.671 m ²

(T1) W3/T1B

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MENHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
① - DETAIL MARK NO.
② - REFER SHEET NO.

1. F.F.L.—FINISHED FLOOR LEVEL.
2. S.F.L.—STRUCTURAL FLOOR LEVEL.
3. ② —REVERSED DETAIL.
4. ▲ —FIXING LOCATION.
5. △ —FIXING LUG LOCATION.
6. GLASS LEGEND
GL01 —8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01a —8mm+9mm AIR GAP+12mm THK. L.G.U.
GL03 —8mm+12mm AIR GAP+10mm THK. L.G.U.
GL04 —10mm THK. TEMPERED GLASS (ROBUSTIC BARRIER)
GL05 —8mm+12mm AIR GAP+9mm THK. L.G.U.

B	24/08/2020	REVISION SUBJECT TO APPROVALMENT
A	22/04/2020	REVISION SUBJECT TO APPROVALMENT





JOB NO. : J-852
PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NHL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

英特銘實有限公司
MIDI ARCHITECTURAL ENGINEERING & DESIGN
Units 6-8, Survey Industrial Centre, 1/F
610 Chee Koo Ling Road, Kowloon
Tel: 23408211-4 Fax: (852) 27727666
DWG NO. : J852-SD-PW-4101A REV. : B

WINDOW MARK	W3/T1B
LOCATION	19/F-21/F MASTER ENSUITE AT TOWER 1 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	3
REMARKS	FACADE (PF-9)



ELEVATION

PART PLAN A

(T1)

W2/T1B

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	960
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW		2
GLAZING AREA		
OPENABLE		
WIDTH = 800-111.5-111.5	=	577 mm
HEIGHT = 2130-111.5-111.5	=	1907 mm
FIXED		
WIDTH = 960-50-50	=	860 mm
HEIGHT = 2130-50-50	=	2030 mm
TOTAL = ((577x1907)+(860x2030))/1000000	=	3.946478 m ²
OPENABLE AREA		
WIDTH = 800-77-77	=	646 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((646x1293)+(2x1000000))	=	1.670556 m ²

PROVIDED	
GLAZING AREA	3.946 m ²
OPENABLE AREA	1.671 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT :
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
① - DETAIL MARK NO. REFER SHEET NO.

- F.F.L. — FINISHED FLOOR LEVEL
- S.F.L. — STRUCTURAL FLOOR LEVEL
- ⊖ — REVERSED DETAIL
- △ — FIXING LOCATION
- △ — FIXING LUG LOCATION
- GLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01e — 8mm+8mm AIR GAP+12mm THK. L.G.U.
GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE LAMINATED)
GL05 — 6mm+12mm AIR GAP+8mm THK. L.G.U.

NO.	DATE	REVISION	BY
E	24/06/2020	REVISION SUBJECT TO APPROVALMENT	SH
D	01/06/2020	REVISION SUBJECT TO APPROVALMENT	SH
C	22/04/2020	REVISION SUBJECT TO APPROVALMENT	SH
B	01/02/2020	REVISION SUBJECT TO APPROVALMENT	SH
A	24/02/2020	REVISION SUBJECT TO APPROVALMENT	SH





JOB NO. : J-852
PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

英特經貿有限公司
MIDI INTERNATIONAL TRADING CO., LTD.
Units 6-8, Sunway Industrial Centre, 1/F
810 Che Kwo Ling Road, Kowloon
Tel: 23488211-4 Fax: (852) 27727666
DWG NO. : J852-SD-PW-4102 REV. : E

WINDOW MARK	W2/T1B
LOCATION	2/F-18/F LIV./DIN. AT TOWER 1 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	14
REMARKS	FACADE (PF-10)



ELEVATION

SECTION "X-X"

SECTION "Y-Y"

PART PLAN A

(T1)

W2/T1B

TYPE A	
OPENABLE WINDOW DIMENSION	(WIDTH) = 800
	(HEIGHT) = 2130
FIXED WINDOW DIMENSION	(WIDTH) = 960
	(HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW = 2	
GLAZING AREA	
OPENABLE	
WIDTH = 800-111.5-111.5	= 577 mm
HEIGHT = 2130-111.5-111.5	= 1907 mm
FIXED	
WIDTH = 960-50-50	= 860 mm
HEIGHT = 2130-50-50	= 2030 mm
TOTAL	= ((577x1907)+2x(860x2030))/1000000 = 3.946478 m ²
OPENABLE AREA	
WIDTH = 800-77-77	= 646 mm
HEIGHT = 2130-77-(1160-385-15)	= 1293 mm
TOTAL	= ((646x1293)+2x1000000) = 1.670556 m ²

PROVIDED		
GLAZING AREA	3.95	m ²
OPENABLE AREA	1.67	m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
 (X1) DETAIL MARK NO.
 (X2) REFER SHEET NO.

1. F.F.L.—FINISHED FLOOR LEVEL
2. S.F.L.—STRUCTURAL FLOOR LEVEL
3. (Z) —REVERSED DETAIL
4. ▲ —FIXING LOCATION
5. △ —FIXING LUG LOCATION
6. GLASS LEGEND
 GL01 —8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01c —8mm+9mm AIR GAP+12mm THK. L.G.U.
 GL03 —8mm+12mm AIR GAP+8mm THK. L.G.U.
 GL04 —10mm THK. TEmPORED GLASS (PROTECTIVE BARRIER)
 GL05 —8mm+12mm AIR GAP+8mm THK. L.G.U.

C	24/01/2020	REVISION SUBJECT TO APPROVALMENT	mm
B	01/01/2020	REVISION SUBJECT TO APPROVALMENT	mm
A	22/04/2020	REVISION SUBJECT TO APPROVALMENT	mm
NA	DATE	REASON	BY

JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.





TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW

MIDI 英特銘有限公司
 610 Cho Kwo Ling Road, Kowloon
 Tel: 23488211-4 Fax: (852) 2727866

WINDOW MARK	W2/T1B
LOCATION	1/F&19/F-21/F LIV./DIN. AT TOWER 1 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	4
REMARKS	FACADE (PF-10)

DWG NO. : J852-SD-PW-4102A REV. : C



ELEVATION

SECTION "X-X"

SECTION "Y-Y"

PART PLAN A

(T1)

W2/T1A

TYPE A	
OPENABLE WINDOW DIMENSION	(WIDTH) = 800 (HEIGHT) = 2130
FIXED WINDOW DIMENSION	(WIDTH) = 1360 (HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW = 2	
GLAZING AREA	
OPENABLE	
WIDTH = 800-111.5-111.5	= 577 mm
HEIGHT = 2130-111.5-111.5	= 1907 mm
FIXED	
WIDTH = 1360-50-50	= 1260 mm
HEIGHT = 2130-50-50	= 2030 mm
TOTAL = ((577x1907)x2+(1260x2030))1000000	= 4.758478 m ²
OPENABLE AREA	
WIDTH = 800-77-77	= 646 mm
HEIGHT = 2130-77-(1160-385-15)	= 1283 mm
TOTAL = ((646x1283)x2)1000000	= 1.670556 m ²

PROVIDED	
GLAZING AREA	4.758 m ²
OPENABLE AREA	1.61 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC
DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

- (X1) — DETAIL MARK NO. REFER SHEET NO.
- 1. F.F.L. — FINISHED FLOOR LEVEL
- 2. S.F.L. — STRUCTURAL FLOOR LEVEL
- 3. (⊖) — REVERSED DETAIL
- 4. ▲ — FIXING LOCATION
- 5. △ — FIXING LUG LOCATION
- 6. GLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01e — 8mm+8mm AIR GAP+12mm THK. L.G.U.
GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRED)
GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.

E	24/08/2020	REVISION SUBJECT TO APPROVALMENT	SH
B	01/08/2020	REVISION SUBJECT TO APPROVALMENT	SH
C	22/04/2020	REVISION SUBJECT TO APPROVALMENT	SH
B	08/03/2020	REVISION SUBJECT TO APPROVALMENT	SH
A	24/02/2020	REVISION SUBJECT TO APPROVALMENT	SH
DR	DATE	REASON	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW





DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

英特铝业有限公司
MIDI ALUMINIUM FABRICATORS LTD.
Units 6-8, Sunway Industrial Centre, 1/F
810 Chee Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27727666

DWG NO. : J852-SD-PW-4103 REV. : E

WINDOW MARK	W2/T1A
LOCATION	2/F-18/F LIV./DIN. AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	14
REMARKS	FACADE (PF-11)



PART PLAN A

ELEVATION

SECTION "X-X"

SECTION "Y-Y"

TYPE A	
OPENABLE WINDOW DIMENSION	(WIDTH) = 800
	(HEIGHT) = 2130
FIXED WINDOW DIMENSION	(WIDTH) = 1360
	(HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW = 2	
GLAZING AREA	
OPENABLE	
WIDTH = 800-111.5-111.5	= 577 mm
HEIGHT = 2130-111.5-111.5	= 1907 mm
FIXED	
WIDTH = 1360-50-50	= 1260 mm
HEIGHT = 2130-50-50	= 2030 mm
TOTAL = ((577x1907)x2+(1260x2030))1000000	= 4.758478 m ²
OPENABLE AREA	
WIDTH = 800-77-77	= 646 mm
HEIGHT = 2130-77-(1160-385-15)	= 1283 mm
TOTAL = ((646x1283)x2)1000000	= 1.670556 m ²

PROVIDED		
GLAZING AREA	4.76	m ²
OPENABLE AREA	1.67	m ²

(T1)

W2/T1A

WINDOW MARK	W2/T1A
LOCATION	1/F&19/F-21/F LIV./DIN. AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	4
REMARKS	FACADE (PF-11)

B.D. REF :

CLIENT :

ARCHITECT : AGC DESIGN LTD

MAIN CONTRACTOR : Gammon

STRUCTURAL ENGINEER : ARUP

FACADE CONSULTANT : MEINHARDT

NOTE :

- ALL DIMENSIONS ARE IN mm.
- ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
- ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

① - DETAIL MARK NO. REFER SHEET NO.

- F.F.L. - FINISHED FLOOR LEVEL
- S.F.L. - STRUCTURAL FLOOR LEVEL
- ⊖ - REVERSED DETAIL
- △ - FIXING LOCATION
- △ - FIXING LUG LOCATION
- GLASS LEGEND
- GL01 - 8mm+12mm AIR GAP+10mm THK. L.G.U.
- GL01e - 8mm+8mm AIR GAP+12mm THK. L.G.U.
- GL03 - 8mm+12mm AIR GAP+8mm THK. L.G.U.
- GL04 - 10mm THK. TEMPERED GLASS (PROUDLINE EDGED)
- GL05 - 8mm+12mm AIR GAP+8mm THK. L.G.U.

C	24/08/2020	REVISION SUBJECT TO APPROVALMENT	mm
B	01/08/2020	REVISION SUBJECT TO APPROVALMENT	mm
A	22/04/2020	REVISION SUBJECT TO APPROVALMENT	mm
NO.	DATE	REASON	BY

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKHL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.





TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

MIDI 英特經貿有限公司
Units 6-8, Sunway Industrial Centre, 1/F
810 Che Kwo Ling Road, Kowloon
Tel: 23488211-4 Fax: (852) 27727666

DWG NO. : J852-SD-PW-4103A REV. : C



SECTION "X-X"

SECTION "Y-Y"

(WIDTH)	1000
(HEIGHT)	1370
(WIDTH)	1000
(HEIGHT)	780
(WIDTH)	1000
(HEIGHT)	1370
(WIDTH)	2450
(HEIGHT)	2130

TYPE G
OPENABLE WINDOW DIMENSION
FINED WINDOW (A) DIMENSION
FINED WINDOW (A1) DIMENSION
FINED WINDOW (B) DIMENSION
NUMBER OF OPENABLE AREA WINDOW

GLAZING AREA	
OPENABLE	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = 1370-111.5-66.5	= 1192 mm
FINED A	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = 780-66.5-111.5	= 582 mm
FINED A1	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = (780-400)-66.5-1000	= 93.5 mm
FINED B	
WIDTH = 2450-50-50	= 2350 mm
HEIGHT = 2130-50-50	= 2030 mm
TOTAL	= ((777x1192)x3)+((777x582)x2)+((777x93.5)+(2350x2030))x1000000 = 8,526.129 mm ²
OPENABLE AREA	
WIDTH = 1000-77.77	= 922.23 mm
HEIGHT = 1370-77.32	= 1292.68 mm
TOTAL	= (922x1292)x3+10000000 = 2,134.612 mm ²

PROVIDED	
GLAZING AREA	8,526 m ²
OPENABLE AREA	2,134 m ²

ELEVATION

W3/T1A
T1

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT :
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
① - DETAIL MARK NO.
② - REFER SHEET NO.

1. F.F.L. --- FINISHED FLOOR LEVEL
2. S.F.L. --- STRUCTURAL FLOOR LEVEL
3. Ⓜ --- REVERSED DETAIL
4. ▲ --- FIXING LOCATION
5. △ --- FIXING LUG LOCATION
6. CLASS LEGEND
GL01 --- 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01a --- 8mm+9mm AIR GAP+12mm THK. L.G.U.
GL03 --- 8mm+12mm AIR GAP+8mm THK. L.G.U.
GL04 --- 10mm THK. TEMPERED GLASS (PROVEDINE COVER)
GL05 --- 8mm+12mm AIR GAP+8mm THK. L.G.U.

F	17/01/2020	REVISION SUBJECT TO APPROVAL	mm
E	24/01/2020	REVISION SUBJECT TO APPROVAL	mm
B	01/02/2020	REVISION SUBJECT TO APPROVAL	mm
C	22/04/2020	REVISION SUBJECT TO APPROVAL	mm
B	08/05/2020	REVISION SUBJECT TO APPROVAL	mm
A	24/02/2020	REVISION SUBJECT TO APPROVAL	SH
DL	01/01/2020	REVISION SUBJECT TO APPROVAL	BY

JOB NO. : J-852
PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW






DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

MIDI 英特銘實有限公司
Units 6-8, Sunway Industrial Centre, 1/F
810 Cheong Kwo Ling Road, Kowloon
Tel: 23480211-4 Fax: 8522772866

DWG NO. : J852-SD-PW-4104 REV. : F

WINDOW MARK	W3/T1A
LOCATION	1/F-18/F MASTER ENSUITE AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01a, GL-03
QUANTITY	15
REMARKS	FACADE (PF-12)



SECTION "X-X"

TYPE G
 OPENABLE WINDOW DIMENSION
 FINED WINDOW (A) DIMENSION
 FINED WINDOW (A1) DIMENSION
 FINED WINDOW (B) DIMENSION
 NUMBER OF OPENABLE AREA WINDOW

(WIDTH) =	1000
(HEIGHT) =	1370
(WIDTH) =	1000
(HEIGHT) =	780
(WIDTH) =	1000
(HEIGHT) =	780
(WIDTH) =	2450
(HEIGHT) =	2130
	2

GLAZING AREA

OPENABLE
 WIDTH = 1000-111.5-111.5 = 777 mm
 HEIGHT = 1370-111.5-66.5 = 1192 mm

FINED A
 WIDTH = 1000-111.5-111.5 = 777 mm
 HEIGHT = 780-66.5-111.5 = 582 mm

FINED A1
 WIDTH = 1000-111.5-111.5 = 777 mm
 HEIGHT = (780-100)-66.5-1000 = 93.5 mm

FINED B
 WIDTH = 2450-50-50 = 2350 mm
 HEIGHT = 2130-50-50 = 2030 mm

TOTAL = ((777*1192)*2)+((777*582)*2)+((777*93.5)+(2350*2030))/1000000 = 8.5261296 m²

OPENABLE AREA

WIDTH = 1000-77-77 = 846 mm
 HEIGHT = 1370-77-32 = 1261 mm

TOTAL = (846*1261)*2/1000000 = 2.134 m²

PROVIDED	
GLAZING AREA	8.526 m²
OPENABLE AREA	2.134 m²

B.D. REF :

CLIENT :

ARCHITECT :
AGC
 DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE :
 1. ALL DIMENSIONS ARE IN mm.
 2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
 3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
 (X) DETAIL MARK NO.
 (REF) REFER SHEET NO.

- F.F.L.—FINISHED FLOOR LEVEL
- S.F.L.—STRUCTURAL FLOOR LEVEL
- (R)—REVERSED DETAIL
- (Δ)—FIXING LOCATION
- (△)—FIXING LUG LOCATION
- GLASS LEGEND
 GL01—8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01a—8mm+8mm AIR GAP+12mm THK. L.G.U.
 GL03—8mm+12mm AIR GAP+8mm THK. L.G.U.
 GL04—10mm THK. TEMPERED GLASS (PROUDLINE EDGER)
 GL05—8mm+12mm AIR GAP+8mm THK. L.G.U.

C	18/01/2020	REVISION SUBJECT TO APPROVAL	mm
B	24/01/2020	REVISION SUBJECT TO APPROVAL	mm
A	04/01/2020	REVISION SUBJECT TO APPROVAL	mm
DL		ISSUE	ISSUED BY

JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, MKL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW

MIDI 英特鋁質有限公司
 英特鋁質有限公司
 810 Che Kwo Ling Road, Kowloon
 Tel: 23488211-4 Fax: 852/27727868





DWG NO. : J852-SD-PW-4104A REV. : C

ELEVATION

W3/T1A

(T1)

WINDOW MARK	W3/T1A
LOCATION	19/F-20/F MASTER ENSUITE AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01a, GL-03
QUANTITY	2
REMARKS	FAÇADE (PF-12)



SECTION "X-X"

TYPE G
OPENABLE WINDOW DIMENSION

FINED WINDOW (A) DIMENSION

FINED WINDOW (A1) DIMENSION

FINED WINDOW (B) DIMENSION

NUMBER OF OPENABLE AREA WINDOW

GLAZING AREA

OPENABLE	WIDTH = 1000-111.5-111.5	=	777 mm
	HEIGHT = 1370-111.5-66.5	=	1192 mm
FINED A	WIDTH = 1000-111.5-111.5	=	777 mm
	HEIGHT = 760-66.5-111.5	=	582 mm
FINED A1	WIDTH = 1000-111.5-111.5	=	777 mm
	HEIGHT = (760-100)-66.5-1000	=	93.5 mm
FINED B	WIDTH = 2450-50-50	=	2350 mm
	HEIGHT = 2130-50-50	=	2030 mm
TOTAL	= ((777*1192)+(777*582)+(777*93.5)+(2350*2030))	=	8,526,129 mm ²

LEGEND:

(WIDTH) =	1000
(HEIGHT) =	1370
(WIDTH) =	1000
(HEIGHT) =	760
(WIDTH) =	1000
(HEIGHT) =	760
(WIDTH) =	2450
(HEIGHT) =	2130

LEGEND:

GLAZING AREA	8,526	m ²
OPENABLE AREA	2,134	m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

- NOTE :
- ALL DIMENSIONS ARE IN mm.
 - ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
 - ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.
- LEGEND :
- ① - DETAIL MARK NO.
 - ② - REFER SHEET NO.
- F.F.L. - FINISHED FLOOR LEVEL
 - S.F.L. - STRUCTURAL FLOOR LEVEL
 - ⊖ - REVERSED DETAIL
 - △ - FIXING LOCATION
 - △ - FIXING LUG LOCATION
 - GLASS LEGEND
- GL01 - 8mm+12mm AIR GAP+10mm THK. L.G.U.
 - GL01a - 8mm+8mm AIR GAP+12mm THK. L.G.U.
 - GL03 - 8mm+12mm AIR GAP+8mm THK. L.G.U.
 - GL04 - 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 - GL05 - 8mm+12mm AIR GAP+8mm THK. L.G.U.

C	17/09/2020	REVISION SUBJECT TO APPROVALMENT	mm
B	24/09/2020	REVISION SUBJECT TO APPROVALMENT	mm
A	03/09/2020	REVISION SUBJECT TO APPROVALMENT	mm
REV			mm

JOB NO. : J-852

PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE :
WINDOW SCHEDULE FOR
ALUM. WINDOW

DATE : 22-Apr-20 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

英特鋁質有限公司
MIDI ALUMINIUM FABRICATION LTD.

Units 6-8, Sunray Industrial Centre, 1/F
810 Cha Kwo Ling Road, Kowloon
Tel: 23488211-4 Fax: (852) 2727866




DWG NO. : J852-SD-PW-41048 REV. : C

ELEVATION


W3/TIA

(T1)


WINDOW MARK	W3/TIA
LOCATION	21/F MASTER ENSUITE AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01a, GL-03
QUANTITY	1
REMARKS	FAÇADE (PF-12)



PART PLAN A



PART PLAN B



PART PLAN C

(T1) W4/T1A

TYPE B			
OPENABLE WINDOW DIMENSION	(WIDTH) =	1000	
	(HEIGHT) =	1370	
FIXED WINDOW DIMENSION	(WIDTH) =	1000	
	(HEIGHT) =	610	
NUMBER OF OPENABLE AREA WINDOW	=	1	
GLAZING AREA			
OPENABLE	WIDTH = 1000-111.5-111.5	=	777 mm
	HEIGHT = 1370-69.5-66.5	=	1234 mm
FIXED	WIDTH = 1000-111.5-111.5	=	777 mm
	HEIGHT = 610-66.5-111.5	=	432 mm
TOTAL	= ((777x1234)+(777x432))/1000000	=	1.29482 m ²
OPENABLE AREA			
	WIDTH = 1000-77-77	=	846 mm
	HEIGHT = 1370-32-32	=	1306 mm
TOTAL	= (846x1306)/1000000	=	1.104876 m ²

PROVIDED	
GLAZING AREA	1.294 m ²
OPENABLE AREA	1.105 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

(X1) — DETAIL MARK NO.
(2004) — REFER SHEET NO.

1. F.F.L.—FINISHED FLOOR LEVEL.
2. S.F.L.—STRUCTURAL FLOOR LEVEL.
3. (2) — REVERSED DETAIL.
4. ▲ — FIXING LOCATION
5. △ — FIXING LUG LOCATION
6. GLASS LEGEND
GL01 — 6mm+12mm AIR GAP+10mm THK. L.G.U.
GL01a — 6mm+9mm AIR GAP+12mm THK. L.G.U.
GL03 — 6mm+12mm AIR GAP+6mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 — 6mm+12mm AIR GAP+8mm THK. L.G.U.

E	24/04/2020	REVISION SUBJECT TO ARCH/CLC/MENT	SH
B	24/04/2020	REVISION SUBJECT TO ARCH/CLC/MENT	SH
C	22/04/2020	REVISION SUBJECT TO ARCH/CLC/MENT	SH
B	08/04/2020	REVISION SUBJECT TO ARCH/CLC/MENT	SH
A	24/04/2020	REVISION SUBJECT TO ARCH/CLC/MENT	SH
REV.	DATE	REVISION	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40






DRAWN BY : MN CHECKED BY : DW

MIDI 英特鋁質有限公司
Units 6-8, Sunray Industrial Centre, 1/F
810 Che Kwo Ling Road, Kowloon
Tel: 23488211-4 Fax: 8522727866

DWG NO. : J852-SD-PW-4105 REV. : E

ELEVATION

WINDOW MARK	W4/T1A
LOCATION	1/F-20/F M.B. AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	17
REMARKS	FACADE (PF-15)



SECTION "X-X"

ELEVATION

TYPE B	
OPENABLE WINDOW DIMENSION	(WIDTH) = 1000
	(HEIGHT) = 1370
FIXED WINDOW DIMENSION	(WIDTH) = 1000
	(HEIGHT) = 610
NUMBER OF OPENABLE AREA WINDOW = 1	
GLAZING AREA	
OPENABLE	
WIDTH	= 1000-111.5-111.5 = 777 mm
HEIGHT	= 1370-66.5-66.5 = 1234 mm
FIXED	
WIDTH	= 1000-111.5-111.5 = 777 mm
HEIGHT	= 610-66.5-111.5 = 432 mm
TOTAL	= ((777x1234)+(777x432))1000000 = 1.29482 m ²
OPENABLE AREA	
WIDTH	= 1000-77-77 = 846 mm
HEIGHT	= 1370-52-52 = 1266 mm
TOTAL	= (846x1266)x1000000 = 1.104876 m ²

PROVIDED	
GLAZING AREA	1.294 m ²
OPENABLE AREA	1.105 m ²

(T1) W4/T1A

WINDOW MARK	W4/T1A
LOCATION	21/F M.B. AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	1
REMARKS	FACADE (PF-15)

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
 (21) — DETAIL MARK NO.
 (21/2004) — REFER SHEET NO.
 1. F.F.L. — FINISHED FLOOR LEVEL.
 2. S.F.L. — STRUCTURAL FLOOR LEVEL.
 3. (2) — REVERSED DETAIL.
 4. ▲ — FIXING LOCATION
 5. △ — FIXING LUG LOCATION
 6. GLASS LEGEND
 GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01e — 8mm+9mm AIR GAP+12mm THK. L.G.U.
 GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
 GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRED)
 GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.




#	24/Apr/2020	REVISION SUBJECT TO ANCHORMENT	BY
A	28/Apr/2020	REVISION SUBJECT TO ANCHORMENT	BY
REV.	DATE	REVISION	BY

JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 136 - 147 ARGYLE STREET, NKL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.


TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 22-Apr-20 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW


MIDI 英特銘寶有限公司
 810 Che Kwo Ling Road, Kowloon
 Tel: 23488211-4 Fax: 85227272666
 DWG NO. : J852-SD-PW-4105A REV. : B



PART PLAN A



PART PLAN B



PART PLAN C

(T1) W5/T1A

TYPE B	
OPENABLE WINDOW DIMENSION (WIDTH)	= 1000
(HEIGHT)	= 1370
FIXED WINDOW DIMENSION (WIDTH)	= 1000
(HEIGHT)	= 610
NUMBER OF OPENABLE AREA WINDOW	= 1
GLAZING AREA	
OPENABLE	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = 1370-69.5-66.5	= 1234 mm
FIXED	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = 610-66.5-111.5	= 432 mm
TOTAL = ((777x1234)+(777x432))/1000000	= 1.294482 m ²
OPENABLE AREA	
WIDTH = 1000-77-77	= 846 mm
HEIGHT = 1370-32-32	= 1306 mm
TOTAL = (846x1306)/1000000	= 1.104876 m ²

PROVIDED	
GLAZING AREA	1.294 m ²
OPENABLE AREA	1.105 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
 (X1) — DETAIL MARK NO.
 (2000) — REFER SHEET NO.
 1. F.F.L. — FINISHED FLOOR LEVEL.
 2. S.F.L. — STRUCTURAL FLOOR LEVEL.
 3. (2) — REVERSED DETAIL.
 4. ▲ — FIXING LOCATION.
 5. △ — FIXING LUG LOCATION.
 6. GLASS LEGEND
 GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01a — 8mm+9mm AIR GAP+12mm THK. L.G.U.
 GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
 GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.

REV.	DATE	BY	REASON	CHKD.
C	24/09/2020		REVISION SUBJECT TO APPROVALMENT	
B	20/09/2020		REVISION SUBJECT TO APPROVALMENT	
C	22/09/2020		REVISION SUBJECT TO APPROVALMENT	
B	05/09/2020		REVISION SUBJECT TO APPROVALMENT	
A	24/08/2020		REVISION SUBJECT TO APPROVALMENT	

JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.






TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW

MIDI 美特鋁質有限公司
 810 Chee Kwo Ling Road, Kowloon
 Tel: 23489211-4 Fax: (852) 27727866

DWG NO. : J852-SD-PW-4106 REV. : E

WINDOW MARK	WS/T1A
LOCATION	1/F-20/F EN.B. AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	17
REMARKS	FACADE (PF-16)



SECTION "X-X"

(T1) W5/TIA

ELEVATION

TYPE B	
OPENABLE WINDOW DIMENSION (WIDTH)	= 1000
(HEIGHT)	= 1370
FIXED WINDOW DIMENSION (WIDTH)	= 1000
(HEIGHT)	= 610
NUMBER OF OPENABLE AREA WINDOW	= 1
GLAZING AREA	
OPENABLE	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = 1370-69.5-66.5	= 1234 mm
FIXED	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = 610-66.5-111.5	= 432 mm
TOTAL = ((777x1234)+(777x432))1000000	= 1.294482 m ²
OPENABLE AREA	
WIDTH = 1000-77-77	= 846 mm
HEIGHT = 1370-32-32	= 1306 mm
TOTAL = (846x1306)x1/1000000	= 1.104876 m ²

PROVIDED	
GLAZING AREA	1.294 m ²
OPENABLE AREA	1.105 m ²

B.O. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

21 — DETAIL MARK NO.
5006 — REFER SHEET NO.

1. F.F.L — FINISHED FLOOR LEVEL.
2. S.F.L — STRUCTURAL FLOOR LEVEL.
3. (2) — REVERSED DETAIL.
4. ▲ — FIXING LOCATION.
5. △ — FIXING LUG LOCATION.
6. GLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01a — 8mm+9mm AIR GAP+12mm THK. L.G.U.
GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 — 6mm+12mm AIR GAP+8mm THK. L.G.U.

B	24/09/2020	REVISION SUBJECT TO APPROVALMENT	BY
A	20/09/2020	REVISION SUBJECT TO APPROVALMENT	BY
REV.	DATE	REASON	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.




TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 22-Apr-20 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

MIDI 美特鋁質有限公司
MIDI ALUMINIUM FABRICATOR S.S.
Units 6-8, Sunway Industrial Centre, 1/F
610 Chee Kwo Ling Road, Kowloon
Tel:23489211-4 Fax:2322772866

DWG NO. : J852-SD-PW-4106A REV. : B

WINDOW MARK	W5/TIA
LOCATION	21/F EN.B. AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	1
REMARKS	FAÇADE (PF-16)



SECTION "X-X"

ELEVATION

PART PLAN A

TYPE F			
OPENABLE WINDOW DIMENSION	(WIDTH) =	750	
	(HEIGHT) =	2130	
NUMBER OF OPENABLE AREA WINDOW	=	1	
GLAZING AREA			
OPENABLE			
WIDTH = 750-111.5-66.5	=	572 mm	
HEIGHT = (2130+400)-111.5-1000	=	1418.5 mm	
TOTAL = ((572x1418.5)x2)+1000000	=	1.622764 m ²	
OPENABLE AREA			
WIDTH = 750-77-32	=	641 mm	
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm	
TOTAL = ((641x1293)x1)+1000000	=	0.828813 m ²	

(T1) W8/TIA

PROVIDED	
GLAZING AREA	1.623 m ²
OPENABLE AREA	0.829 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
① — DETAIL MARK NO.
② — REFER SHEET NO.

1. F.F.L.—FINISHED FLOOR LEVEL.
2. S.F.L.—STRUCTURAL FLOOR LEVEL.
3. — REVERSED DETAIL.
4. — FIXING LOCATION.
5. Δ — FIXING LUG LOCATION.
6. GLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01e — 8mm+9mm AIR GAP+12mm THK. L.G.U.
GL03 — 6mm+12mm AIR GAP+6mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (WIREMESH BARRIER)
GL05 — 6mm+12mm AIR GAP+6mm THK. L.G.U.

E	24/02/2020	REVISION SUBJECT TO APPROVALMENT	SH
B	03/02/2020	REVISION SUBJECT TO APPROVALMENT	SH
C	22/04/2020	REVISION SUBJECT TO APPROVALMENT	SH
B	06/02/2020	REVISION SUBJECT TO APPROVALMENT	SH
A	24/02/2020	REVISION SUBJECT TO APPROVALMENT	SH
DR	DATE	ISSUED	BY


JOB NO. : J-852
PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW


DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

英特經貿有限公司
MIDI
Units 6-8, Surrey Industrial Centre, 1/F
610 Che Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27276666
DWG NO. : J852-SD-PW-4107 REV. : E


WINDOW MARK	WB TIA
LOCATION	1/F B.R.1 & B.R.2 AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	1 / 1
REMARKS	FAÇADE PF-23



ELEVATION



SECTION "X-X"



PART PLAN A

ELEVATION

(T1)

W9/T1A - W8/T1A

TYPE F		
OPENABLE WINDOW DIMENSION	(WIDTH) =	750
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	1
GLAZING AREA		
OPENABLE		
WIDTH = 750-111.5-66.5	=	572 mm
HEIGHT = (2130+400)-111.5-1000	=	1418.5 mm
TOTAL = (572x1418.5)x2	=	1.622764 m ²

OPENABLE AREA		
WIDTH = 750-77-32	=	641 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = (641x1293)x1	=	0.828813 m ²

PROVIDED	
GLAZING AREA	1.623 m ²
OPENABLE AREA	0.829 m ²

TYPE F		
OPENABLE WINDOW DIMENSION	(WIDTH) =	750
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	1
GLAZING AREA		
OPENABLE		
WIDTH = 750-111.5-66.5	=	572 mm
HEIGHT = (2130+400)-111.5-1000	=	1418.5 mm
TOTAL = (572x1418.5)x2	=	1.622764 m ²

OPENABLE AREA		
WIDTH = 750-77-32	=	641 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = (641x1293)x1	=	0.828813 m ²

PROVIDED	
GLAZING AREA	1.623 m ²
OPENABLE AREA	0.829 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
 (X) DETAIL MARK NO. REFER SHEET NO.
 1. F.F.L.—FINISHED FLOOR LEVEL
 2. S.F.L.—STRUCTURAL FLOOR LEVEL
 3. (⊖)—REVERSED DETAIL
 4. ▲—FIXING LOCATION
 5. △—FIXING LUG LOCATION
 6. GLASS LEGEND
 GL01—8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01a—8mm+9mm AIR GAP+12mm THK. L.G.U.
 GL03—8mm+12mm AIR GAP+8mm THK. L.G.U.
 GL04—10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05—8mm+12mm AIR GAP+8mm THK. L.G.U.

NO.	DATE	REVISION	BY
E	24/01/2020	REVISION SUBJECT TO APPROVALMENT	MIN
D	03/01/2020	REVISION SUBJECT TO APPROVALMENT	MIN
C	22/04/2020	REVISION SUBJECT TO APPROVALMENT	MIN
B	05/03/2020	REVISION SUBJECT TO APPROVALMENT	MIN
A	24/02/2020	REVISION SUBJECT TO APPROVALMENT	MIN


JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW


DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MIN CHECKED BY : DW

英特經貿有限公司
 MIDT COMMERCIAL PUBLICATIONS LTD.
 Units 6-8, Sunway Industrial Centre, 1/F
 810 Cha Kwo Ling Road, Kowloon
 Tel:23489211-4 Fax:(852)2727866
 DWG NO. : J852-S0-PW-4108 REV. : E


WINDOW MARK	W9/T1A / W8/T1A
LOCATION	2/F-20/F B.R.1 & B.R.2 AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	16 / 16
REMARKS	FAÇADE (PF-23)



ELEVATION



SECTION "X-X"



PART PLAN A

(T1) W9/T1A - W8/T1A

TYPE F		
OPENABLE WINDOW DIMENSION	(WIDTH) =	750
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	1

GLAZING AREA		
OPENABLE		
WIDTH = 750-111.5-66.5	=	572 mm
HEIGHT = (2130+400)-111.5-1000	=	1418.5 mm
TOTAL = ((572x1418.5)x2)/1000000	=	1.622764 m ²

OPENABLE AREA		
WIDTH = 750-77-32	=	641 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((641x1293)x2)/1000000	=	0.828813 m ²

PROVIDED	
GLAZING AREA	1.623 m ²
OPENABLE AREA	0.829 m ²

TYPE F		
OPENABLE WINDOW DIMENSION	(WIDTH) =	750
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	1

GLAZING AREA		
OPENABLE		
WIDTH = 750-111.5-66.5	=	572 mm
HEIGHT = (2130+400)-111.5-1000	=	1418.5 mm
TOTAL = ((572x1418.5)x2)/1000000	=	1.622764 m ²

OPENABLE AREA		
WIDTH = 750-77-32	=	641 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((641x1293)x2)/1000000	=	0.828813 m ²

PROVIDED	
GLAZING AREA	1.623 m ²
OPENABLE AREA	0.829 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
① DETAIL MARK NO.
② REFER SHEET NO.

1. F.F.L.—FINISHED FLOOR LEVEL.
2. S.F.L.—STRUCTURAL FLOOR LEVEL.
3. Ⓜ—REVERSED DETAIL.
4. ▲—FIXING LOCATION
5. △—FIXING LUG LOCATION

6. GLASS LEGEND
GL01—8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01e—8mm+9mm AIR GAP+12mm THK. L.G.U.
GL03—6mm+12mm AIR GAP+6mm THK. L.G.U.
GL04—10mm THK. TEMPERED GLASS (W/REDLINE BARRIER)
GL05—6mm+12mm AIR GAP+9mm THK. L.G.U.

A	03/04/2020	REVISION SUBJECT TO APPROVALMENT	mm
NO.	DATE	REASON	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.


TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 22-Apr-20 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW


英特鋁質有限公司
MIDI ALUMINIUM FABRICATION LTD.
Units 6-8, Survey Industrial Centre, 1/F
810 Cho Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27727666
DWG NO. : J852-SD-PW-4108A REV. : B

ELEVATION


WINDOW MARK	WB/T1A / WB/T1A
LOCATION	21/F B.R.1 & B.R.2 AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	1 / 1
REMARKS	FAÇADE (PF-23)




ELEVATION



SECTION "X-X"



PART PLAN A



PART PLAN B

(T1) W6/TIC

TYPE C	
OPENABLE WINDOW DIMENSION (WIDTH)	= 500
(HEIGHT)	= 1380
NUMBER OF OPENABLE AREA WINDOW	= 2
GLAZING AREA	
WIDTH = 500-1115-665	= 322 mm
HEIGHT = 1380-69-5-1115	= 1199 mm
TOTAL = ((322x1199)x2)	= 0.774 m ²
OPENABLE AREA	
WIDTH = 500-77-32	= 391 mm
HEIGHT = 1380-32-77	= 1271 mm
TOTAL = ((391x1271)x2)	= 0.994 m ²
PROVIDED	
GLAZING AREA	0.774 m ²
OPENABLE AREA	0.994 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
 (21) — DETAIL MARK NO.
 (2004) — REFER SHEET NO.
 1. F.F.L. — FINISHED FLOOR LEVEL.
 2. S.F.L. — STRUCTURAL FLOOR LEVEL.
 3. (2) — REVERSED DETAIL.
 4. ▲ — FIXING LOCATION.
 5. △ — FIXING LUG LOCATION.
 6. GLASS LEGEND
 GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01a — 8mm+9mm AIR GAP+12mm THK. L.G.U.
 GL03 — 8mm+12mm AIR GAP+6mm THK. L.G.U.
 GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.

E	24/01/2020	REVISION SUBJECT TO ANCHORING	PH
D	20/01/2020	REVISION SUBJECT TO ANCHORING	PH
C	22/04/2020	REVISION SUBJECT TO ANCHORING	PH
B	08/02/2020	REVISION SUBJECT TO ANCHORING	PH
A	24/02/2020	REVISION SUBJECT TO ANCHORING	SH
REV.	DATE	REVISION	BY

JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.


TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW


MIDI 英特鋁質有限公司
 Units 6-8, Sunray Industrial Centre, 1/F
 810 Che Kwo Ling Road, Kowloon
 Tel: 23488211-4 Fax: (852) 2727666
 DWG NO. : J852-SD-PW-4109 REV. : E

ELEVATION


WINDOW MARK	WS/TIC
LOCATION	2/F-21/F KIT. AT TOWER 1 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	17
REMARKS	FAÇADE (PF-31)




ELEVATION



SECTION "X-X"



PART PLAN A



PART PLAN B

(T1) W6/TIC

TYPE C	
OPENABLE WINDOW DIMENSION (WIDTH)	= 500
(HEIGHT)	= 1380
NUMBER OF OPENABLE AREA WINDOW	= 2
GLAZING AREA	
WIDTH = 500-111.5-66.5	= 322 mm
HEIGHT = 1380-69.5-111.5	= 1199 mm
TOTAL = ((322x1199)x2)	= 0.772156 m ²
OPENABLE AREA	
WIDTH = 500-77-32	= 391 mm
HEIGHT = 1380-32-77	= 1271 mm
TOTAL = ((391x1271)x2)	= 0.993922 m ²

PROVIDED	
GLAZING AREA	0.774 m ²
OPENABLE AREA	0.994 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
 (X1) — DETAIL MARK NO.
 (MIR) — REFER SHEET NO.

- 1. F.F.L. — FINISHED FLOOR LEVEL
- 2. S.F.L. — STRUCTURAL FLOOR LEVEL
- 3. (⊖) — REVERSED DETAIL
- 4. ▲ — FIXING LOCATION
- 5. △ — FIXING LUG LOCATION
- 6. GLASS LEGEND

- GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
- GL01a — 8mm+8mm AIR GAP+12mm THK. L.G.U.
- GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
- GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRED)
- GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.

B	24/04/2020	REVISION SUBJECT TO APPROVALMENT
A	29/05/2020	REVISION SUBJECT TO APPROVALMENT
NO.	DATE	REVISION


JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT
 AT 139 - 147 ARGYLE STREET,
 NKIL 6005, 6035 R.P., 6036 R.P.,
 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW


DATE : 22-Apr-20 SCALE : 1:40
 DRAWN BY : MIN CHECKED BY : DW

美特铝业有限公司
 MIDT ALUMINIUM FABRICATOR LTD.
 Units 6-8, Sunray Industrial Centre, 1/F
 610 Cha Kwo Ling Road, Kowloon
 Tel: 23489211-4 Fax: (852) 27727666
 DWG NO. : J852-SD-PW-4109A REV. : B


WINDOW MARK	W6/TIC
LOCATION	1/F KIT. AT TOWER 1 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	1
REMARKS	FACADE (PF-31)



ELEVATION



SECTION "X-X"



PART PLAN A

ELEVATION

T₁

W5/TIC

TYPE F	
OPENABLE WINDOW DIMENSION (WIDTH)	= 550
(HEIGHT)	= 2130
NUMBER OF OPENABLE AREA WINDOW = 1	
GLAZING AREA	
OPENABLE	
WIDTH = 550-111.5-66.5	= 372 mm
HEIGHT = (2130+400)-111.5-1000	= 1418.5 mm
TOTAL = ((372x1418.5)x2)/1000000	= 1.055364 m ²
OPENABLE AREA	
WIDTH = 550-77-32	= 441 mm
HEIGHT = 2130-77-(1160-385-15)	= 1293 mm
TOTAL = ((441x1293)x1)/1000000	= 0.570213 m ²

PROVIDED	
GLAZING AREA	1.055 m ²
OPENABLE AREA	0.570 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
① — DETAIL MARK NO.
②③ — REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL
2. S.F.L. — STRUCTURAL FLOOR LEVEL
3. Ⓜ — REVERSED DETAIL
4. ▲ — FIXING LOCATION
5. △ — FIXING LUG LOCATION
6. CLASS LEGEND

GL01 — 8mm+12mm AIR GAP+10mm THK L.G.U.
GL01e — 8mm+9mm AIR GAP+12mm THK L.G.U.
GL03 — 8mm+12mm AIR GAP+8mm THK L.G.U.
GL04 — 10mm THK TEMPERED GLASS (PROUDLINE SHIELD)
GL05 — 8mm+12mm AIR GAP+8mm THK L.G.U.

E	24/01/2020	REVISION SUBJECT TO APPROVAL	mm
D	03/08/2020	REVISION SUBJECT TO APPROVAL	mm
C	22/04/2020	REVISION SUBJECT TO APPROVAL	mm
B	08/01/2020	REVISION SUBJECT TO APPROVAL	mm
A	24/01/2020	REVISION SUBJECT TO APPROVAL	SH
REV	DATE	REASON	BY




JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

MIDI 英特鋁質有限公司
ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunray Industrial Centre, 1/F
810 Che Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27727866
DWG NO. : J852-SD-PW-4110 REV. : E

WINDOW MARK	WS TIC
LOCATION	2/F-21/F B.R.2 AT TOWER 1 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	17
REMARKS	FACADE (PF-32)



PART PLAN A

TYPE F	
OPENABLE WINDOW DIMENSION (WIDTH)	= 750
(HEIGHT)	= 2130
NUMBER OF OPENABLE AREA WINDOW	= 0
GLAZING AREA	
OPENABLE	
WIDTH = 750-111.5-66.5	= 572 mm
HEIGHT = (2130+400)-111.5-1000	= 1418.5 mm
TOTAL = ((572x1418.5)x2)/1000000	= 1.622764 m ²
OPENABLE AREA	
WIDTH = 750-77-32	= 641 mm
HEIGHT = 2130-77-(1160-385-15)	= 1293 mm
TOTAL = ((641x1293)x0)/1000000	= 0 m ²

TYPE F	
OPENABLE WINDOW DIMENSION (WIDTH)	= 750
(HEIGHT)	= 2130
NUMBER OF OPENABLE AREA WINDOW	= 1
GLAZING AREA	
OPENABLE	
WIDTH = 750-111.5-66.5	= 572 mm
HEIGHT = (2130+400)-111.5-1000	= 1418.5 mm
TOTAL = ((572x1418.5)x2)/1000000	= 1.622764 m ²
OPENABLE AREA	
WIDTH = 750-77-32	= 641 mm
HEIGHT = 2130-77-(1160-385-15)	= 1293 mm
TOTAL = ((641x1293)x1)/1000000	= 0.828813 m ²

(T1) W4/TIC - W3/TIC

PROVIDED		
W4/TIC	GLAZING AREA	1.623 m ²
W3/TIC	OPENABLE AREA	0 m ²

PROVIDED		
W3/TIC	GLAZING AREA	1.623 m ²
W3/TIC	OPENABLE AREA	0.829 m ²

WINDOW MARK	W4/TIC / W3/TIC
LOCATION	2/F-21/F M.B.R.1 & B.R.2 AT TOWER 1 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	17 / 17
REMARKS	FACADE (PF-33)

B.D. REF :

CLIENT :

ARCHITECT : AGC DESIGN LTD

MAIN CONTRACTOR : Gammon

STRUCTURAL ENGINEER : ARUP

FACADE CONSULTANT : MEINHARDT

NOTE :

- ALL DIMENSIONS ARE IN mm.
- ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
- ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

① - DETAIL MARK NO.
 ② - REFER SHEET NO.

- F.F.L. - FINISHED FLOOR LEVEL
- S.F.L. - STRUCTURAL FLOOR LEVEL
- ② - REVERSED DETAIL
- ▲ - FIXING LOCATION
- △ - FIXING LUG LOCATION
- GLASS LEGEND
- GL01 - 8mm+12mm AR GAP+10mm THK LG.U.
- GL01e - 8mm+9mm AR GAP+12mm THK LG.U.
- GL03 - 8mm+12mm AR GAP+8mm THK LG.U.
- GL04 - 10mm THK TEMPERED GLASS (PROGRESSIVE ENHANCED)
- GL05 - 6mm+12mm AR GAP+8mm THK LG.U.

E	24/01/2020	REVISION SUBJECT TO APPROVALMENT	mm
D	03/04/2020	REVISION SUBJECT TO APPROVALMENT	mm
C	22/04/2020	REVISION SUBJECT TO APPROVALMENT	mm
B	08/03/2020	REVISION SUBJECT TO APPROVALMENT	mm
A	24/01/2020	REVISION SUBJECT TO APPROVALMENT	SH
NO.	DATE	REASON	BY

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.




TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

MIDI 英特铝业有限公司
 Units 6-8, Survey Industrial Centre, 1/F
 810 Che Kwo Ling Road, Kowloon
 Tel: 23488211-4 Fax: 8522772866

DWG NO. : J852-SD-PW-4111 REV. : E



TYPE F	
OPENABLE WINDOW DIMENSION	(WIDTH) = 750 (HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 0
GLAZING AREA	
OPENABLE	
WIDTH = 750-111.5-66.5	= 572 mm
HEIGHT = (2130-400)-111.5-1000	= 1418.5 mm
TOTAL = ((572x1418.5)x2)/1000000	= 1.622764 m ²
OPENABLE AREA	
WIDTH = 750-77-32	= 641 mm
HEIGHT = 2130-77-(1160-385-15)	= 1293 mm
TOTAL = ((641x1293)x0)/1000000	= 0 m ²

TYPE F	
OPENABLE WINDOW DIMENSION	(WIDTH) = 750 (HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 1
GLAZING AREA	
OPENABLE	
WIDTH = 750-111.5-66.5	= 572 mm
HEIGHT = (2130-400)-111.5-1000	= 1418.5 mm
TOTAL = ((572x1418.5)x2)/1000000	= 1.622764 m ²
OPENABLE AREA	
WIDTH = 750-77-32	= 641 mm
HEIGHT = 2130-77-(1160-385-15)	= 1293 mm
TOTAL = ((641x1293)x1)/1000000	= 0.828813 m ²

(T1) W4/TIC / W3/TIC

PROVIDED		
W4/TIC GLAZING AREA	1.623	m ²
W4/TIC OPENABLE AREA	0	m ²

PROVIDED		
W3/TIC GLAZING AREA	1.623	m ²
W3/TIC OPENABLE AREA	0.829	m ²

ELEVATION

SECTION "X-X"

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
① - DETAIL MARK NO.
② - REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL
2. S.F.L. — STRUCTURAL FLOOR LEVEL
3. (↔) — REVERSED DETAIL
4. ▲ — FIXING LOCATION
5. △ — FIXING LUG LOCATION
6. GLASS LEGEND

- GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
- GL01e — 8mm+9mm AIR GAP+12mm THK. L.G.U.
- GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
- GL04 — 10mm THK. TEMPERED GLASS (PIONEER BARBER)
- GL05 — 6mm+12mm AIR GAP+8mm THK. L.G.U.

NO.	DATE	REVISION SUBJECT TO AMENDMENT	BY
B	24/06/2020	REVISION SUBJECT TO AMENDMENT	
A	03/06/2020	REVISION SUBJECT TO AMENDMENT	





JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 22-Apr-20 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

英特鋁業有限公司
MIDI ALUMINIUM INDUSTRIES LTD.
Units 6-8, Sunway Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27727666
DWG NO. : J852-SD-PW-4111A REV. : B

WINDOW MARK	W4/TIC / W3/TIC
LOCATION	1/F M.B.R.1 & B.R.2 AT TOWER 1 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	1 / 1
REMARKS	FAÇADE (PF-33)



TYPE B		TYPE B	
OPENABLE WINDOW DIMENSION		OPENABLE WINDOW DIMENSION	
(WIDTH)	520	(WIDTH)	445
(HEIGHT)	1370	(HEIGHT)	1370
FIXED WINDOW DIMENSION		FIXED WINDOW DIMENSION	
(WIDTH)	520	(WIDTH)	445
(HEIGHT)	610	(HEIGHT)	610
NUMBER OF OPENABLE AREA WINDOW = 1		NUMBER OF OPENABLE AREA WINDOW = 1	
GLAZING AREA		GLAZING AREA	
OPENABLE		OPENABLE	
WIDTH = 520-111.5-111.5	= 297 mm	WIDTH = 445-111.5-111.5	= 222 mm
HEIGHT = 1370-66.5-66.5	= 1237 mm	HEIGHT = 1370-66.5-66.5	= 1237 mm
FIXED		FIXED	
WIDTH = 520-111.5-111.5	= 297 mm	WIDTH = 445-111.5-111.5	= 222 mm
HEIGHT = 610-550-66.5-1000	= 91.5 mm	HEIGHT = 610-550-66.5-1000	= 91.5 mm
TOTAL = (297x1237)+(297x91.5)	= 0.391585 m ²	TOTAL = (222x1237)+(222x91.5)	= 0.294311 m ²
OPENABLE AREA		OPENABLE AREA	
WIDTH = 520-77.77	= 366 mm	WIDTH = 445-77.77	= 291 mm
HEIGHT = 1370-32-32	= 1306 mm	HEIGHT = 1370-32-32	= 1306 mm
TOTAL = (366x1306)x1.000000	= 0.477996 m ²	TOTAL = (291x1306)x1.000000	= 0.382046 m ²

PROVIDED		
W5/T1B GLAZING AREA	0.395	m ²
W5/T1B OPENABLE AREA	0.478	m ²

PROVIDED		
W4/T1B GLAZING AREA	0.295	m ²
W4/T1B OPENABLE AREA	0.380	m ²

ELEVATION

W5/T1B
W4/T1B

T1

WINDOW MARK	W5/T1B / W4/T1B
LOCATION	2/F~21/F M.B. & EN.B. AT TOWER 1 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	17 / 17
REMARKS	FAÇADE (PF-37)

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
① — DETAIL MARK NO.
② — REFER SHEET NO.





1. F.F.L. — FINISHED FLOOR LEVEL
2. S.F.L. — STRUCTURAL FLOOR LEVEL
3. (⊖) — REVERSED DETAIL
4. ▲ — FIXING LOCATION
5. △ — FIXING LUG LOCATION
6. GLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. LGU.
GL01a — 8mm+8mm AIR GAP+12mm THK. LGU.
GL03 — 8mm+12mm AIR GAP+8mm THK. LGU.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRED)
GL05 — 8mm+12mm AIR GAP+8mm THK. LGU.

NO.	DATE	REVISION	SUBJECT TO APPROVALMENT	BY
0	03/02/2021	REVISION	SUBJECT TO APPROVALMENT	BY
1	17/09/2020	REVISION	SUBJECT TO APPROVALMENT	BY
2	24/09/2020	REVISION	SUBJECT TO APPROVALMENT	BY
3	28/09/2020	REVISION	SUBJECT TO APPROVALMENT	BY
4	22/04/2020	REVISION	SUBJECT TO APPROVALMENT	BY
5	05/03/2020	REVISION	SUBJECT TO APPROVALMENT	BY
6	24/02/2020	REVISION	SUBJECT TO APPROVALMENT	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 22-Apr-20 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW
美特铝业有限公司
Units 6-8, Sunway Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 23480211-4 Fax: (852) 27727866
DWG NO. : J852-SD-PW-4112 REV. : F



TYPE B		WIDTH	HEIGHT
OPENABLE WINDOW DIMENSION	(WIDTH)	520	1370
	(HEIGHT)	520	1370
FIXED WINDOW DIMENSION	(WIDTH)	520	610
	(HEIGHT)	610	915
NUMBER OF OPENABLE AREA WINDOW		1	
GLAZING AREA			
OPENABLE	WIDTH	520-111.5-111.5	297 mm
	HEIGHT	1370-66.5-66.5	1237 mm
FIXED	WIDTH	520-111.5-111.5	297 mm
	HEIGHT	610-550-66.5-1000	915 mm
TOTAL		(297x1237)+(297x915)	1000000
			0.395188 m ²
OPENABLE AREA			
	WIDTH	520-77.77	366 mm
	HEIGHT	1370-32-32	1306 mm
TOTAL		(366x1306)	1000000
			0.477996 m ²

TYPE B		WIDTH	HEIGHT
OPENABLE WINDOW DIMENSION	(WIDTH)	445	1370
	(HEIGHT)	445	1370
FIXED WINDOW DIMENSION	(WIDTH)	445	610
	(HEIGHT)	610	915
NUMBER OF OPENABLE AREA WINDOW		1	
GLAZING AREA			
OPENABLE	WIDTH	445-111.5-111.5	222 mm
	HEIGHT	1370-66.5-66.5	1237 mm
FIXED	WIDTH	445-111.5-111.5	222 mm
	HEIGHT	610-550-66.5-1000	915 mm
TOTAL		(222x1237)+(222x915)	1000000
			0.295371 m ²
OPENABLE AREA			
	WIDTH	445-77.77	291 mm
	HEIGHT	1370-32-32	1306 mm
TOTAL		(291x1306)	1000000
			0.380046 m ²

PROVIDED		GLAZING AREA	OPENABLE AREA
W5/T1B		0.395 m ²	0.478 m ²
W4/T1B		0.295 m ²	0.380 m ²

PROVIDED		GLAZING AREA	OPENABLE AREA
W4/T1B		0.295 m ²	0.380 m ²

ELEVATION

W5/T1B
W4/T1B

T1

WINDOW MARK	W5/T1B / W4/T1B
LOCATION	1/F M.B. & EN.B. AT TOWER 1 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	1 / 1
REMARKS	FACADE (PF-37)

B.D. REF :

CLIENT :

ARCHITECT : AGC DESIGN LTD

MAIN CONTRACTOR : Gammon

STRUCTURAL ENGINEER : ARUP

FACADE CONSULTANT : MEINHARDT

NOTE:

1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

①②③ — DETAIL MARK NO.
REF — REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL
2. S.F.L. — STRUCTURAL FLOOR LEVEL
3. (⊖) — REVERSED DETAIL
4. Δ — FIXING LOCATION
5. △ — FIXING LUG LOCATION
6. GLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01e — 8mm+8mm AIR GAP+12mm THK. L.G.U.
GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE LAMINAR)
GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.

B	02/02/2020	REVISION SUBJECT TO APPROVALMENT	REV
C	17/04/2020	REVISION SUBJECT TO APPROVALMENT	REV
D	24/04/2020	REVISION SUBJECT TO APPROVALMENT	REV
A	28/05/2020	REVISION SUBJECT TO APPROVALMENT	REV
NO.	DATE	REASON	BY

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.





TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 22-Apr-20 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

MIDI 英特铝业有限公司
Units 6-8, Sunway Industrial Centre, 1/F
610 Che Kwo Ling Road, Kowloon
Tel: 23488211-4 Fax: 852 27727866

DWG NO. : J852-SD-PW-4112A REV. : D



W6/T1A

ELEVATION

ELEVATION

PART PLAN A

PART PLAN B

SECTION "X-X"

TYPE E	
OPENABLE WINDOW DIMENSION	(WIDTH) = 1000 (HEIGHT) = 1370
FIXED WINDOW DIMENSION	(WIDTH) = 1000 (HEIGHT) = 760
NUMBER OF OPENABLE AREA WINDOW	= 0
GLAZING AREA	
OPENABLE	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = 1370-111.5-66.5	= 1192 mm
FIXED	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = 760-66.5-111.5	= 582 mm
TOTAL = ((777x1192)+(777x582))/1000000	= 1.378398 m ²
OPENABLE AREA	
WIDTH = 1000-77-77	= 846 mm
HEIGHT = 1370-77-32	= 1261 mm
TOTAL = ((846x1261)x0)/1000000	= 0 m ²

PROVIDED	
GLAZING AREA	1.378 m ²
OPENABLE AREA	0 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
① — DETAIL MARK NO.
② — REFER SHEET NO.

- F.F.L. — FINISHED FLOOR LEVEL
- S.F.L. — STRUCTURAL FLOOR LEVEL
- ⊖ — REVERSED DETAIL
- △ — FIXING LOCATION
- △ — FIXING LUG LOCATION
- GLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01a — 8mm+9mm AIR GAP+12mm THK. L.G.U.
GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.

NO.	DATE	REVISION	SUBJECT TO APPROVEMENT	BY
E	24/01/2020	REVISION	SUBJECT TO APPROVEMENT	MIN
D	03/04/2020	REVISION	SUBJECT TO APPROVEMENT	MIN
C	22/04/2020	REVISION	SUBJECT TO APPROVEMENT	MIN
B	06/03/2020	REVISION	SUBJECT TO APPROVEMENT	MIN
A	24/02/2020	REVISION	SUBJECT TO APPROVEMENT	MIN





JOB NO. : J-852
PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE :
WINDOW SCHEDULE FOR
ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MIN CHECKED BY : DW

英特鋁業有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunway Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 2349211-4 Fax: (852) 27727666
DWG NO. : J852-SD-PW-4113 REV. : E

WINDOW MARK	WG T1A
LOCATION	2/F-20/F EN. AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	16
REMARKS	FAÇADE (PF-24)



SECTION "X-X"

PART PLAN B

(T1)

W6/T1A

TYPE		
OPENABLE WINDOW DIMENSION	(WIDTH) =	1000
	(HEIGHT) =	1370
FIXED WINDOW DIMENSION	(WIDTH) =	1000
	(HEIGHT) =	760
NUMBER OF OPENABLE AREA WINDOW	=	0
GLAZING AREA		
OPENABLE		
WIDTH = 1000-111.5-111.5	=	777 mm
HEIGHT = 1370-111.5-66.5	=	1192 mm
FIXED		
WIDTH = 1000-111.5-111.5	=	777 mm
HEIGHT = 760-66.5-111.5	=	582 mm
TOTAL = ((777x1192)+(777x582))/1000000	=	1.378398 m ²
OPENABLE AREA		
WIDTH = 1000-77-77	=	846 mm
HEIGHT = 1370-77-32	=	1261 mm
TOTAL = ((846x1261)x0)/1000000	=	0 m ²

PROVIDED	
GLAZING AREA	1.378 m ²
OPENABLE AREA	0 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

① — DETAIL MARK NO.
② — REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL
2. S.F.L. — STRUCTURAL FLOOR LEVEL
3. Ⓜ — REVERSED DETAIL
4. ▲ — FDING LOCATION
5. △ — FDING LUG LOCATION
6. GLASS LEGEND
GL01 — 8mm+12mm AR GPP+10mm THK. L.G.U.
GL01c — 8mm+9mm AR GPP+12mm THK. L.G.U.
GL03 — 8mm+12mm AR GPP+6mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROGRESSIVE SHIELD)
GL05 — 6mm+12mm AR GPP+6mm THK. L.G.U.

B	24/01/2020	REVISION SUBJECT TO APPROVALMENT	
A	02/01/2020	REVISION SUBJECT TO APPROVALMENT	
NO.	DATE	REASON	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW





DATE : 22-Apr-20 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

MIDI 英特鋁質有限公司
ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunray Industrial Centre, 1/F
810 Che Kwo Ling Road, Kowloon
Tel: 23498211-4 Fax: (852) 27727866

ELEVATION

WINDOW MARK	WS T1A
LOCATION	1/F EN. AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	1
REMARKS	FAÇADE (PF-24)

DWG NO. : J852-SD-PW-4113A REV. : B



T1 w6/T1A

TYPE E	
OPENABLE WINDOW DIMENSION (WIDTH)	= 1000
(HEIGHT)	= 1370
FIXED WINDOW DIMENSION (WIDTH)	= 1000
(HEIGHT)	= 760
NUMBER OF OPENABLE AREA WINDOW	= 0
GLAZING AREA	
OPENABLE	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = 1370-111.5-66.5	= 1192 mm
FIXED	
WIDTH = 1000-111.5-111.5	= 777 mm
HEIGHT = 760-66.5-111.5	= 582 mm
TOTAL = ((777x1192)+(777x582))/1000000	= 1.378398 m ²
OPENABLE AREA	
WIDTH = 1000-77-77	= 846 mm
HEIGHT = 1370-77-52	= 1261 mm
TOTAL = ((846x1261)/1000000)	= 0 m ²

PROVIDED	
GLAZING AREA	1.378 m ²
OPENABLE AREA	0 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
① — DETAIL MARK NO.
② — REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL
2. S.F.L. — STRUCTURAL FLOOR LEVEL
3. ② — REVERSED DETAIL
4. ▲ — FIXING LOCATION
5. △ — FIXING LUG LOCATION
6. GLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01c — 8mm+9mm AIR GAP+12mm THK. L.G.U.
GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROVIDE INQUIRY)
GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.

REV	DATE	DESCRIPTION
B	24/01/2020	REVISION SUBJECT TO APPROVALMENT
A	01/04/2020	REVISION SUBJECT TO APPROVALMENT
01	01/04/2020	ISSUED FOR TENDER

JOB NO. : J-852
PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.




TITLE :
WINDOW SCHEDULE FOR
ALUM. WINDOW

DATE : 22-Apr-20 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

英特鋁質有限公司
MIDI ALUMINIUM FABRICATOR HKG.
Units 6-8, Sunway Industrial Centre, 1/F
610 Che Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27727666
DWG NO. : J852-SD-PW-41138 REV. : B


ELEVATION

WINDOW MARK	WS T1A
LOCATION	21/F EN. AT TOWER 1 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	1
REMARKS	FACADE (PF-24)



SECTION "X-X"

SECTION "Y-Y"



PART PLAN A

T1 W7/T1B

TYPE A	
OPENABLE WINDOW DIMENSION	(WIDTH) = 720
	(HEIGHT) = 2130
FIXED WINDOW DIMENSION	(WIDTH) = 570
	(HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 1
GLAZING AREA	
OPENABLE	
WIDTH = 720-111.4-111.4	= 497 mm
HIGHT = 2150-111.5-111.5	= 1907 mm
FIXED	
WIDTH = 570-50-50	= 470 mm
HIGHT = 2150+400-50-1000	= 1480 mm
TOTAL = ((497x1907)x2)+(470x1480)	= 2.591158 m ²
OPENABLE AREA	
WIDTH = 720-77-77	= 566 mm
HIGHT = 2130-77+(1160-385-15)	= 1293 mm
TOTAL = ((566x1293)x1)	= 0.731838 m ²

PROVIDED	
GLAZING AREA	2.591 m ²
OPENABLE AREA	0.732 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
① — DETAIL MARK NO.
② — REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL
2. S.F.L. — STRUCTURAL FLOOR LEVEL
3. (↔) — REVERSED DETAIL
4. ▲ — FIXING LOCATION
5. △ — FIXING LUG LOCATION
6. GLASS LEGEND

GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01e — 8mm+8mm AIR GAP+12mm THK. L.G.U.
GL03 — 8mm+12mm AIR GAP+8mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.

NO.	DATE	REVISION	SUBJECT TO APPROVEMENT	BY
6	03/02/2021	REVISION	SUBJECT TO APPROVEMENT	MIN
F	17/09/2020	REVISION	SUBJECT TO APPROVEMENT	MIN
E	24/09/2020	REVISION	SUBJECT TO APPROVEMENT	MIN
B	03/09/2020	REVISION	SUBJECT TO APPROVEMENT	MIN
C	22/04/2020	REVISION	SUBJECT TO APPROVEMENT	MIN
B	05/03/2020	REVISION	SUBJECT TO APPROVEMENT	MIN
A	24/02/2020	REVISION	SUBJECT TO APPROVEMENT	SH
NO.	DATE	REVISION	SUBJECT TO APPROVEMENT	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.


TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MIN CHECKED BY : DW


英特經貿有限公司
MIDI INTERNATIONAL CORPORATION LTD.
Units 6-8, Sunway Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 23486211-4 Fax: (852) 27727666
DWG NO. : J852-S0-PW-4114 REV. : G

ELEVATION

WINDOW MARK	W7/T1B
LOCATION	2/F-21/F B.R.1. AT TOWER 1 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	17
REMARKS	FAÇADE (PF-22)




ELEVATION



PART PLAN A

(T2) W3/T2A



TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	1360
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW		2

GLAZING AREA		
OPENABLE		
WIDTH = 800-111.5-111.5	=	577 mm
HIGHT = 2130-111.5-111.5	=	1907 mm
FIXED		
WIDTH = 1360-50-50	=	1260 mm
HIGHT = 2130-50-50	=	2030 mm
TOTAL = ((577x1907)x2+(1260x2030))1000000	=	4.758478 m ²

OPENABLE AREA		
WIDTH = 800-77-77	=	646 mm
HIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((646x1293)x2)1000000	=	1.670556 m ²

PROVIDED		
GLAZING AREA	4.758	m ²
OPENABLE AREA	1.671	m ²

B.D. REF :

CLIENT :

ARCHITECT : **AGC DESIGN LTD**

MAIN CONTRACTOR : **Gammon**

STRUCTURAL ENGINEER : **ARUP**

FAÇADE CONSULTANT : **MEINHARDT**

NOTE :

- ALL DIMENSIONS ARE IN mm.
- ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
- ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

- LEGEND :
- X1 - DETAIL MARK NO.
 - X001 - REFER SHEET NO.
 - 1. F.F.L. --- FINISHED FLOOR LEVEL
 - 2. S.F.L. --- STRUCTURAL FLOOR LEVEL
 - 3. (circle with slash) --- REVERSED DETAIL
 - 4. (triangle) --- FIXING LOCATION
 - 5. (triangle) --- FIXING LUG LOCATION
 - 6. GLASS LEGEND
 - GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.
 - GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
 - GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.
 - GL04 --- 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 - GL05 --- 6mm+12mm AIR GAP+8mm THK. I.G.U.

D	24/08/2020	REVISION SUBJECT TO ARCH/COMMENT	yes
C	27/04/2020	REVISION SUBJECT TO ARCH/COMMENT	yes
B	03/04/2020	REVISION SUBJECT TO ARCH/COMMENT	yes
A	24/02/2020	REVISION SUBJECT TO ARCH/COMMENT	SH
NO.	DATE	REVISION	BY

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW


DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW




美特鋁質有限公司
 MIDAL ALUMINIUM FABRICATOR LTD.
 Units 6-8, Sunny Industrial Centre, 1/F
 610 Cha Kwo Ling Road, Kowloon
 Tel:23489211-4 Fax:(852)27727666

DWG NO. : JB52-SD-PW-4201 REV. : D

WINDOW MARK	W3/T2A
LOCATION	{1/F-18/F} MASTER ENSUITE AT TOWER 2 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	15
REMARKS	FAÇADE (PF-5)



ELEVATION



PART PLAN A

T₂ W3/T2A

TYPE A	
OPENABLE WINDOW DIMENSION	(WIDTH) = 800 (HEIGHT) = 2130
FIXED WINDOW DIMENSION	(WIDTH) = 1360 (HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	2
GLAZING AREA	
OPENABLE	WIDTH = 800-111.5-111.5 = 577 mm HIGHT = 2130-111.5-111.5 = 1907 mm
FIXED	WIDTH = 1360-50-50 = 1260 mm HIGHT = 2130-50-50 = 2030 mm
TOTAL	$= ((577 \times 1907) \times 2) + (1260 \times 2030) = 4.758478 \text{ m}^2$
OPENABLE AREA	
WIDTH	= 800-77-77 = 646 mm
HIGHT	= 2130-77-(1160-385-15) = 1293 mm
TOTAL	$= ((646 \times 1293) \times 2) = 1.670556 \text{ m}^2$
PROVIDED	
GLAZING AREA	4.758 m ²
OPENABLE AREA	1.671 m ²

B.D. REF :

CLIENT :

ARCHITECT : **AGC DESIGN LTD**

MAIN CONTRACTOR : **Gammon**

STRUCTURAL ENGINEER : **ARUP**

FAÇADE CONSULTANT : **MEINHARDT**

NOTE :

- ALL DIMENSIONS ARE IN mm.
- ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
- ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

X1 - DETAIL MARK NO.
2004 - REFER SHEET NO.

- F.F.L. --- FINISHED FLOOR LEVEL
- S.F.L. --- STRUCTURAL FLOOR LEVEL
- ∅ --- REVERSED DETAIL
- ▲ --- FIXING LOCATION
- △ --- FIXING LUG LOCATION

6. GLASS LEGEND

GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.
 GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
 GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.
 GL04 --- 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05 --- 6mm+12mm AIR GAP+8mm THK. I.G.U.

C	24/08/2020	REVISION SUBJECT TO ARCH/COMMITMENT	hwt
B	03/08/2020	REVISION SUBJECT TO ARCH/COMMITMENT	hwt
A	27/04/2020	REVISION SUBJECT TO ARCH/COMMITMENT	hwt
NO.	DATE	REVISION	BY

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW


DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW


美特鋁質有限公司
MIDI ALUMINIUM FABRICATOR LTD.
 Units 6-8, Sunray Industrial Centre, 1/F
 610 Che Kwo Ling Road, Kwai Tsan
 Tel: 23489211-4 Fax: (852) 27276666

WINDOW MARK	W3/T2A
LOCATION	19/F-21/F MASTER ENSUITE AT TOWER 2 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	3
REMARKS	FAÇADE (PF-5)


DWG NO. : JB52-SD-PW-4201A REV. : C



ELEVATION



PART PLAN A



SECTION "X-X"

SECTION "Y-Y"

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	960
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	2
GLAZING AREA		
OPENABLE		
WIDTH = 800-111.5-111.5	=	577 mm
HEIGHT = 2130-111.5-111.5	=	1907 mm
FIXED		
WIDTH = 960-50-50	=	860 mm
HEIGHT = 2130-50-50	=	2030 mm
TOTAL	$= ((577 \times 1907) \times 2 + (860 \times 2030)) / 1000000$	3.946478 m ²
OPENABLE AREA		
WIDTH = 800-77-77	=	646 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL	$= ((646 \times 1293) \times 2) / 1000000$	1.670556 m ²

PROVIDED	
GLAZING AREA	3.946 m ²
OPENABLE AREA	1.671 m ²

(T2) W2/T2A

B.D. REF :
 CLIENT :
 ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE :
 1. ALL DIMENSIONS ARE IN mm.
 2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
 3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
 ① DETAIL MARK NO.
 X2001 REFER SHEET NO.
 1. F.F.L. --- FINISHED FLOOR LEVEL
 2. S.F.L. --- STRUCTURAL FLOOR LEVEL
 3. (R) --- REVERSED DETAIL
 4. ▲ --- FIXING LOCATION
 5. △ --- FIXING LUG LOCATION
 6. GLASS LEGEND
 GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.
 GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
 GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.
 GL04 --- 10mm THK TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05 --- 6mm+12mm AIR GAP+8mm THK. I.G.U.

NO.	DATE	REVISION	BY
D	24/08/2020	REVISION SUBJECT TO ARCH/COMMENT	MAN
C	27/04/2020	REVISION SUBJECT TO ARCH/COMMENT	MAN
B	03/04/2020	REVISION SUBJECT TO ARCH/COMMENT	MAN
A	24/02/2020	REVISION SUBJECT TO ARCH/COMMENT	SH


JOB NO. : J-852
 PROJECT :
 PROPOSED RESIDENTIAL DEVELOPMENT
 AT 139 - 147 ARGYLE STREET,
 NKIL 6005, 6035 R.P., 6036 R.P.,
 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW


DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW

美特铝质有限公司
 M.T.I ALUMINIUM FABRICATOR LTD.
 Units 6-8, Sunray Industrial Centre, 1/F
 610 Cha Kwo Ling Road, Kowloon
 Tel: 23489211-4 Fax: (852) 27727666
 DWG NO. : J852-SD-PW-4202 REV. : D


WINDOW MARK	W2/T2A
LOCATION	1/F&19-21/F LIV./DIN. AT TOWER 2 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	4
REMARKS	FACADE (PF-6)




ELEVATION
2 6004



SECTION "X-X"



SECTION "Y-Y"



PART PLAN A

(T) W2/T2A

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH)	= 800
	(HEIGHT)	= 2130
FIXED WINDOW DIMENSION	(WIDTH)	= 960
	(HEIGHT)	= 2130
NUMBER OF OPENABLE AREA WINDOW		= 2
GLAZING AREA		
OPENABLE		
WIDTH	= 800-111.5-111.5	= 577 mm
HEIGHT	= 2130-111.5-111.5	= 1907 mm
FIXED		
WIDTH	= 960-50-50	= 860 mm
HEIGHT	= 2130-50-50	= 2030 mm
TOTAL	= ((577x1907)x2+(860x2030))/1000000	= 3.946478 m ²
OPENABLE AREA		
WIDTH	= 800-77-77	= 646 mm
HEIGHT	= 2130-77-(1160-385-15)	= 1293 mm
TOTAL	= ((646x1293)x2)/1000000	= 1.670556 m ²

PROVIDED	
GLAZING AREA	3.946 m ²
OPENABLE AREA	1.671 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC
DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE :

- ALL DIMENSIONS ARE IN mm.
- ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
- ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

X1 2001 - DETAIL MARK NO. REFER SHEET NO.

- F.F.L --- FINISHED FLOOR LEVEL
- S.F.L --- STRUCTURAL FLOOR LEVEL
- ② --- REVERSED DETAIL
- △ --- FIXING LOCATION
- △ --- FIXING LUG LOCATION

6. GLASS LEGEND

GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.

GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.

GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.

GL04 --- 10mm THK. TEMPERED GLASS (PROTECTIVE BARRED)

GL05 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.

C	24/08/2020	REVISION SUBJECT TO ARCH/COMMENT	REV
B	03/08/2020	REVISION SUBJECT TO ARCH/COMMENT	REV
A	27/04/2020	REVISION SUBJECT TO ARCH/COMMENT	REV
NO.	DATE	REVISION	BY

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40




DRAWN BY : MN CHECKED BY : DW

美特鋁質有限公司
MIDI ALUMINIUM FABRICATOR LTD.

Units 5-8, Sunray Industrial Centre, 1/F
610 Che Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27727666

DWG NO. : JB52-SD-PW-4202A REV. : C

WINDOW MARK	W2/T2A
LOCATION	2/F-18/F LIV./DIN. AT TOWER 2 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	14
REMARKS	FAÇADE (PF-6)



T2
W2/T2B

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	960
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	2
GLAZING AREA		
OPENABLE		
WIDTH = 800-111.5-111.5	=	577 mm
HEIGHT = 2130-111.5-111.5	=	1907 mm
FIXED		
WIDTH = 960-50-50	=	860 mm
HEIGHT = 2130-50-50	=	2030 mm
TOTAL = ((577x1907)x2+(860x2030))/1000000	=	3.946478 m ²
OPENABLE AREA		
WIDTH = 800-77-77	=	646 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((646x1293)x2)/1000000	=	1.670556 m ²

PROVIDED	
GLAZING AREA	3.946 m ²
OPENABLE AREA	1.671 m ²

B.D. REF :

CLIENT :

ARCHITECT : **AGC DESIGN LTD**

MAIN CONTRACTOR : **Gammon**

STRUCTURAL ENGINEER : **ARUP**

FACADE CONSULTANT : **MEINHARDT**

NOTE :

- ALL DIMENSIONS ARE IN mm.
- ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
- ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

X1 - DETAIL MARK NO.
X001 - REFER SHEET NO.

- F.F.L. --- FINISHED FLOOR LEVEL
- S.F.L. --- STRUCTURAL FLOOR LEVEL
- ② --- REVERSED DETAIL
- ▲ --- FIXING LOCATION
- △ --- FIXING LUG LOCATION
- GLASS LEGEND

GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.
GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.
GL04 --- 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 --- 6mm+12mm AIR GAP+8mm THK. I.G.U.

D	24/06/2020	REVISION SUBJECT TO ARCH/COMMENT	REV
C	27/04/2020	REVISION SUBJECT TO ARCH/COMMENT	REV
B	03/04/2020	REVISION SUBJECT TO ARCH/COMMENT	REV
A	24/02/2020	REVISION SUBJECT TO ARCH/COMMENT	SH
REV.	DATE	REVISION	BY

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW


DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW


美特鋁質有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunray Industrial Centre, 1/F
610 Che Kwo Ling Road, Kowloon
Tel:23489211-4 Fax:(852)2727866

DWG NO. : J852-SD-PW-4203 REV. : D


WINDOW MARK	W2/T2B
LOCATION	1/F&19/F-21/F LIV./DIN. AT TOWER 2 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	4
REMARKS	FACADE (PF-7)




ELEVATION



SECTION "X-X"



SECTION "Y-Y"



PART PLAN A

(T2)

W2/T2B

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	960
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	2

GLAZING AREA		
OPENABLE		
WIDTH = 800-111.5-111.5	=	577 mm
HIGHT = 2130-111.5-111.5	=	1907 mm
FIXED		
WIDTH = 960-50-50	=	860 mm
HIGHT = 2130-50-50	=	2030 mm
TOTAL = ((577x1907)x2+(860x2030))/1000000	=	3.946478 m ²

OPENABLE AREA		
WIDTH = 800-77-77	=	646 mm
HIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((646x1293)x2)/1000000	=	1.670556 m ²

PROVIDED	
GLAZING AREA	3.946 m ²
OPENABLE AREA	1.671 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
 (X1) DETAIL MARK NO. REFER SHEET NO.
 1. F.F.L --- FINISHED FLOOR LEVEL
 2. S.F.L --- STRUCTURAL FLOOR LEVEL
 3. (Z) --- REVERSED DETAIL
 4. ▲ --- FIXING LOCATION
 5. △ --- FIXING LUG LOCATION
 6. GLASS LEGEND
 GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.
 GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
 GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.
 GL04 --- 10mm THK. TAMPRED GLASS (PROTECTIVE BARRIER)
 GL05 --- 6mm+12mm AIR GAP+8mm THK. I.G.U.

C	24/04/2020	REVISION SUBJECT TO APPROVALMENT	Rev
B	03/04/2020	REVISION SUBJECT TO APPROVALMENT	Rev
A	27/04/2020	REVISION SUBJECT TO APPROVALMENT	Rev
NO.	DATE	REVISION	BY


JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW



DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW

MIDI 美特鋁質有限公司
 MIDD INTERNATIONAL FABRICATOR LTD.
 Units 6-8, Sunray Industrial Centre, 1/F
 610 Che Kwo Ling Road, Kowloon
 Tel:23488211-4 Fax:(852)2727666
 DWG NO. : J852-SD-PW-4203A REV. : C

WINDOW MARK	(W2/T2B)
LOCATION	2/F-18/F LIV./DIN. AT TOWER 2 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	14
REMARKS	FAÇADE (PF-7)



ELEVATION



PART PLAN A

T2 **W3/T2B**

TYPE A	
OPENABLE WINDOW DIMENSION	(WIDTH) = 800 (HEIGHT) = 2130
FIXED WINDOW DIMENSION	(WIDTH) = 1360 (HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 2
GLAZING AREA	
OPENABLE	
WIDTH = 800-111.5-111.5	= 577 mm
HIGHT = 2130-111.5-111.5	= 1907 mm
FIXED	
WIDTH = 1360-50-50	= 1260 mm
HIGHT = 2130-50-50	= 2030 mm
TOTAL = ((577x1907)x2+((1260x2030))	= 4.758478 m ²
OPENABLE AREA	
WIDTH = 800-77-77	= 646 mm
HIGHT = 2130-77-(1160-385-15)	= 1293 mm
TOTAL = ((646x1293)x2)	= 1.670556 m ²

PROVIDED	
GLAZING AREA	4.758 m ²
OPENABLE AREA	1.671 m ²

B.D. REF :

CLIENT :

ARCHITECT : **AGC DESIGN LTD**

MAIN CONTRACTOR : **Gammon**

STRUCTURAL ENGINEER : **ARUP**

FACADE CONSULTANT: **MEINHARDT**

NOTE:
 1. ALL DIMENSIONS ARE IN mm.
 2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
 3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

- LEGEND :
- ① - DETAIL MARK NO.
 - ② - REFER SHEET NO.
 - 1. F.F.L. - FINISHED FLOOR LEVEL
 - 2. S.F.L. - STRUCTURAL FLOOR LEVEL
 - 3. (Z) - REVERSED DETAIL
 - 4. ▲ - FIXING LOCATION
 - 5. △ - FIXING LUG LOCATION
 - 6. GLASS LEGEND
- GL01 - 8mm+12mm AIR GAP+10mm THK. I.G.U.
 GL01a - 8mm+9mm AIR GAP+10mm THK. I.G.U.
 GL03 - 6mm+12mm AIR GAP+6mm THK. I.G.U.
 GL04 - 10mm THK. TEMPERED GLASS (PROTECTIVE BARRED)
 GL05 - 6mm+12mm AIR GAP+8mm THK. I.G.U.

D	24/08/2020	REVISION SUBJECT TO ARCH/COMMENT	vert
C	27/04/2020	REVISION SUBJECT TO ARCH/COMMENT	vert
B	03/04/2020	REVISION SUBJECT TO ARCH/COMMENT	vert
A	24/02/2020	REVISION SUBJECT TO ARCH/COMMENT	SH
NO.	DATE	REVISION	BY

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW


DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW


美特铝质有限公司
 MTDI ALUMINIUM FABRICATOR LTD.
 Units 6-8, Sunny Industrial Centre, 1/F
 610 Cha Kwo Ling Road, Kowloon
 Tel:23489211-4 Fax:(852)2727666

WINDOW MARK	W3/T2B
LOCATION	1/F-18/F MASTER ENSUITE AT TOWER 2 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	15
REMARKS	FACADE (PF-8)


DWG NO. : JB52-SD-PW-4204 REV. : D




ELEVATION



SECTION "X-X"



SECTION "Y-Y"



PART PLAN A

T₂

W3/T2B

TYPE A	
OPENABLE WINDOW DIMENSION	(WIDTH) = 800 (HEIGHT) = 2130
FIXED WINDOW DIMENSION	(WIDTH) = 1360 (HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 2

GLAZING AREA	
OPENABLE	
WIDTH = 800-111.5-111.5	= 577 mm
HIGHT = 2130-111.5-111.5	= 1907 mm
FIXED	
WIDTH = 1360-50-50	= 1260 mm
HIGHT = 2130-50-50	= 2030 mm
TOTAL = ((577x1907)x2)+(1260x2030)/1000000	= 4.758478 m ²

OPENABLE AREA	
WIDTH = 800-77-77	= 646 mm
HIGHT = 2130-77-(1160-385-15)	= 1293 mm
TOTAL = ((646x1293)x2)/1000000	= 1.670556 m ²

PROVIDED	
GLAZING AREA	4.758 m ²
OPENABLE AREA	1.671 m ²

B.D. REF :

CLIENT :

ARCHITECT : **AGC DESIGN LTD**

MAIN CONTRACTOR : **Gammon**

STRUCTURAL ENGINEER : **ARUP**

FACADE CONSULTANT : **MEINHARDT**

NOTE :

1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

21 - DETAIL MARK NO.
2091 - REFER SHEET NO.

1. F.F.L. --- FINISHED FLOOR LEVEL
2. S.F.L. --- STRUCTURAL FLOOR LEVEL
3. (Z) --- REVERSED DETAIL
4. ▲ --- FIXING LOCATION
5. △ --- FIXING LUG LOCATION
6. GLASS LEGEND
GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.
GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.
GL04 --- 10mm THK TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 --- 6mm+12mm AIR GAP+8mm THK. I.G.U.

C	24/06/2020	REVISION SUBJECT TO ARCH/COMMENT	NO
B	03/08/2020	REVISION SUBJECT TO ARCH/COMMENT	NO
A	27/04/2020	REVISION SUBJECT TO ARCH/COMMENT	NO
NO.	DATE	REVISION	BY

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40


DRAWN BY : MN CHECKED BY : DW

美特铝质有限公司
M.T.I ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunray Industrial Centre, 1/F
610 Che Kwo Ling Road, Kowloon
Tel:23489211-4 Fax:(852)27272666


DWG NO. : J852-SD-PW-4204A REV. : C

WINDOW MARK	W3/T2B
LOCATION	19/F-21/F MASTER ENSUITE AT TOWER 2 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	3
REMARKS	FACADE (PF-8)


ELEVATION




ELEVATION



SECTION "X-X"



PART PLAN A



PART PLAN B

(T) W6/T2C

TYPE C			
OPENABLE WINDOW DIMENSION	(WIDTH) =	500	
	(HEIGHT) =	1380	
NUMBER OF OPENABLE AREA WINDOW	=	2	
GLAZING AREA			
WIDTH = 500-111.5-66.5	=	322 mm	
HEIGHT = 1380-69.5-111.5	=	1199 mm	
TOTAL = ((322x1199)x2)	=	0.772156 m ²	
OPENABLE AREA			
WIDTH = 500-77-32	=	391 mm	
HEIGHT = 1380-32-77	=	1271 mm	
TOTAL = ((391x1271)x2)	=	0.993922 m ²	
	PROVIDED		
	GLAZING AREA	0.772	m ²
	OPENABLE AREA	0.994	m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT :
MEINHARDT

NOTE :

- ALL DIMENSIONS ARE IN mm.
- ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
- ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

X1 --- DETAIL MARK NO.
X991 --- REFER SHEET NO.

- F.F.L. --- FINISHED FLOOR LEVEL.
- S.F.L. --- STRUCTURAL FLOOR LEVEL.
- (R) --- REVERSED DETAIL
- ▲ --- FIXING LOCATION
- △ --- FIXING LUG LOCATION

GLASS LEGEND

GL01 --- 6mm+12mm AIR GAP+10mm THK. I.G.U.
GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.
GL04 --- 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.

NO.	DATE	REVISION	BY
E	24/04/2020	REVISION SUBJECT TO ARCH/COMMENT	pw
D	29/04/2020	REVISION SUBJECT TO ARCH/COMMENT	pw
C	27/04/2020	REVISION SUBJECT TO ARCH/COMMENT	pw
B	03/04/2020	REVISION SUBJECT TO ARCH/COMMENT	pw
A	24/02/2020	REVISION SUBJECT TO ARCH/COMMENT	sh

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW


DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW


美特铝质有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunray Industrial Centre, 1/F
610 Cho Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27272666

DWG NO. : J852-SD-PW-4205 REV. : E


WINDOW MARK	W6/T2C
LOCATION	1/F KIT. AT TOWER 2 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	1
REMARKS	FACADE (PF-28)




ELEVATION



SECTION "X-X"



PART PLAN A



PART PLAN B

(T) w6/T2C

TYPE C	
OPENABLE WINDOW DIMENSION	(WIDTH) = 500 (HEIGHT) = 1380
NUMBER OF OPENABLE AREA WINDOW	= 2
GLAZING AREA	
WIDTH = 500-111.5-66.5	= 322 mm
HEIGHT = 1380-69.5-111.5	= 1199 mm
TOTAL	= ((322x1199)x2)1000000 = 0.772156 m ²
OPENABLE AREA	
WIDTH = 500-77-32	= 391 mm
HEIGHT = 1380-32-77	= 1271 mm
TOTAL	= ((391x1271)x2)1000000 = 0.993922 m ²

PROVIDED	
GLAZING AREA	0.774 m ²
OPENABLE AREA	0.994 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
X1 - DETAIL MARK NO.
X2001 - REFER SHEET NO.
1. F.F.L. --- FINISHED FLOOR LEVEL
2. S.F.L. --- STRUCTURAL FLOOR LEVEL
3. (R) --- REVERSED DETAIL
4. (P) --- FIXING LOCATION
5. (A) --- FIXING LUG LOCATION
6. GLASS LEGEND
GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.
GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.
GL04 --- 10mm THK. TAMPRED GLASS (PROTECTIVE BARRED)
GL05 --- 6mm+12mm AIR GAP+8mm THK. I.G.U.

B	24/06/2020	REVISION SUBJECT TO ARCH/COMMENT	vert
A	29/05/2020	REVISION SUBJECT TO ARCH/COMMENT	vert
NO.	DATE	REVISION	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.


TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW


美特铝质有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-B, Sunray Industrial Centre, 1/F
610 Cho Kwo Ling Road, Kowloon
Tel:23489211-4 Fax:(852)2727666
DWG NO. : JB52-SD-PW-4205A REV. : B

ELEVATION


WINDOW MARK	W6 T2C
LOCATION	2/F-21/F KIT. AT TOWER 2 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	17
REMARKS	FAÇADE (PF-28)



ELEVATION



SECTION "X-X"



PART PLAN A

(T)

W5/T2C

ELEVATION

TYPE F		
OPENABLE WINDOW DIMENSION	(WIDTH) =	550
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	1
GLAZING AREA		
OPENABLE		
WIDTH = 550-111.5-66.5	=	372 mm
HEIGHT = (2130+400)-111.5-1000	=	1418.5 mm
TOTAL = ((372x1418.5)x2)/1000000	=	1.055364 m ²
GLAZING AREA		
WIDTH = 550-77-32	=	441 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((441x1293)x1)/1000000	=	0.570213 m ²
	PROVIDED	
GLAZING AREA	1.055	m ²
OPENABLE AREA	0.570	m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
 (X1) DETAIL MARK NO.
 (X200) REFER SHEET NO.
 1. F.F.L. --- FINISHED FLOOR LEVEL
 2. S.F.L. --- STRUCTURAL FLOOR LEVEL
 3. (⊕) --- REVERSED DETAIL
 4. ▲ --- FIXING LOCATION
 5. △ --- FIXING LUG LOCATION
 6. GLASS LEGEND
 GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.
 GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
 GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.
 GL04 --- 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.



NO.	DATE	REVISION	BY
E	24/08/2020	REVISION SUBJECT TO ARCH/COMMENT	MAN
D	03/04/2020	REVISION SUBJECT TO ARCH/COMMENT	MAN
C	27/04/2020	REVISION SUBJECT TO ARCH/COMMENT	MAN
B	03/04/2020	REVISION SUBJECT TO ARCH/COMMENT	MAN
A	24/02/2020	REVISION SUBJECT TO ARCH/COMMENT	SH

JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT
 AT 139 - 147 ARGYLE STREET,
 NKIL 6005, 6035 R.P., 6036 R.P.,
 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW
美特铝业有限公司
 MIDITECH ALUMINIUM FABRICATORS LTD.
 Units 6-8, Sunray Industrial Centre, 1/F
 610 Cho Kwo Ling Road, Kowloon
 Tel: 23489211-4 Fax: (852) 2727666
 DWG NO. : JB52-SD-PW-4206 REV. : E

WINDOW MARK	W5/T2C
LOCATION	2/F-21/F B.R.2 AT TOWER 2 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	17
REMARKS	FAÇADE (PF-29)



TYPE F		
OPENABLE WINDOW DIMENSION	(WIDTH) =	750
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	0


GLAZING AREA		
OPENABLE		
WIDTH = 750-111.5-66.5	=	572 mm
HEIGHT = (2130-400)-111.5-1000	=	1418.5 mm
TOTAL = ((572x1418.5)x2)1000000	=	1.622764 m ²
OPENABLE AREA		
WIDTH = 750-77-32	=	641 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((641x1293)x0)1000000	=	0 m ²

PROVIDED	
W4/T2C GLAZING AREA	1.623 m ²
W3/T2C OPENABLE AREA	0 m ²

TYPE F		
OPENABLE WINDOW DIMENSION	(WIDTH) =	750
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	1

GLAZING AREA		
OPENABLE		
WIDTH = 750-111.5-66.5	=	572 mm
HEIGHT = (2130-400)-111.5-1000	=	1418.5 mm
TOTAL = ((572x1418.5)x2)1000000	=	1.622764 m ²
OPENABLE AREA		
WIDTH = 750-77-32	=	641 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((641x1293)x1)1000000	=	0.828813 m ²

PROVIDED	
W3/T2C GLAZING AREA	1.623 m ²
W3/T2C OPENABLE AREA	0.829 m ²



W4/T2C
W3/T2C
T2

OPENABLE WINDOW DIMENSION	(WIDTH) =	750
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	1
GLAZING AREA		
OPENABLE		
WIDTH = 750-111.5-66.5	=	572 mm
HEIGHT = 2130-400-111.5-1000	=	1418.5 mm
TOTAL = ((572x1418.5)x2)1000000	=	1.622764 m ²
OPENABLE AREA		
WIDTH = 750-77-32	=	641 mm
HEIGHT = 2130-77-(1160-400)	=	1293 mm
TOTAL = ((641x1293)x1)1000000	=	0.828813 m ²

ELEVATION

PART PLAN A

WINDOW MARK	W4/T2C / W3/T2C
LOCATION	1/F M.B.R.1 & B.R.2 AT TOWER 2 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	1 / 1
REMARKS	FAÇADE (PF-30)

B.D. REF :

CLIENT :

ARCHITECT :	AGC DESIGN LTD
-------------	----------------

MAIN CONTRACTOR :	Gammon
-------------------	--------

STRUCTURAL ENGINEER :	ARUP
-----------------------	------

FAÇADE CONSULTANT :	MEINHARDT
---------------------	-----------

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :	
21 mm	DETAIL MARK NO.
REF	REFER SHEET NO.
1.	F.F.L.—FINISHED FLOOR LEVEL.
2.	S.F.L.—STRUCTURAL FLOOR LEVEL.
3.	②—REVERSED DETAIL.
4.	▲—FIXING LOCATION.
5.	△—FIXING LUG LOCATION.
6.	GLASS LEGEND
GL01	—8mm+12mm AIR GAP+10mm THK. LG.U.
GL01a	—8mm+9mm AIR GAP+10mm THK. LG.U.
GL03	—8mm+12mm AIR GAP+6mm THK. LG.U.
GL04	—10mm THK. TEMPERED GLASS (PROTECTIVE OVERLAY)
GL05	—8mm+12mm AIR GAP+8mm THK. LG.U.

E	24/08/2020	REVISION SUBJECT TO APPROVALMENT	PH
D	03/08/2020	REVISION SUBJECT TO APPROVALMENT	PH
C	27/04/2020	REVISION SUBJECT TO APPROVALMENT	PH
B	03/04/2020	REVISION SUBJECT TO APPROVALMENT	PH
A	24/02/2020	REVISION SUBJECT TO APPROVALMENT	SH
REV.	DATE	REVISION	BY




JOB NO. :	J-852
PROJECT :	PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE :	WINDOW SCHEDULE FOR ALUM. WINDOW
---------	----------------------------------

DATE : 05-Dec-19	SCALE : 1:40
DRAWN BY : MN	CHECKED BY : DW

MIDI 美特銘寶有限公司	
MIDI ARCHITECTURAL ENGINEERING S.M.	
Units 6-8, Sunny Industrial Centre, 1/F	
610 Che Koo Ling Road, Kowloon	
Tel:23489211-4 Fax:85227727666	
DWG NO. : J852-SD-PW-4207	REV. : E

2021.03.16修改



T₂

W4/T2C - W3/T2C

OPENABLE WINDOW DIMENSION (WIDTH) = 750
(HEIGHT) = 2130

NUMBER OF OPENABLE AREA WINDOW = 0

GLAZING AREA
OPENABLE
WIDTH = 750-111.5-66.5 = 572 mm
HEIGHT = 2130-400-111.5-1000 = 1418.5 mm
TOTAL = ((572x1418.5)x2)/1000000 = 1.622764 m²

OPENABLE AREA
WIDTH = 750-77-32 = 641 mm
HEIGHT = 2130-77-(1160-400) = 1293 mm
TOTAL = ((641x1293)x2)/1000000 = 0 m²

PROVIDED		
W4/T2C GLAZING AREA	1.623	m ²
W4/T2C OPENABLE AREA	0	m ²

OPENABLE WINDOW DIMENSION (WIDTH) = 750
(HEIGHT) = 2130

NUMBER OF OPENABLE AREA WINDOW = 1

GLAZING AREA
OPENABLE
WIDTH = 750-111.5-66.5 = 572 mm
HEIGHT = 2130-400-111.5-1000 = 1418.5 mm
TOTAL = ((572x1418.5)x2)/1000000 = 1.622764 m²

OPENABLE AREA
WIDTH = 750-77-32 = 641 mm
HEIGHT = 2130-77-(1160-400) = 1293 mm
TOTAL = ((641x1293)x2)/1000000 = 0.828813 m²

PROVIDED		
W3/T2C GLAZING AREA	1.623	m ²
W3/T2C OPENABLE AREA	0.829	m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
① - DETAIL MARK NO.
REFR SHEET NO.

1. F.F.L. - FINISHED FLOOR LEVEL
2. S.F.L. - STRUCTURAL FLOOR LEVEL
3. ⊕ - REVERSED DETAIL
4. ▲ - FINDING LOCATION
5. △ - FINDING LUG LOCATION

6. GLASS LEGEND
GL01 - 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01e - 8mm+9mm AIR GAP+10mm THK. L.G.U.
GL03 - 8mm+12mm AIR GAP+6mm THK. L.G.U.
GL04 - 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 - 8mm+12mm AIR GAP+8mm THK. L.G.U.

REV	DATE	REVISION SUBJECT TO APPROVALMENT	BY
B	03/04/2020	REVISION SUBJECT TO APPROVALMENT	
A	03/04/2020	REVISION SUBJECT TO APPROVALMENT	
1	05/12/2019	ISSUED	

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.




TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

美特铝业有限公司
MIDI ALUMINIUM FABRICATION LTD.
Units 6-8, Sunny Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 2348211-4 Fax: (852) 27727666
DWG NO. : J852-SD-PW-4207A REV. : B

ELEVATION

WINDOW MARK	W4/T2C / W3/T2C
LOCATION	2/F-21/F M.B.R.1 & B.R.2 AT TOWER 2 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	17 / 17
REMARKS	FAÇADE (PF-30)



T₂

W4/T2A
W5/T2A

TYPE B	
OPENABLE WINDOW DIMENSION	(WIDTH) = 520 (HEIGHT) = 1370
FIXED WINDOW DIMENSION	(WIDTH) = 520 (HEIGHT) = 610
NUMBER OF OPENABLE AREA WINDOW	= 1
GLAZING AREA	
OPENABLE	WIDTH = 520-111.5-111.5 = 297 mm HEIGHT = 1370-69.5-66.5 = 1234 mm
FIXED	WIDTH = 520-111.5-111.5 = 297 mm HEIGHT = 610-66.5-111.5 = 432 mm
TOTAL	= ((297x1234)+(297x432))/1000000 = 0.494802 m ²
OPENABLE AREA	
WIDTH	= 520-77-77 = 366 mm
HEIGHT	= 1370-32-32 = 1306 mm
TOTAL	= (366x1306)/1000000 = 0.477996 m ²

PROVIDED	
GLAZING AREA	0.495 m ²
OPENABLE AREA	0.478 m ²

TYPE B	
OPENABLE WINDOW DIMENSION	(WIDTH) = 445 (HEIGHT) = 1370
FIXED WINDOW DIMENSION	(WIDTH) = 445 (HEIGHT) = 610
NUMBER OF OPENABLE AREA WINDOW	= 1
GLAZING AREA	
OPENABLE	WIDTH = 445-111.5-111.5 = 222 mm HEIGHT = 1370-69.5-66.5 = 1234 mm
FIXED	WIDTH = 445-111.5-111.5 = 222 mm HEIGHT = 610-66.5-111.5 = 432 mm
TOTAL	= ((222x1234)+(222x432))/1000000 = 0.369852 m ²
OPENABLE AREA	
WIDTH	= 445-77-77 = 291 mm
HEIGHT	= 1370-32-32 = 1306 mm
TOTAL	= (291x1306)/1000000 = 0.380046 m ²

PROVIDED	
GLAZING AREA	0.370 m ²
OPENABLE AREA	0.380 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
X1 - DETAIL MARK NO. REFER SHEET NO.

- F.F.L. — FINISHED FLOOR LEVEL
- S.F.L. — STRUCTURAL FLOOR LEVEL
- ⊗ — REVERSED DETAIL
- ▲ — FIXING LOCATION
- △ — FIXING LUG LOCATION
- CLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01a — 8mm+8mm AIR GAP+10mm THK. L.G.U.
GL03 — 8mm+12mm AIR GAP+6mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PNEUMATIC BARRER)
GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.

F	18/08/2020	REVISION SUBJECT TO APPROVALMENT
E	24/08/2020	REVISION SUBJECT TO APPROVALMENT
D	28/08/2020	REVISION SUBJECT TO APPROVALMENT
C	27/04/2020	REVISION SUBJECT TO APPROVALMENT
B	03/04/2020	REVISION SUBJECT TO APPROVALMENT
A	24/02/2020	REVISION SUBJECT TO APPROVALMENT
DATE		ISSUED

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKHL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW





DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

英特經貿有限公司
MIDI INTERNATIONAL TRADING CO., LTD.
Units 6-8, Sunny Industrial Centre, 1/F
610 Chee Koo Ling Road, Kowloon
Tel: 23488211-4 Fax: (852) 27727866
DWG NO. : J852-SD-PW-4208 REV. : F

ELEVATION

WINDOW MARK	W4/T2A / W5/T2A
LOCATION	1/F M.B. & EN.B. AT TOWER 2 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	1 / 1
REMARKS	FAÇADE (PF-35)

ELEVATION



T2

W4/T2A
W5/T2A

TYPE B				
OPENABLE WINDOW DIMENSION	(WIDTH)	=	520	
	(HEIGHT)	=	1370	
FIXED WINDOW DIMENSION	(WIDTH)	=	520	
	(HEIGHT)	=	610	
NUMBER OF OPENABLE AREA WINDOW		=	1	
GLAZING AREA				
OPENABLE				
WIDTH	=	520-111.5-111.5	=	297 mm
HEIGHT	=	1370-69.5-66.5	=	1234 mm
FIXED				
WIDTH	=	520-111.5-111.5	=	297 mm
HEIGHT	=	610-66.5-111.5	=	432 mm
TOTAL	=	((297x1234)+(297x432))/1000000	=	0.494902 m ²
OPENABLE AREA				
WIDTH	=	520-77-77	=	366 mm
HEIGHT	=	1370-32-32	=	1306 mm
TOTAL	=	(366x1306)/1000000	=	0.477996 m ²
PROVIDED				
GLAZING AREA	0.495	m ²		
OPENABLE AREA	0.478	m ²		

TYPE B				
OPENABLE WINDOW DIMENSION	(WIDTH)	=	445	
	(HEIGHT)	=	1370	
FIXED WINDOW DIMENSION	(WIDTH)	=	445	
	(HEIGHT)	=	610	
NUMBER OF OPENABLE AREA WINDOW		=	1	
GLAZING AREA				
OPENABLE				
WIDTH	=	445-111.5-111.5	=	222 mm
HEIGHT	=	1370-69.5-66.5	=	1234 mm
FIXED				
WIDTH	=	445-111.5-111.5	=	222 mm
HEIGHT	=	610-66.5-111.5	=	432 mm
TOTAL	=	((222x1234)+(222x432))/1000000	=	0.369853 m ²
OPENABLE AREA				
WIDTH	=	445-77-77	=	291 mm
HEIGHT	=	1370-32-32	=	1306 mm
TOTAL	=	(291x1306)/1000000	=	0.380646 m ²
PROVIDED				
GLAZING AREA	0.370	m ²		
OPENABLE AREA	0.380	m ²		

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE :

1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

X1 - DETAIL MARK NO.
X001 - REFER SHEET NO.

1. F.F.L --- FINISHED FLOOR LEVEL
2. S.F.L --- STRUCTURAL FLOOR LEVEL
3. (R) --- REVERSED DETAIL
4. ▲ --- FIXING LOCATION
5. △ --- FIXING LUG LOCATION
6. GLASS LEGEND
GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.
GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
GL03 --- 6mm+12mm AIR GAP+6mm THK. I.G.U.
GL04 --- 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 --- 6mm+12mm AIR GAP+8mm THK. I.G.U.

NO.	DATE	REVISION	SUBJECT TO ARCH/COMMENT	BY
C	18/09/2020	REVISION	SUBJECT TO ARCH/COMMENT	BY
B	24/08/2020	REVISION	SUBJECT TO ARCH/COMMENT	BY
A	29/05/2020	REVISION	SUBJECT TO ARCH/COMMENT	BY

JOB NO. : J-852

PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE :
WINDOW SCHEDULE FOR
ALUM. WINDOW







DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

美特铝质有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunray Industrial Centre, 1/F
610 Che Kwo Ling Road, Kowloon
Tel:23489211-4 Fax:(852)2727666
DWG NO. : JB52-SD-PW-4208A REV. : C

WINDOW MARK	W4/T2A / W5/T2A
LOCATION	2/F-21/F M.B. & EN.B. AT TOWER 2 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	17 / 17
REMARKS	FAÇADE (PF-35)

ELEVATION



W5/T2B
W4/T2B
T2

TYPE B
OPENABLE WINDOW DIMENSION

(WIDTH) =	520
(HEIGHT) =	1370

FIXED WINDOW DIMENSION

(WIDTH) =	520
(HEIGHT) =	610

NUMBER OF OPENABLE AREA WINDOW = 1

GLAZING AREA

OPENABLE	WIDTH = 520-111.5-111.5 = 297 mm
	HEIGHT = 1370-69.5-66.5 = 1234 mm
FIXED	WIDTH = 520-111.5-111.5 = 297 mm
	HEIGHT = 610-66.5-111.5 = 432 mm
TOTAL	= (297x1234)+(297x432) = 1000000
	= 0.494802 m ²

OPENABLE AREA

WIDTH = 520-77-77 = 366 mm	
HEIGHT = 1370-32-32 = 1306 mm	
TOTAL = (366x1306)x1 = 1000000	
	= 0.475996 m ²

PROVIDED

GLAZING AREA	0.495	m ²
OPENABLE AREA	0.478	m ²

TYPE B
OPENABLE WINDOW DIMENSION

(WIDTH) =	445
(HEIGHT) =	1370

FIXED WINDOW DIMENSION

(WIDTH) =	445
(HEIGHT) =	610

NUMBER OF OPENABLE AREA WINDOW = 1

GLAZING AREA

OPENABLE	WIDTH = 445-111.4-111.5 = 222 mm
	HEIGHT = 1370-69.5-66.5 = 1234 mm
FIXED	WIDTH = 445-111.5-111.5 = 222 mm
	HEIGHT = 610-66.5-111.5 = 432 mm
TOTAL	= ((222x1234)+(222x432))x1000000
	= 0.369852 m ²

OPENABLE AREA

WIDTH = 445-77-77 = 291 mm	
HEIGHT = 1370-32-32 = 1306 mm	
TOTAL = (291x1306)x1 = 1000000	
	= 0.380046 m ²

PROVIDED

GLAZING AREA	0.370	m ²
OPENABLE AREA	0.380	m ²

WINDOW MARK	W5/T2B / W4/T2B
LOCATION	1/F M.B. & EN.B. AT TOWER 2 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	1 / 1
REMARKS	FACADE (PF-36)

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT :
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
X1 - DETAIL MARK NO.
XXXX - REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL
2. S.F.L. — STRUCTURAL FLOOR LEVEL
3. (Z) — REVERSED DETAIL




F	18/09/2020	REVISION SUBJECT TO APPROVALMENT	Rev
E	24/09/2020	REVISION SUBJECT TO APPROVALMENT	Rev
B	25/09/2020	REVISION SUBJECT TO APPROVALMENT	Rev
C	27/09/2020	REVISION SUBJECT TO APPROVALMENT	Rev
B	03/04/2020	REVISION SUBJECT TO APPROVALMENT	Rev
A	24/02/2020	REVISION SUBJECT TO APPROVALMENT	SH
DR			BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

美特鋁質有限公司
MIDI ALUMINIUM PRODUCTS CO., LTD.
Units 6-8, Surrey Industrial Centre, 1/F
610 Chu Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27727866
DWG NO. : J852-SD-PW-4209 REV. : F




TYPE B	
OPENABLE WINDOW DIMENSION	(WIDTH) = 520 (HEIGHT) = 1370
FIXED WINDOW DIMENSION	(WIDTH) = 520 (HEIGHT) = 610
NUMBER OF OPENABLE AREA WINDOW	1
GLAZING AREA	
OPENABLE	WIDTH = 520-111.5-111.5 = 297 mm HEIGHT = 1370-69.5-66.5 = 1234 mm
FIXED	WIDTH = 520-111.5-111.5 = 297 mm HEIGHT = 610-66.5-111.5 = 432 mm
TOTAL	$(297 \times 1234) + (297 \times 432) / 1000000 = 0.494802 \text{ m}^2$
OPENABLE AREA	
WIDTH	520-77-77 = 366 mm
HEIGHT	1370-32-32 = 1306 mm
TOTAL	$(366 \times 1306) / 1000000 = 0.477996 \text{ m}^2$

PROVIDED	
GLAZING AREA	0.495 m ²
OPENABLE AREA	0.478 m ²

TYPE B	
OPENABLE WINDOW DIMENSION	(WIDTH) = 445 (HEIGHT) = 1370
FIXED WINDOW DIMENSION	(WIDTH) = 445 (HEIGHT) = 610
NUMBER OF OPENABLE AREA WINDOW	1
GLAZING AREA	
OPENABLE	WIDTH = 445-111.5-111.5 = 222 mm HEIGHT = 1370-69.5-66.5 = 1234 mm
FIXED	WIDTH = 445-111.5-111.5 = 222 mm HEIGHT = 610-66.5-111.5 = 432 mm
TOTAL	$(222 \times 1234) + (222 \times 432) / 1000000 = 0.369852 \text{ m}^2$
OPENABLE AREA	
WIDTH	445-77-77 = 291 mm
HEIGHT	1370-32-32 = 1306 mm
TOTAL	$(291 \times 1306) / 1000000 = 0.380046 \text{ m}^2$

PROVIDED	
GLAZING AREA	0.370 m ²
OPENABLE AREA	0.380 m ²

ELEVATION



W5/T2B
W4/T2B

T2

WINDOW MARK	WS T2B / W4 T2B
LOCATION	2/F-21/F M.B. & EN.B. AT TOWER 2 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	17 / 17
REMARKS	FAÇADE (PF-36)

B.D. REF :

CLIENT :

ARCHITECT : AGC DESIGN LTD

MAIN CONTRACTOR : Gammon

STRUCTURAL ENGINEER : ARUP

FAÇADE CONSULTANT : MENHARDT

NOTE :

- ALL DIMENSIONS ARE IN mm.
- ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
- ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

X1 - DETAIL MARK NO.
X991 - REFER SHEET NO.

- F.F.L. --- FINISHED FLOOR LEVEL
- S.F.L. --- STRUCTURAL FLOOR LEVEL
- (⊖) --- REVERSED DETAIL

NO.	DATE	REVISION	BY
C	18/09/2020	REVISION SUBJECT TO ARCH/CLOMENT	
B	26/05/2020	REVISION SUBJECT TO ARCH/CLOMENT	
A	29/05/2020	REVISION SUBJECT TO ARCH/CLOMENT	

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.




TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW


美特銘質有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunray Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27727666

DWG NO. : J852-SD-PW-4209A REV. : C



SECTION "X-X"

SECTION "Y-Y"



PART PLAN A

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	720
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	570
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW		1
GLAZING AREA		
OPENABLE		
WIDTH = 720-111.5-111.5	=	497 mm
HEIGHT = 2130-111.5-111.5	=	1907 mm
FIXED		
WIDTH = 570-50-50	=	470 mm
HEIGHT = 2130-50-50	=	2030 mm
TOTAL = ((497x1907)x2+(470x2030))x1		2.849658 m ²
OPENABLE AREA		
WIDTH = 720-77-77	=	566 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((566x1293)x1)		0.731838 m ²
PROVIDED		
GLAZING AREA	2.850	m ²
OPENABLE AREA	0.732	m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE :

1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VIEWED ON SITE BEFORE FABRICATION.

LEGEND :

(X1) DETAIL MARK NO.
(X0001) REFER SHEET NO.

1. F.F.L. --- FINISHED FLOOR LEVEL
2. S.F.L. --- STRUCTURAL FLOOR LEVEL
3. (⊖) --- REVERSED DETAIL
4. ▲ --- FIXING LOCATION
5. △ --- FIXING LUG LOCATION
6. GLASS LEGEND
GL01 --- 8mm+12mm AIR GAP+10mm THK. I.G.U.
GL01a --- 8mm+9mm AIR GAP+10mm THK. I.G.U.
GL03 --- 6mm+12mm AIR GAP+8mm THK. I.G.U.
GL04 --- 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 --- 6mm+12mm AIR GAP+8mm THK. I.G.U.

NO.	DATE	REVISED	BY
F	18/09/2020	REVISION SUBJECT TO ARCH/COMMENT	WAT
E	24/08/2020	REVISION SUBJECT TO ARCH/COMMENT	WAT
D	03/08/2020	REVISION SUBJECT TO ARCH/COMMENT	WAT
C	27/04/2020	REVISION SUBJECT TO ARCH/COMMENT	WAT
B	03/04/2020	REVISION SUBJECT TO ARCH/COMMENT	WAT
A	24/01/2020	REVISION SUBJECT TO ARCH/COMMENT	SH

JOB NO. : J-852

PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE :
WINDOW SCHEDULE FOR
ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

美特鋁質有限公司
MIDI ALUMINUM FABRICATOR LTD.
Units 6-8, Sunny Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 2727666




DWG NO. : JB52-SD-PW-4210 REV. : F

ELEVATION

WAT/A


(T2)

WINDOW MARK	W7/T2A
LOCATION	2F-21/F B.R.1. AT TOWER 2 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	17
REMARKS	FAÇADE (PF-20)



SECTION "X-X"

SECTION "Y-Y"



PART PLAN A

T

W7/T2B

TYPE A			
OPENABLE WINDOW DIMENSION	(WIDTH) =	720	
	(HEIGHT) =	2130	
FIXED WINDOW DIMENSION	(WIDTH) =	570	
	(HEIGHT) =	2130	
NUMBER OF OPENABLE AREA WINDOW			1
GLAZING AREA			
OPENABLE			
WIDTH = 720-111.5-111.5	=	497 mm	
HIGHT = 2130-111.5-111.5	=	1907 mm	
FIXED			
WIDTH = 570-50-50	=	470 mm	
HIGHT = 2130-50-50	=	2030 mm	
TOTAL = ((497x1907)x2+((470x2030))x1)			2.849658 m ²
OPENABLE AREA			
WIDTH = 720-77-77	=	566 mm	
HIGHT = 2130-77-(1160-385-15)	=	1293 mm	
TOTAL = ((566x1293)x1)			0.731838 m ²

PROVIDED		
GLAZING AREA	2.850	m ²
OPENABLE AREA	0.732	m ²

B.D. REF :

CLIENT :

ARCHITECT : **AGC DESIGN LTD**

MAIN CONTRACTOR : **Gammon**

STRUCTURAL ENGINEER : **ARUP**

FACADE CONSULTANT: **MEINHARDT**

- NOTE :
- ALL DIMENSIONS ARE IN mm.
 - ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
 - ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

- LEGEND :
- X1 - DETAIL MARK NO.
 - 3001 - REFER SHEET NO.
 - F.F.L - FINISHED FLOOR LEVEL
 - S.F.L - STRUCTURAL FLOOR LEVEL
 - (R) - REVERSED DETAIL
 - △ - FIXING LOCATION
 - 5 - FIXING LUG LOCATION
6. GLASS LEGEND
- GL01 - 8mm+12mm AIR GAP+10mm THK. I.G.U.
 - GL01a - 8mm+9mm AIR GAP+10mm THK. I.G.U.
 - GL03 - 6mm+12mm AIR GAP+6mm THK. I.G.U.
 - GL04 - 10mm THK. TEMPERED GLASS (PROTECTIVE BARRED)
 - GL05 - 6mm+12mm AIR GAP+8mm THK. I.G.U.

NO.	DATE	REVISION	BY
F	18/09/2020	REVISION SUBJECT TO ARCH.COMMENT	Wen
E	24/09/2020	REVISION SUBJECT TO ARCH.COMMENT	Wen
D	03/08/2020	REVISION SUBJECT TO ARCH.COMMENT	Wen
C	27/04/2020	REVISION SUBJECT TO ARCH.COMMENT	Wen
B	03/04/2020	REVISION SUBJECT TO ARCH.COMMENT	Wen
A	24/02/2020	REVISION SUBJECT TO ARCH.COMMENT	SH

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

美特鋁質有限公司
 MIDT ALUMINIUM FABRICATOR LTD.
 Units 6-8, Sunray Industrial Centre, 1/F
 810 Cha Kwo Ling Road, Kowloon
 Tel:23489211-4 Fax:(852)2727666
 DWG NO. : JB52-SD-PW-4211 REV. : F

WINDOW MARK	W7/T2B
LOCATION	2F-21/F B.R.1. AT TOWER 2 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	17
REMARKS	FACADE (PF-21)

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
 1. ALL DIMENSIONS ARE IN mm.
 2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
 3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:

① - DETAIL MARK NO.
 ② - REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL
 2. S.F.L. — STRUCTURAL FLOOR LEVEL
 3. — REVERSED DETAIL
 4. ▲ — FOING LOCATION
 5. △ — FOING LUG LOCATION
 6. GLASS LEGEND:
 GL01 — 8mm+12mm AR GAP+10mm THK. L.G.U.
 GL01e — 8mm+9mm AR GAP+12mm THK. L.G.U.
 GL02 — 10mm THK. TEMPERED GLASS (SPWIDEL GLASS)
 GL03 — 8mm+12mm AR GAP+6mm THK. L.G.U.
 GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05 — 8mm+12mm AR GAP+8mm THK. L.G.U.

REV	DATE	REVISION	SUBJECT TO APPROVAL
E	18/09/2020	REVISION	SUBJECT TO APPROVAL
B	24/09/2020	REVISION	SUBJECT TO APPROVAL
C	02/10/2020	REVISION	SUBJECT TO APPROVAL
D	05/10/2020	REVISION	SUBJECT TO APPROVAL
A	24/09/2020	REVISION	SUBJECT TO APPROVAL
REV	DATE	REVISION	SUBJECT TO APPROVAL

JOB NO. : J-852

PROJECT :
 PROPOSED RESIDENTIAL DEVELOPMENT
 AT 139 - 147 ARGYLE STREET,
 NKIL 6005, 6035 R.P., 6036 R.P.,
 6037 R.P. & 6038 R.P.



TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW


美特鋁質有限公司
 MTDI ASSOCIATED ENGINEERS LTD.
 Units 6-8, Sunny Industrial Centre, 1/F
 810 Che Kwo Ling Road, Kowloon
 Tel: 23486211-4 Fax: (852) 27272668

DWG NO. : J852-SD-PW-4301 REV. : E




SECTION "X-X" SECTION "Y-Y"

ELEVATION



PART PLAN A



PART PLAN B

W3/T3A

T3



TYPE	GLAZING AREA	OPENABLE AREA
TYPE G		
OPENABLE WINDOW DIMENSION	(WIDTH) = 1000	(HEIGHT) = 1370
FIXED WINDOW (A) DIMENSION	(WIDTH) = 1000	(HEIGHT) = 760
FIXED WINDOW (A1) DIMENSION	(WIDTH) = 1000	(HEIGHT) = 760
FIXED WINDOW (B) DIMENSION	(WIDTH) = 2450	(HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW		

GLAZING AREA	OPENABLE AREA
WIDTH = 1000-111.5-111.5	HEIGHT = 760
HEIGHT = 1370-111.5-66.5	HEIGHT = 1370
FIXED A	WIDTH = 1000-111.5-111.5
HEIGHT = 760-66.5-111.5	HEIGHT = 760
FIXED A1	WIDTH = 1000-111.5-111.5
HEIGHT = 760-66.5-111.5	HEIGHT = 760
FIXED B	WIDTH = 2450-50-50
HEIGHT = 2130-50-50	HEIGHT = 2130


TOTAL = ((777*1392)+(777*1192)+(777*2130)+(2130*2030))/1000000	= 8.526129 m²
OPENABLE AREA	
WIDTH = 1000-77.77	HEIGHT = 1370-77.77
TOTAL = ((846*1192)+(846*1192))/1000000	= 2.13412 m²

	PROVIDED
GLAZING AREA	8.526 m²
OPENABLE AREA	2.134 m²


WINDOW MARK	W3/T3A
LOCATION	1/F-18/F MASTER ENSUITE AT TOWER 3 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01a, GL-03
QUANTITY	{ 15 }
REMARKS	FAÇADE (PF-1)



ELEVATION



PART PLAN A



PART PLAN B

W3/T3A

T3

TYPE	GLAZING AREA	OPENABLE AREA
OPENABLE WINDOW DIMENSION (WIDTH) = 1000 (HEIGHT) = 1370	1000	1370
FIXED WINDOW (A) DIMENSION (WIDTH) = 1000 (HEIGHT) = 760	1000	760
FIXED WINDOW (A1) DIMENSION (WIDTH) = 1000 (HEIGHT) = 760	1000	760
FIXED WINDOW (B) DIMENSION (WIDTH) = 2450 (HEIGHT) = 2130	2450	2130
NUMBER OF OPENABLE AREA WINDOW		
GLAZING AREA		
OPENABLE AREA (WIDTH) = 1000 (HEIGHT) = 1370	1370	1370
FIXED A (WIDTH) = 1000 (HEIGHT) = 760	760	760
FIXED A1 (WIDTH) = 1000 (HEIGHT) = 760	760	760
FIXED B (WIDTH) = 2450 (HEIGHT) = 2130	2130	2130
TOTAL = (1370*1370) + (760*760) + (760*760) + (2450*2130)	8226192	8226192
OPENABLE AREA (WIDTH) = 1000 (HEIGHT) = 1370	1370	1370
TOTAL = (846*2130) + (1000*0)	2134	2134

PROVIDED	
GLAZING AREA	8.526 m ²
OPENABLE AREA	2.134 m ²

B.D. REF :

CLIENT :

ARCHITECT : AGC DESIGN LTD

MAIN CONTRACTOR : Gammon

STRUCTURAL ENGINEER : ARUP

FAÇADE CONSULTANT : MEINHARDT

NOTE :

- ALL DIMENSIONS ARE IN mm.
- ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
- ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

- LEGEND :
- X1 - DETAIL MARK NO. REFER SHEET NO.
 - 1 - F.F.L. - FINISHED FLOOR LEVEL
 - 2 - S.F.L. - STRUCTURAL FLOOR LEVEL
 - 3 - REVERSED DETAIL
 - △ - FIXING LOCATION
 - △ - FIXING LUG LOCATION
 - 6 - GLASS LEGEND
- GL01 - 8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01e - 8mm+8mm AIR GAP+12mm THK. L.G.U.
 GL02 - 10mm THK. TEMPERED GLASS (SPWDEL. GLASS)
 GL03 - 8mm+12mm AIR GAP+6mm THK. L.G.U.
 GL04 - 10mm THK. TEMPERED GLASS (PROTECTIVE BARRED)
 GL05 - 8mm+12mm AIR GAP+8mm THK. L.G.U.

NO.	DATE	REVISION	BY
B	18/08/2020	REVISION SUBJECT TO APPROVALMENT	
C	24/08/2020	REVISION SUBJECT TO APPROVALMENT	
D	04/09/2020	REVISION SUBJECT TO APPROVALMENT	
A	08/09/2020	REVISION SUBJECT TO APPROVALMENT	

JOB NO. : J-B52

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKHL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.



TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

英特經貿有限公司
 MIDT ASSOCIATED MANUFACTURER LTD.
 Units 6-8, Sunway Industrial Centre, 1/F
 810 Che Koa Ling Road, Kowloon
 Tel: 23488211-4 Fax: (852) 27727666
 DWG NO. : J852-SD-PW-4301A REV. : D

WINDOW MARK	W3/T3A
LOCATION	19/F-20/F MASTER ENSUITE AT TOWER 3 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01a, GL-03
QUANTITY	2
REMARKS	FAÇADE (PF-1)



B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE :
 1. ALL DIMENSIONS ARE IN mm.
 2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
 3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

① — DETAIL MARK NO.
 REF — REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL
 2. S.F.L. — STRUCTURAL FLOOR LEVEL
 3. (Z) — REVERSED DETAIL
 4. ▲ — FIXING LOCATION
 5. △ — FIXING LUG LOCATION
 6. GLASS LEGEND
 GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01a — 8mm+9mm AIR GAP+12mm THK. L.G.U.
 GL02 — 10mm THK. TEMPERED GLASS (SPANDREL GLASS)
 GL03 — 8mm+12mm AIR GAP+6mm THK. L.G.U.
 GL04 — 10mm THK. TEMPERED GLASS (PNEUMATIC BARRIER)
 GL05 — 6mm+12mm AIR GAP+9mm THK. L.G.U.

B	18/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
A	24/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
REV.	DATE	REVISION	BY

JOB NO. : J-852

PROJECT :
 PROPOSED RESIDENTIAL DEVELOPMENT
 AT 139 - 147 ARGYLE STREET,
 NKIL 6005, 6035 R.P., 6036 R.P.,
 6037 R.P. & 6038 R.P.

TITLE :
 WINDOW SCHEDULE FOR
 ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW


美特經貿有限公司
 MIDITECH (HONGKONG) CORPORATION LTD.
 Units 6-8, Suiyee Industrial Centre, 1/F
 810 Chee Kwo Ling Road, Kowloon
 Tel: 23498211-4 Fax: (852) 27727666
 DWG NO. : J852-S0-PW-4301B REV. : B

ELEVATION


ELEVATION

SECTION "X-X"

SECTION "Y-Y"



PART PLAN A



PART PLAN B





W3/T3A

T3

TYPE Q	(WIDTH)	(HEIGHT)
OPENABLE WINDOW DIMENSION	1000	1370
FIXED WINDOW (A) DIMENSION	1000	760
FIXED WINDOW (A1) DIMENSION	1000	760
FIXED WINDOW (B) DIMENSION	2450	2130
NUMBER OF OPENABLE AREA WINDOW	= 2	
GLAZING AREA	= 21360 mm ²	
OPENABLE AREA	= 13700 mm ²	
FIXED A	1000-111.5-111.5	770
HEIGHT	1370-111.5-66.5	1192
FIXED A1	1000-111.5-111.5	770
HEIGHT	760-66.5-111.5	582
FIXED A1	1000-111.5-111.5	770
WIDTH	1000-111.5-111.5	770
HEIGHT	(760+400)-66.5-1000	933
FIXED B	2450-20-20	2310
HEIGHT	2130-50-50	2030
TOTAL	= (1770*1192)+(1770*582)+(1770*770)+(2310*2030)+1000000 = 8226120 mm ²	
OPENABLE AREA	= 1000*770 = 770000 mm ²	
WIDTH	1000-77.77	922
HEIGHT	1370-77.82	1292
TOTAL	= (846*1292)+(922*1000) = 2136120 mm ²	

PROVIDED	
GLAZING AREA	8.526 m ²
OPENABLE AREA	2.134 m ²

WINDOW MARK	W3/T3A
LOCATION	21/F MASTER ENSUITE AT TOWER 3 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01a, GL-03
QUANTITY	1
REMARKS	FAÇADE (PF-1)



SECTION "X-X"

SECTION "Y-Y"

PART PLAN A

ELEVATION

T3

W2/T3A

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	1360
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	2
GLAZING AREA		
OPENABLE	WIDTH = 800-111.5-111.5	= 577 mm
	HEIGHT = 2130-111.5-111.5	= 1907 mm
FIXED	WIDTH = 1360-50-50	= 1260 mm
	HEIGHT = 2130-50-50	= 2030 mm
TOTAL	$= ((577 \times 1907) \times 2 + (1260 \times 2030)) / 1000000$	= 4.758478 m ²
OPENABLE AREA		
WIDTH = 800-77-77	=	646 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL	$= ((646 \times 1293) \times 2) / 1000000$	= 1.670556 m ²
	PROVIDED	
	GLAZING AREA	4.758 m ²
	OPENABLE AREA	1.671 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
① - DETAIL MARK NO.
② - REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL.
2. S.F.L. — STRUCTURAL FLOOR LEVEL.
3. (Z) — REVERSED DETAIL.
4. ▲ — FIXING LOCATION
5. △ — FIXING LUG LOCATION
6. GLASS LEGEND
GL01 — 8mm+12mm AR GAP+10mm THK. L.G.U.
GL01e — 8mm+9mm AR GAP+12mm THK. L.G.U.
GL02 — 10mm THK. TEMPERED GLASS (SPANDREL GLASS)
GL03 — 6mm+12mm AR GAP+6mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE OVERLAY)
GL05 — 6mm+12mm AR GAP+8mm THK. L.G.U.

REV	DATE	DESCRIPTION
D	24/08/2020	REVISION SUBJECT TO APPROVALMENT
C	08/08/2020	REVISION SUBJECT TO APPROVALMENT
B	06/03/2020	REVISION SUBJECT TO APPROVALMENT
A	24/02/2020	REVISION SUBJECT TO APPROVALMENT

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW





DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

美特銘有限公司
MIDI ALUMINIUM FABRICATORS LTD.
Units 6-8, Sunway Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: 85227727866

DWG NO. : J852-SD-PW-4302 REV. : D

WINDOW MARK	W2/T3A
LOCATION	1/F&19/F-21/F LIV./DIN. AT TOWER 3 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	4
REMARKS	FACADE (PF-2)



(T3)

W2/T3A

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	1360
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW		2
GLAZING AREA		
OPENABLE	WIDTH = 800-111.5-111.5	= 577 mm
	HEIGHT = 2130-111.5-111.5	= 1907 mm
FIXED	WIDTH = 1360-50-50	= 1260 mm
	HEIGHT = 2130-50-50	= 2030 mm
TOTAL	= ((577x1907)x2)+(1260x2030)/1000000	= 4.758478 m ²
OPENABLE AREA		
	WIDTH = 800-77-77	= 646 mm
	HEIGHT = 2130-77-(1160-385-15)	= 1293 mm
TOTAL	= ((646x1293)x2)/1000000	= 1.670556 m ²

PROVIDED		
GLAZING AREA	4.758	m ²
OPENABLE AREA	1.671	m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
① - DETAIL MARK NO.
② - REFER SHEET NO.

- F.F.L.—FINISHED FLOOR LEVEL.
 - S.F.L.—STRUCTURAL FLOOR LEVEL.
 - ② — REVERSED DETAIL.
 - ▲ — FIXING LOCATION.
 - △ — FIXING LUG LOCATION.
6. GLASS LEGEND:
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01e — 8mm+9mm AIR GAP+12mm THK. L.G.U.
GL02 — 10mm THK. TEMPERED GLASS (SPANDREL GLASS)
GL03 — 6mm+12mm AIR GAP+6mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARREX)
GL05 — 6mm+12mm AIR GAP+6mm THK. L.G.U.

C	24/09/2020	REVISION SUBJECT TO APPROVEMENT	PH
B	04/09/2020	REVISION SUBJECT TO APPROVEMENT	PH
A	09/09/2020	REVISION SUBJECT TO APPROVEMENT	PH
REV.	DATE	REASON	BY

JOB NO. : J-852
PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW





DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

英特鋁質有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunway Industrial Centre, 1/F
810 Chee Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: 2327272666

DWG NO. : J852-SD-PW-4302A REV. : C

ELEVATION

WINDOW MARK	W2/T3A
LOCATION	2/F-18/F LIV./DIN. AT TOWER 3 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	14
REMARKS	FAÇADE (PF-2)



SECTION "X-X"

SECTION "Y-Y"

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	960
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	2
GLAZING AREA		
OPENABLE		
WIDTH = 800-111.5-111.5	=	577 mm
HEIGHT = 2130-111.5-111.5	=	1907 mm
FIXED		
WIDTH = 960-50-50	=	860 mm
HEIGHT = 2130-50-50	=	2030 mm
TOTAL = ((577x1907)x2+(860x2030))x1000000	=	3.946478 m ²
OPENABLE AREA		
WIDTH = 800-77-77	=	646 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((646x1293)x2)x1000000	=	1.670556 m ²

PROVIDED		
GLAZING AREA	3.946	m ²
OPENABLE AREA	1.671	m ²

(T3) W2/T3B

ELEVATION

WINDOW MARK	W2 T3B
LOCATION	1/F&19/F-21/F LIV./DIN. AT TOWER 3 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	4
REMARKS	FACADE (PF-3)

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
X1 — DETAIL MARK NO.
REFER SHEET NO.

- F.F.L. — FINISHED FLOOR LEVEL
- S.F.L. — STRUCTURAL FLOOR LEVEL
- ③ — REVERSED DETAIL
- ▲ — FIXING LOCATION
- △ — FIXING LUG LOCATION
- GLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01e — 8mm+9mm AIR GAP+12mm THK. L.G.U.
GL02 — 10mm THK. TEMPERED GLASS (SPANDREL GLASS)
GL03 — 6mm+12mm AIR GAP+6mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PNEUMATIC BARRIER)
GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.





B	24/01/2020	REVISION SUBJECT TO ARCH/COMMITMENT	Pre
C	08/05/2020	REVISION SUBJECT TO ARCH/COMMITMENT	Pre
B	05/03/2020	REVISION SUBJECT TO ARCH/COMMITMENT	Pre
A	24/02/2020	REVISION SUBJECT TO ARCH/COMMITMENT SH	Pre
DL	DATE	REVISION	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

MITI 美特铝业有限公司
UNITA 6-8, Sunway Industrial Centre, 1/F
610 Chea Koo Ling Road, Kowloon
Tel: 23480211-4 Fax: (852) 27727666
DWG NO. : J852-SD-PW-4303 REV. : D



SECTION "X-X"

SECTION "Y-Y"

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	960
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW		2
GLAZING AREA		
OPENABLE	WIDTH = 800-111.5-111.5	= 577 mm
	HEIGHT = 2130-111.5-111.5	= 1907 mm
FIXED	WIDTH = 960-50-50	= 860 mm
	HEIGHT = 2130-50-50	= 2030 mm
TOTAL	= ((577x1907)x2+(860x2030))1000000	= 3.946478 m ²
OPENABLE AREA		
WIDTH = 800-77-77		= 646 mm
HEIGHT = 2130-77-(1160-385-15)		= 1293 mm
TOTAL	= ((646x1293)x2)1000000	= 1.670556 m ²

PROVIDED		
GLAZING AREA	3.95	m ²
OPENABLE AREA	1.67	m ²

T3 W2/T3B

ELEVATION

WINDOW MARK	
LOCATION	2/F-18/F LIV./DIN. AT TOWER 3 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	14
REMARKS	FACADE (PF-3)

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT :
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
 — DETAIL MARK NO.
 — REFER SHEET NO.




- F.F.L. — FINISHED FLOOR LEVEL
- S.F.L. — STRUCTURAL FLOOR LEVEL
- REVERSED DETAIL
- FIXING LOCATION
- FIXING LUG LOCATION
- GLASS LEGEND
 - GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
 - GL01e — 8mm+9mm AIR GAP+12mm THK. L.G.U.
 - GL02 — 10mm THK. TEMPERED GLASS (SPANDREL GLASS)
 - GL03 — 6mm+12mm AIR GAP+6mm THK. L.G.U.
 - GL04 — 10mm THK. TEMPERED GLASS (PNEUMATIC BARRIER)
 - GL05 — 6mm+12mm AIR GAP+8mm THK. L.G.U.

C	24/09/2020	REVISION SUBJECT TO ARCHITECTMENT	Prep
B	04/09/2020	REVISION SUBJECT TO ARCHITECTMENT	Prep
A	06/05/2020	REVISION SUBJECT TO ARCHITECTMENT	Prep
REV.	DATE	REASON	BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW
美特铝业有限公司
MEITAI ALUMINIUM INDUSTRIES CO., LTD.
Units 6-8, Sunny Industrial Centre, 1/F
810 Che Kwo Ling Road, Kowloon
Tel: 2348211-4 Fax: (852) 27727668
DWG NO. : J852-SD-PW-4303A REV. : C



TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	1360
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW		2
GLAZING AREA		
OPENABLE		
WIDTH = 800-111.5-111.5	=	577 mm
HEIGHT = 2130-111.5-111.5	=	1907 mm
FIXED		
WIDTH = 1360-50-50	=	1260 mm
HEIGHT = 2130-50-50	=	2030 mm
TOTAL = ((577x1907)x2+((1260x2030)x1)1000000	=	4.758478 m ²
OPENABLE AREA		
WIDTH = 800-77-77	=	646 mm
HEIGHT = 2130-77-(1160-385-15)	=	1593 mm
TOTAL = ((646x1593)x2)1000000	=	1.670556 m ²

PROVIDED	
GLAZING AREA	4.758 m ²
OPENABLE AREA	1.671 m ²

(T3) W3/T3B

ELEVATION

WINDOW MARK	W3 T3B
LOCATION	1/F-18/F MASTER ENSUITE AT TOWER 3 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	15
REMARKS	FACADE (PF-4)

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.





LEGEND :
 (X1) — DETAIL MARK NO.
 (2000) — REFER SHEET NO.
 1. F.F.L. — FINISHED FLOOR LEVEL
 2. S.F.L. — STRUCTURAL FLOOR LEVEL
 3. (Z) — REVERSED DETAIL
 4. ▲ — FIXING LOCATION
 5. △ — FIXING LUG LOCATION
 6. GLASS LEGEND
 GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01e — 8mm+9mm AIR GAP+12mm THK. L.G.U.
 GL02 — 10mm THK. TEMPERED GLASS (SPWIDREL GLASS)
 GL03 — 6mm+12mm AIR GAP+6mm THK. L.G.U.
 GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05 — 6mm+12mm AIR GAP+9mm THK. L.G.U.

B	24/01/2020	REVISION SUBJECT TO APPROVALMENT	PH
C	05/05/2020	REVISION SUBJECT TO APPROVALMENT	PH
B	05/05/2020	REVISION SUBJECT TO APPROVALMENT	PH
A	24/02/2020	REVISION SUBJECT TO APPROVALMENT	SH
DL	DATE	ISSUED	BY

JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW
英特經貿有限公司
 MIDT ASSOCIATED FABRICATION CO.
 Units 6-8, Sunway Industrial Centre, 1/F
 810 Chee Koo Ling Road, Kowloon
 Tel: 23488211-4 Fax: (852) 27272666
 DWG NO. : J852-S0-PW-4304 REV. : D



SECTION "X-X"

SECTION "Y-Y"

PART PLAN A

ELEVATION

(T3) W3/T3B

TYPE A		
OPENABLE WINDOW DIMENSION	(WIDTH) =	800
	(HEIGHT) =	2130
FIXED WINDOW DIMENSION	(WIDTH) =	1360
	(HEIGHT) =	2130
NUMBER OF OPENABLE AREA WINDOW	=	2
GLAZING AREA		
OPENABLE		
WIDTH = 800-111.5-111.5	=	577 mm
HEIGHT = 2130-111.5-111.5	=	1907 mm
FIXED		
WIDTH = 1360-50-50	=	1260 mm
HEIGHT = 2130-50-50	=	2030 mm
TOTAL = ((577x1907)x2+(1260x2030))/1000000	=	4.758478 m ²
OPENABLE AREA		
WIDTH = 800-77-77	=	646 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((646x1293)x2)/1000000	=	1.670556 m ²
	PROVIDED	
GLAZING AREA	4.758	m ²
OPENABLE AREA	1.671	m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
① DETAIL MARK NO.
② REFER SHEET NO.

- F.F.L.—FINISHED FLOOR LEVEL
- S.F.L.—STRUCTURAL FLOOR LEVEL
- ②—REVERSED DETAIL
- ▲—FIXING LOCATION
- △—FIXING LUG LOCATION
- GLASS LEGEND
GL01—6mm+12mm AIR GAP+10mm THK. L.G.U.
GL01o—6mm+9mm AIR GAP+12mm THK. L.G.U.
GL02—10mm THK. TEMPERED GLASS (SPINDREL GLASS)
GL03—6mm+12mm AIR GAP+6mm THK. L.G.U.
GL04—10mm THK. TEMPERED GLASS (PROTECTIVE BARRED)
GL05—6mm+12mm AIR GAP+8mm THK. L.G.U.

C	24/08/2020	REVISION SUBJECT TO APPROVALMENT	Rev
B	04/08/2020	REVISION SUBJECT TO APPROVALMENT	Rev
A	09/08/2020	REVISION SUBJECT TO APPROVALMENT	Rev
1	08/08/2020	ISSUED	BY


JOB NO. : J-852
PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE :
WINDOW SCHEDULE FOR
ALUM. WINDOW


DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW

英特銀寶有限公司
MIDI INTERNATIONAL MANAGEMENT LTD.
Units 6-8, Sunway Industrial Centre, 1/F
610 Che Kwo Ling Road, Kowloon
Tel:23489211-4 Fax:8522727666
DWG NO. : J852-SD-PW-4304A REV. : C


WINDOW MARK	W3 T3B
LOCATION	19/F-21/F MASTER ENSUITE AT TOWER 3 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	3
REMARKS	FACADE (PF-4)






ELEVATION (FOR 1F-20F)



SECTION "X-X" (FOR 1F-20F)



SECTION "X-X" (FOR 21F)



W4/T3A

T3

TYPE B	
OPENABLE WINDOW DIMENSION	(WIDTH) = 1000 (HEIGHT) = 1370
FIXED WINDOW DIMENSION	(WIDTH) = 1000 (HEIGHT) = 610
NUMBER OF OPENABLE AREA WINDOW	1
GLAZING AREA	
OPENABLE	WIDTH = 1000-111.5-111.5 = 777 mm HEIGHT = 1370-69.5-66.5 = 1234 mm
FIXED	WIDTH = 1000-111.5-111.5 = 777 mm HEIGHT = 610-66.5-111.5 = 432 mm
TOTAL	$= (777 \times 1234) + (777 \times 432) \times 1000000$ = 1.294432 m ²
OPENABLE AREA	WIDTH = 1000-77-77 = 846 mm HEIGHT = 1370-52-52 = 1266 mm
TOTAL	$= (846 \times 1266) \times 1000000$ = 1.064876 m ²

PROVIDED	
GLAZING AREA	1.294 m ²
OPENABLE AREA	1.105 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
① - DETAIL MARK NO.
② - REFER SHEET NO.

- F.F.L. - FINISHED FLOOR LEVEL
- S.F.L. - STRUCTURAL FLOOR LEVEL
- ② - REVERSED DETAIL
- ▲ - FIXING LOCATION
- △ - FIXING LUG LOCATION
- GLASS LEGEND
GL01 - 8mm+12mm AIR GAP+10mm THK L.G.U.
GL01e - 8mm+12mm AIR GAP+12mm THK L.G.U.
GL02 - 10mm THK TEMPERED GLASS (SPANDREL GLASS)
GL03 - 6mm+12mm AIR GAP+6mm THK L.G.U.
GL04 - 10mm THK TEMPERED GLASS (PROVIDE OVER)
GL05 - 6mm+12mm AIR GAP+8mm THK L.G.U.

NO.	DATE	REVISION	SUBJECT TO AMENDMENT	BY
E	24/02/2020	REVISION	SUBJECT TO AMENDMENT	
B	09/03/2020	REVISION	SUBJECT TO AMENDMENT	
C	09/03/2020	REVISION	SUBJECT TO AMENDMENT	
D	09/03/2020	REVISION	SUBJECT TO AMENDMENT	
A	24/02/2020	REVISION	SUBJECT TO AMENDMENT	
DL	DATE	REVISION		BY

JOB NO. : J-852
PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
MKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.


TITLE :
WINDOW SCHEDULE FOR
ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW


英特鋁質有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunny Industrial Centre, 1/F
610 Cho Kwo Ling Road, Kowloon
Tel: 2348211-4 Fax: 85227727666
DWG NO. : JB52-SD-PW-4305 REV. : E

ELEVATION


WINDOW MARK	W4/T3A
LOCATION	1/F-21/F M.B. AT TOWER 3 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	18
REMARKS	FAÇADE (PF-13)




ELEVATION




PART PLAN A




PART PLAN B



PART PLAN C



SECTION "X-X"(FOR 1F-20F)



SECTION "X-X"(FOR 21F)

(T3) W5/T3A

TYPE B		
OPENABLE WINDOW DIMENSION	(WIDTH) =	1000
	(HEIGHT) =	1370
FIXED WINDOW DIMENSION	(WIDTH) =	1000
	(HEIGHT) =	610
NUMBER OF OPENABLE AREA WINDOW	=	1
GLAZING AREA		
OPENABLE		
WIDTH = 1000-111.5-111.5	=	777 mm
HEIGHT = 1370-69.2-66.5	=	1234 mm
FIXED		
WIDTH = 1000-111.5-111.5	=	777 mm
HEIGHT = 610-66.5-111.5	=	432 mm
TOTAL = ((777x1234)+(777x432))/1000000	=	1.294477 m ²
OPENABLE AREA		
WIDTH = 1000-77-77	=	846 mm
HEIGHT = 1370-92-92	=	1186 mm
TOTAL = (846x1186)/1000000	=	1.005776 m ²

PROVIDED	
GLAZING AREA	1.294 m ²
OPENABLE AREA	1.105 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
 (X1) DETAIL MARK NO.
 (2004) REFER SHEET NO.
 1. F.F.L.—FINISHED FLOOR LEVEL.
 2. S.F.L.—STRUCTURAL FLOOR LEVEL.
 3. (2) —REVERSED DETAIL.
 4. ▲ —FIXING LOCATION.
 5. △ —FIXING LUG LOCATION.
 6. GLASS LEGEND

GL01 —8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01a —8mm+12mm AIR GAP+12mm THK. L.G.U.
 GL02 —10mm THK. TEMPERED GLASS (SPWIDEL GLASS)
 GL03 —8mm+12mm AIR GAP+8mm THK. L.G.U.
 GL04 —10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05 —8mm+12mm AIR GAP+8mm THK. L.G.U.

E	24/01/2020	REVISION SUBJECT TO ANCHORMENT	PH
D	09/01/2020	REVISION SUBJECT TO ANCHORMENT	PH
C	09/01/2020	REVISION SUBJECT TO ANCHORMENT	PH
B	09/01/2020	REVISION SUBJECT TO ANCHORMENT	PH
A	24/01/2020	REVISION SUBJECT TO ANCHORMENT	SH
REV.	DATE	REVISION	BY

JOB NO. : J-852
 PROJECT :
 PROPOSED RESIDENTIAL DEVELOPMENT
 AT 138 - 147 ARGYLE STREET,
 NKL 6005, 6035 R.P., 6036 R.P.,
 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40




DRAWN BY : MN CHECKED BY : DW

MITI 英特銘寶有限公司
 MITI ALUMINIUM FABRICATORS LTD.
 Units 6-8, Sunway Industrial Centre, 1/F
 810 Che Koo Ling Road, Kelantan
 Tel:23488211-4 Fax:8522727866

DWG NO. : J852-SD-PW-4306 REV. : E

ELEVATION

WINDOW MARK	WS T3A
LOCATION	1/F-21/F EN.B. AT TOWER 3 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	18
REMARKS	FAÇADE (PF-14)



ELEVATION

SECTION "X-X"

PART PLAN A

(T3) W8/T3A

TYPE F		
OPENABLE WINDOW DIMENSION	(WIDTH) = 750	(HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 1	
GLAZING AREA		
OPENABLE		
WIDTH = 750-111.5-66.5	=	572 mm
HEIGHT = (2130-400)-(111.5-1000)	=	1418.5 mm
TOTAL = ((572x1418.5)x2)/1000000	=	1.622768 m ²
OPENABLE AREA		
WIDTH = 750-77-32	=	641 mm
HEIGHT = 2130-77-(1160-385-15)	=	1293 mm
TOTAL = ((641x1293)x2)/1000000	=	0.828813 m ²
	PROVIDED	
GLAZING AREA	1.623	m ²
OPENABLE AREA	0.829	m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
①②③ — DETAIL MARK NO.
④⑤⑥ — REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL.
2. S.F.L. — STRUCTURAL FLOOR LEVEL.
3. Ⓜ — REVERSED DETAIL.
4. ▲ — FIXING LOCATION.
5. △ — FIXING LUG LOCATION.
6. GLASS LEGEND
GLD1 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GLD1a — 8mm+12mm AIR GAP+12mm THK. L.G.U.
GLD2 — 10mm THK TEMPERED GLASS (SPWINDREL GLASS)
GLD3 — 8mm+12mm AIR GAP+6mm THK. L.G.U.
GLD4 — 10mm THK TEMPERED GLASS (PROTECTIVE BARRIER)
GLD5 — 8mm+12mm AIR GAP+8mm THK. L.G.U.


F	18/08/2020	REVISION SUBJECT TO APPROVALMENT	Rev
E	24/08/2020	REVISION SUBJECT TO APPROVALMENT	Rev
D	04/09/2020	REVISION SUBJECT TO APPROVALMENT	Rev
C	08/09/2020	REVISION SUBJECT TO APPROVALMENT	Rev
B	08/09/2020	REVISION SUBJECT TO APPROVALMENT	Rev
A	24/08/2020	REVISION SUBJECT TO APPROVALMENT	SH
DR		DATE	ISSUED BY

JOB NO. : J-852
PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.


TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
DRAWN BY : MN CHECKED BY : DW
英特鋁質有限公司
MIDI ALUMINIUM PRODUCTS LTD.
Units 6-8, Sunny Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 23482111-4 Fax: (852) 27727666
DWG NO. : J852-SD-PW-4307 REV. : F


WINDOW MARK	WB T3A
LOCATION	1/F B.R.1 & B.R.2 AT TOWER 3 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	1 / 1
REMARKS	FAÇADE (PF-18)




ELEVATION



SECTION "X-X" (FOR 2F-20F)



SECTION "X-X" (FOR 21F)



PART PLAN A

T3

W8/T3A - W9/T3A

TYPE F	
OPENABLE WINDOW DIMENSION	(WIDTH) = 750 (HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 1

GLAZING AREA	
OPENABLE	
WIDTH = 750	1115.665 = 572 mm
HEIGHT = (2130-400)	1115.1000 = 1415.5 mm
TOTAL = (572x1415.5x2)	1622764 mm ² = 1.622764 m ²

OPENABLE AREA	
WIDTH = 750	77.32 = 941 mm
HEIGHT = 2130	77.4160-185.15 = 1293 mm
TOTAL = (941x1293x2)	2442006 mm ² = 0.2442006 m ²

PROVIDED	
GLAZING AREA	1.623 m ²
OPENABLE AREA	0.829 m ²

TYPE F	
OPENABLE WINDOW DIMENSION	(WIDTH) = 750 (HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 1

GLAZING AREA	
OPENABLE	
WIDTH = 750	1115.665 = 572 mm
HEIGHT = (2130-400)	1115.1000 = 1415.5 mm
TOTAL = (572x1415.5x2)	1622764 mm ² = 1.622764 m ²

OPENABLE AREA	
WIDTH = 750	77.32 = 941 mm
HEIGHT = 2130	77.4160-185.15 = 1293 mm
TOTAL = (941x1293x2)	2442006 mm ² = 0.2442006 m ²

PROVIDED	
GLAZING AREA	1.623 m ²
OPENABLE AREA	0.829 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT :
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
 (X1) — DETAIL MARK NO.
 (2000) — REFER SHEET NO.
 1. F.F.L. — FINISHED FLOOR LEVEL
 2. S.F.L. — STRUCTURAL FLOOR LEVEL
 3. (Z) — REVERSED DETAIL
 4. ▲ — FIXING LOCATION
 5. △ — FIXING LUG LOCATION
 6. GLASS LEGEND
 GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
 GL01e — 8mm+12mm AIR GAP+12mm THK. L.G.U.
 GL02 — 10mm THK. TEMPERED GLASS (SPWIDREL GLASS)
 GL03 — 8mm+12mm AIR GAP+6mm THK. L.G.U.
 GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05 — 8mm+12mm AIR GAP+8mm THK. L.G.U.

E	18/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
D	24/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
C	02/10/2020	REVISION SUBJECT TO APPROVALMENT	PH
B	05/10/2020	REVISION SUBJECT TO APPROVALMENT	PH
A	24/09/2020	REVISION SUBJECT TO APPROVALMENT	SH
NO.	DATE	REVISION	BY

JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.


TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW


美特铝质有限公司
 MITTI ALUMINIUM FABRICATION LTD.
 Units 6-8, Sunway Industrial Centre, 1/F
 810 Chee Koo Ling Road, Kowloon
 Tel:23486211-4 Fax:(852)27727668
 DWG NO. : J852-SD-PW-4308 REV. : E

ELEVATION


WINDOW MARK	W8/T3A / W9/T3A
LOCATION	2/F-21/F B.R.1 & B.R.2 AT TOWER 3 FLAT A
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	17 / 17
REMARKS	FAÇADE (PF-18)




ELEVATION




SECTION "X-X"(FOR 1F)



SECTION "X-X"(FOR 2F-21F)



PART PLAN A



PART PLAN B

T3

w6/T3C

TYPE C	
OPENABLE WINDOW DIMENSION	(WIDTH) = 500
	(HEIGHT) = 1380
NUMBER OF OPENABLE AREA WINDOW	= 2
GLAZING AREA	
WIDTH = 500-111.5-66.5	= 322 mm
HEIGHT = 1380-69.5-111.5	= 1199 mm
TOTAL = ((322x1199)x2)	= 0.772156 m ²
OPENABLE AREA	
WIDTH = 500-77.32	= 391 mm
HEIGHT = 1380-32-77	= 1271 mm
TOTAL = ((391x1271)x2)	= 0.993922 m ²

PROVIDED	
GLAZING AREA	0.772 m ²
OPENABLE AREA	0.994 m ²

ELEVATION

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FACADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN MM.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

21 — DETAIL MARK NO.
2000 — REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL.
2. S.F.L. — STRUCTURAL FLOOR LEVEL.
3. (2) — REVERSED DETAIL.
4. ▲ — FIXING LOCATION
5. △ — FIXING LUG LOCATION
6. GLASS LEGEND
GL01 — 8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01e — 8mm+12mm AIR GAP+12mm THK. L.G.U.
GL02 — 10mm THK. TEMPERED GLASS (SPWIDEL GLASS)
GL03 — 6mm+12mm AIR GAP+6mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 — 6mm+12mm AIR GAP+8mm THK. L.G.U.

E	24/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
D	20/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
C	09/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
B	05/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
A	24/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
REV.	DATE	REVISION	BY

JOB NO. : J-852

PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW


DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW


MIDI 美特鋁質有限公司
ASSISTANT MANAGER (GEN.)
Units 6-8, Sunray Industrial Centre, 1/F
810 Chee Koo Ling Road, Kowloon
Tel:23488211-4 Fax:(852)27727668

DWG NO. : J852-SD-PW-4309 REV. : E


WINDOW MARK	T3
LOCATION	1/F-21/F KIT. AT TOWER 3 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	18
REMARKS	FACADE (PF-25)



ELEVATION



SECTION "X-X"



PART PLAN A

ELEVATION

T₃

W5/T3C

TYPE F		
OPENABLE WINDOW DIMENSION	(WIDTH) = 550	(HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 1	
GLAZING AREA		
OPENABLE		
WIDTH = 550-111.5-66.5	=	372 mm
HEIGHT = (2130-400)-111.5-1000	=	1418.5 mm
TOTAL = (372x1418.5x2)1060000	=	1.055364 m ²
OPENABLE AREA		
WIDTH = 550-77-32	=	441 mm
HEIGHT = 2130-77-(1100-385-15)	=	1293 mm
TOTAL = (441x1293x1)1000000	=	0.570213 m ²

PROVIDED	
GLAZING AREA	1.055 m ²
OPENABLE AREA	0.570 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC
DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
 (X) — DETAIL MARK NO.
 (REF) — REFER SHEET NO.
 1. F.F.L — FINISHED FLOOR LEVEL.
 2. S.F.L — STRUCTURAL FLOOR LEVEL.
 3. (Z) — REVERSED DETAIL.
 4. ▲ — FOING LOCATION
 5. △ — FOING LUG LOCATION
 6. GLASS LEGEND
 GL01 — 8mm+12mm AR GAP+10mm THK. L.G.U.
 GL01e — 8mm+12mm AR GAP+12mm THK. L.G.U.
 GL02 — 10mm THK. TEMPERED GLASS (SPANDREL GLASS)
 GL03 — 8mm+12mm AR GAP+6mm THK. L.G.U.
 GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
 GL05 — 8mm+12mm AR GAP+8mm THK. L.G.U.

E	24/09/2020	REVISION SUBJECT TO APPROVAL	PM
B	04/09/2020	REVISION SUBJECT TO APPROVAL	PM
C	02/09/2020	REVISION SUBJECT TO APPROVAL	PM
B	05/09/2020	REVISION SUBJECT TO APPROVAL	PM
A	24/09/2020	REVISION SUBJECT TO APPROVAL	SH
DR.	MNE	ISSUED	BY

JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKIL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW



DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW


美特鋁質有限公司
 MIDT ASSOCIATED ENGINEERS LTD.
 Units 6-8, Sunway Industrial Centre, 1/F
 610 Che Kwo Ling Road, Kowloon
 Tel:23489211-4 Fax: (852)27272666

DWG NO. : J852-SD-PW-4310 REV. : D

WINDOW MARK	W5/T3C
LOCATION	2/F-21/F B.R.2 AT TOWER 3 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	17
REMARKS	FAÇADE (PF-26)



SECTION "X-X"



(T3)

W4/T3C - W3/T3C

TYPE F OPENABLE WINDOW DIMENSION	(WIDTH) = 750
	(HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 2

GLAZING AREA OPENABLE	WIDTH = 750-77-32 = 572 mm
	HEIGHT = (2130-400-111.5-1000) = 1418.5 mm
TOTAL	= (572x1418.5)x2 = 1.622764 m ²

OPENABLE AREA	WIDTH = 750-77-32 = 572 mm
	HEIGHT = 2130-77-(1160-385-15) = 1293 mm
TOTAL	= (572x1293)x2 = 0.822818 m ²

PROVIDED	
GLAZING AREA	1.623 m ²
OPENABLE AREA	0 m ²

TYPE F OPENABLE WINDOW DIMENSION	(WIDTH) = 750
	(HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 1

GLAZING AREA OPENABLE	WIDTH = 750-77-32 = 572 mm
	HEIGHT = (2130-400)-111.5-1000 = 1418.5 mm
TOTAL	= (572x1418.5)x1 = 1.622764 m ²

OPENABLE AREA	WIDTH = 750-77-32 = 572 mm
	HEIGHT = 2130-77-(1160-385-15) = 1293 mm
TOTAL	= (572x1293)x1 = 0.822818 m ²

PROVIDED	
GLAZING AREA	1.622 m ²
OPENABLE AREA	0.83 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE:
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND:
① - DETAIL MARK NO.
② - REFER SHEET NO.

1. F.F.L. — FINISHED FLOOR LEVEL
2. S.F.L. — STRUCTURAL FLOOR LEVEL
3. Ⓞ — REVERSED DETAIL
4. ▲ — FIXING LOCATION
5. △ — FIXING LUG LOCATION

6. GLASS LEGEND
GL01 — 8mm+12mm AR GAP+10mm THK. L.G.U.
GL01e — 8mm+12mm AR GAP+12mm THK. L.G.U.
GL02 — 10mm THK. TEMPERED GLASS (SPANDREL GLASS)
GL03 — 6mm+12mm AR GAP+6mm THK. L.G.U.
GL04 — 10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)
GL05 — 6mm+12mm AR GAP+8mm THK. L.G.U.

E	24/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
B	04/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
C	09/09/2020	REVISION SUBJECT TO APPROVALMENT	PH
D	05/03/2020	REVISION SUBJECT TO APPROVALMENT	PH
A	24/09/2020	REVISION SUBJECT TO APPROVALMENT	SH
DL	ME	ISSUED	BY

JOB NO. : J-852
PROJECT :
PROPOSED RESIDENTIAL DEVELOPMENT
AT 139 - 147 ARGYLE STREET,
NKIL 6005, 6035 R.P., 6036 R.P.,
6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40



DRAWN BY : MN CHECKED BY : DW

美特鋁質有限公司
MIDI ALUMINIUM ENGINEERING LTD.
Units 6-8, Surrey Industrial Centre, 1/F
610 Che Kwo Ling Road, Kowloon
Tel: 23488211-4 Fax: (852) 27272666

DWG NO. : J852-SD-PW-4311 REV. : E

ELEVATION

WINDOW MARK	W4/T3C / W3/T3C
LOCATION	1/F-21/F M.B.R.1 & B.R.2 AT TOWER 3 FLAT C
SECTION	70mm ALUM. SECTION
GLAZING	GL-03
QUANTITY	18 / 18
REMARKS	FAÇADE (PF-27)




TYPE B		
OPENABLE WINDOW DIMENSION	(WIDTH) =	520
	(HEIGHT) =	1370
FIXED WINDOW DIMENSION	(WIDTH) =	420
	(HEIGHT) =	610
NUMBER OF OPENABLE AREA WINDOW		1
GLAZING AREA		
OPENABLE	WIDTH = 520-111.5-111.5	= 297 mm
	HEIGHT = 1370-69.5-66.5	= 1234 mm
FIXED	WIDTH = 520-111.5-111.5	= 297 mm
	HEIGHT = 610-66.5-111.5	= 432 mm
TOTAL	= (297x1234)+(297x432)+1000000	= 0.494802 m ²
OPENABLE AREA		
WIDTH = 520-77.77		= 355 mm
HEIGHT = 1370-32-32		= 1306 mm
TOTAL	= (355x1306)x1.000000	= 0.477996 m ²

PROVIDED	
GLAZING AREA	0.495 m ²
OPENABLE AREA	0.478 m ²

TYPE B		
OPENABLE WINDOW DIMENSION	(WIDTH) =	445
	(HEIGHT) =	1370
FIXED WINDOW DIMENSION	(WIDTH) =	445
	(HEIGHT) =	610
NUMBER OF OPENABLE AREA WINDOW		1
GLAZING AREA		
OPENABLE	WIDTH = 445-111.5-111.5	= 222 mm
	HEIGHT = 1370-69.5-66.5	= 1234 mm
FIXED	WIDTH = 445-111.5-111.5	= 222 mm
	HEIGHT = 610-66.5-111.5	= 432 mm
TOTAL	= (222x1234)+(222x432)+1000000	= 0.369872 m ²
OPENABLE AREA		
WIDTH = 445-77.77		= 367 mm
HEIGHT = 1370-32-32		= 1306 mm
TOTAL	= (367x1306)x1.000000	= 0.580046 m ²

PROVIDED	
GLAZING AREA	0.370 m ²
OPENABLE AREA	0.380 m ²



W5/T3B - W4/T3B (T3)

ELEVATION

WINDOW MARK	WS/T3B / W4/T3B
LOCATION	1/F-21/F M.B. & EN.B. AT TOWER 3 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	18 / 18
REMARKS	FACADE (PF-34)

B.D. REF :

CLIENT :

ARCHITECT : AGC DESIGN LTD

MAIN CONTRACTOR : Gammon

STRUCTURAL ENGINEER : ARUP

FACADE CONSULTANT : MEINHARDT

NOTE :

- ALL DIMENSIONS ARE IN mm.
- ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
- ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :

(X1) DETAIL MARK NO.
(X2) REFER SHEET NO.

- F.F.L.—FINISHED FLOOR LEVEL
- S.F.L.—STRUCTURAL FLOOR LEVEL
- (P)—REVERSED DETAIL
- ▲—FIXING LOCATION
- △—FIXING LUG LOCATION
- GLASS LEGEND

GL01—8mm+12mm AIR GAP+10mm THK. L.G.U.
GL01c—8mm+12mm AIR GAP+12mm THK. L.G.U.
GL02—10mm THK. TEMPERED GLASS (SPINDREL GLASS)
GL03—6mm+12mm AIR GAP+6mm THK. L.G.U.
GL04—10mm THK. TEMPERED GLASS (PROTECTIVE BARRED)
GL05—8mm+12mm AIR GAP+8mm THK. L.G.U.

F	18/04/2020	REVISION SUBJECT TO ANCHORMENT	PH
E	24/04/2020	REVISION SUBJECT TO ANCHORMENT	PH
D	04/05/2020	REVISION SUBJECT TO ANCHORMENT	PH
C	28/05/2020	REVISION SUBJECT TO ANCHORMENT	PH
B	08/06/2020	REVISION SUBJECT TO ANCHORMENT	PH
A	24/07/2020	REVISION SUBJECT TO ANCHORMENT	SH
SA	08/08/2020	ISSUED	BY

JOB NO. : J-852

PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 138-147 ARGYLE STREET, NKL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.





TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40

DRAWN BY : MN CHECKED BY : DW

英特經貿有限公司
MIDI INTERNATIONAL TRADING COMPANY LTD.
Units 6-8, Survey Industrial Centre, 1/F
610 Che Kwo Ling Road, Kowloon
Tel: 23482211-4 Fax: (852) 27276666

DWG NO. : J852-SD-PW-4312 REV. : F



PART PLAN A

(T3) W7/T3B

TYPE A2	
OPENABLE WINDOW DIMENSION	(WIDTH) = 720 (HEIGHT) = 2130
FIXED WINDOW DIMENSION	(WIDTH) = 570 (HEIGHT) = 2130
NUMBER OF OPENABLE AREA WINDOW	= 1
GLAZING AREA	
OPENABLE	
WIDTH = 720-111.5-111.5	= 497 mm
HEIGHT = (2130+400)-111.5-1000	= 1418.5 mm
FIXED	
WIDTH = 570-50-50	= 470 mm
HEIGHT = (2130+400)-50-1000	= 1480 mm
TOTAL = ((497x1418.5x2)+(470x1480))1000000	= 2.105589 m ²
OPENABLE AREA	
WIDTH = 720-77-77	= 566 mm
HEIGHT = 2130-77-(1160-385-15)	= 1293 mm
TOTAL = ((566x1293x1))1000000	= 0.731838 m ²

PROVIDED	
GLAZING AREA	2.106 m ²
OPENABLE AREA	0.732 m ²

B.D. REF :

CLIENT :

ARCHITECT :
AGC DESIGN LTD

MAIN CONTRACTOR :
Gammon

STRUCTURAL ENGINEER :
ARUP

FAÇADE CONSULTANT:
MEINHARDT

NOTE :
1. ALL DIMENSIONS ARE IN mm.
2. ALL ELEVATIONS ARE VIEWED FROM OUTSIDE.
3. ALL DIMENSIONS TO BE VERIFIED ON SITE BEFORE FABRICATION.

LEGEND :
 (X1) DETAIL MARK NO.
 (X2) REFER SHEET NO.
 1. F.F.L.—FINISHED FLOOR LEVEL
 2. S.F.L.—STRUCTURAL FLOOR LEVEL
 3. (Z) REVERSED DETAIL
 4. ▲ FIXING LOCATION
 5. △ FIXING LUG LOCATION
 6. GLASS LEGEND
 GL01—0mm+12mm AR GAP+10mm THK. L.G.U.
 GL01a—0mm+12mm AR GAP+12mm THK. L.G.U.
 GL02—10mm THK. TEMPERED GLASS (SPWIDEL GLASS)
 GL03—0mm+12mm AR GAP+6mm THK. L.G.U.
 GL04—10mm THK. TEMPERED GLASS (PROTECTOR BARRIER)
 GL05—0mm+12mm AR GAP+8mm THK. L.G.U.

NO.	DATE	REVISION	BY
F	18/08/2020	REVISION SUBJECT TO ANCHORMENT	PH
E	24/08/2020	REVISION SUBJECT TO ANCHORMENT	PH
D	04/09/2020	REVISION SUBJECT TO ANCHORMENT	PH
C	09/09/2020	REVISION SUBJECT TO ANCHORMENT	PH
B	09/09/2020	REVISION SUBJECT TO ANCHORMENT	PH
A	24/08/2020	REVISION SUBJECT TO ANCHORMENT SH	PH
REV.	DATE	REVISION	BY

JOB NO. : J-852
 PROJECT : PROPOSED RESIDENTIAL DEVELOPMENT AT 139 - 147 ARGYLE STREET, NKL 6005, 6035 R.P., 6036 R.P., 6037 R.P. & 6038 R.P.

TITLE : WINDOW SCHEDULE FOR ALUM. WINDOW

DATE : 05-Dec-19 SCALE : 1:40
 DRAWN BY : MN CHECKED BY : DW

英特銀寶有限公司
 MTDI AUTOMATIC FABRICATION LTD.
 Units 6-8, Sunray Industrial Centre, 1/F
 810 Che Kwo Ling Road, Kowloon
 Tel: 23488211-4 Fax: (852) 27727688
 DWG NO. : J852-SD-PW-4313 REV. : F

ELEVATION

WINDOW MARK	W7/T3B
LOCATION	2/F-21/F B.R.1. AT TOWER 3 FLAT B
SECTION	70mm ALUM. SECTION
GLAZING	GL-01, GL-03
QUANTITY	17
REMARKS	FAÇADE (PF-19)

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.	工程號:	J852	計算:	Ivan	日期:	2021.02.25	送呈:	
	地盤名稱:		核對:		日期:		副本:	
地盤用玻璃B.M.表		項目類別:	佛沙窗-T1-(1F~21F)	批准:		日期:		A/C Code: 參考用
BM編號:		修改版次:	A(2021.03.12)	總計玻璃面積 (平方米):	951.34			

序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度 (W mm)	高度 (H mm)				
1		GL03-01	6mm+12mm AIR GAP+6mm THK. I.G.U.	24.0	601.0	1931.0	108	125.34	見位置圖	GL03-01
2		GL03-02			801.0	1216.0	72	125.00	見位置圖	GL03-02
3		GL03-03			801.0	1261.0	36	36.36	見位置圖	GL03-03
4		GL03-04			596.0	1931.0	142	163.42	見位置圖	GL03-04
5		GL03-05			346.0	1226.0	36	15.27	見位置圖	GL03-05
6		GL03-06			396.0	1931.0	34	26.00	見位置圖	GL03-06
7		GL03-07			321.0	1261.0	18	7.29	見位置圖	GL03-07
8		GL03-08			246.0	1261.0	18	5.58	見位置圖	GL03-08
9		GL03-09			521.0	1931.0	34	34.21	見位置圖	GL03-09
						合計:	498	538.47		
10		GL01-01	8mm+12mm AIR GAP+10mm THK. I.G.U.	30.0	1296.0	2066.0	36	96.39	見位置圖	GL01-01
11		GL01-02			896.0	2066.0	18	33.32	見位置圖	GL01-02
12		GL01-03			813.0	618.0	72	36.18	見位置圖	GL01-03
13		GL01-04			813.0	468.0	36	13.70	見位置圖	GL01-04
14		GL01-05			333.0	468.0	18	2.81	見位置圖	GL01-05
15		GL01-06			258.0	468.0	18	2.17	見位置圖	GL01-06
16		GL01-07			506.0	2066.0	17	17.77	見位置圖	GL01-07
						合計:	215	202.33		
17		GL01a-01	8mm+9mm AIR GAP+12mm THK. I.G.U.	29.0	2390.0	2070.0	18	89.05	見位置圖	GL01a-01

		工程號:	J852	計算:	Ivan	日期:	2021.02.25	送呈:		
		地盤名稱:		核對:		日期:		副本:	參考用	
地盤用玻璃B.M.表		項目類別:	佛沙窗-T1-(1F~21F)	批准:		日期:		A/C Code:		
BM編號:		修改版次:	A(2021.03.12)	總計玻璃面積 (平方米):		951.34				
序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度 (W mm)	高度 (H mm)				
						合計:	18	89.05		
18		GL04-01	10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)	10.0	666.0	593.0	108	42.65	見位置圖	GL04-01
19		GL04-02			586.0	593.0	34	11.81	見位置圖	GL04-02
20		GL04-03			461.0	593.0	34	9.29	見位置圖	GL04-03
21		GL04-04			661.0	593.0	142	55.66	見位置圖	GL04-04
22		GL04-05			311.0	368.0	18	2.06	見位置圖	GL04-05
						合計:	336	121.48		
						总合计:	1067	951.34		
加工注意事項:		1).本表中之所有玻璃顏色待定。								
		2).本表中所有玻璃對角線尺寸偏差要求不超過負2mm。								
		3).本表中玻璃要求粗磨邊處理並倒棱角，而所有玻璃之入爐方向需保持一致。								
		4).本表中所有玻璃成品均需做雙面保護，用透明靜電膠紙加四周一寸FK白膠紙做雙面加固保護處理。								
		5).本表中所有玻璃成品均需注明室內外及其玻璃編號，以便識別。								

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.		工程號:	J852	計算:	Ivan	日期:	2021.02.25	送呈:		
地盤用玻璃B.M.表		地盤名稱:		核對:		日期:		副本:	參考用	
BM編號:		項目類別:	佛沙窗-T2-(1F~21F)	批准:		日期:		A/C Code:		
		修改版次:	B(2021.03.16)	總計玻璃面積 (平方米):			716.39			
序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度 (W mm)	高度 (H mm)				
1		GL03-01	6mm+12mm AIR GAP+6mm THK. I.G.U.	24.0	601.0	1931.0	144	167.12	見位置圖	GL03-01
2		GL03-04			596.0	1931.0	72	82.86	見位置圖	GL03-04
3		GL03-05			346.0	1226.0	36	15.27	見位置圖	GL03-05
4		GL03-06			396.0	1931.0	34	26.00	見位置圖	GL03-06
5		GL03-07			321.0	1261.0	36	14.57	見位置圖	GL03-07
6		GL03-08			246.0	1261.0	36	11.17	見位置圖	GL03-08
7		GL03-09			521.0	1931.0	69	69.42	見位置圖	GL03-09
						合計:	427	386.41		
8		GL01-01	8mm+12mm AIR GAP+10mm THK. I.G.U.	30.0	1296.0	2066.0	36	96.39	見位置圖	GL01-01
9	B-修改尺寸	GL01-02			896.0	2066.0	36	66.64	見位置圖	GL01-02
10	B-修改尺寸	GL01-05			333.0	468.0	36	5.61	見位置圖	GL01-05
11	B-修改尺寸	GL01-06			258.0	468.0	36	4.35	見位置圖	GL01-06
12	B-修改尺寸	GL01-07			506.0	2066.0	34	35.54	見位置圖	GL01-07
						合計:	178	208.53		
14		GL04-01	10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)	10.0	666.0	593.0	144	56.87	見位置圖	GL04-01
15		GL04-02			586.0	593.0	68	23.63	見位置圖	GL04-02
16		GL04-03			461.0	593.0	34	9.29	見位置圖	GL04-03
17		GL04-04			661.0	593.0	72	28.22	見位置圖	GL04-04
18		GL04-05			311.0	368.0	30	3.43	見位置圖	GL04-05

		工程號:	J852	計算:	Ivan	日期:	2021.02.25	送呈:		
		地盤名稱:		核對:		日期:		副本:	參考用	
地盤用玻璃B.M.表		項目類別:	佛沙窗-T2-(1F~21F)	批准:		日期:		A/C Code:		
BM編號:		修改版次:	B(2021.03.16)	總計玻璃面積 (平方米):		716.39				
序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度 (W mm)	高度 (H mm)				
						合計:	348	121.45		
						总合计:	953	716.39		
加工注意事項:		1).本表中之所有玻璃顏色待定。								
		2).本表中所有玻璃對角線尺寸偏差要求不超過負2mm。								
		3).本表中玻璃要求粗磨邊處理並倒棱角，而所有玻璃之入爐方向需保持一致。								
		4).本表中所有玻璃成品均需做雙面保護，用透明靜電膠紙加四周一寸FK白膠紙做雙面加固保護處理。								
		5).本表中所有玻璃成品均需注明室內外及其玻璃編號，以便識別。								

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.		工程號:	J852	計算:	Ivan	日期:	2021.02.25	送呈:		
		地盤名稱:		核對:		日期:		副本:	參考用	
地盤用玻璃B.M.表		項目類別:	佛沙窗-T3-(1F~21F, 不包5F)			日期:		A/C Code:		
BM編號:		修改版次:	A(2021.03.12)	總計玻璃面積 (平方米):	895.88					
序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度 (W mm)	高度 (H mm)				
1		GL03-01	6mm+12mm AIR GAP+6mm THK. I.G.U.	24.0	601.0	1931.0	102	118.37	見位置圖	GL03-01
2		GL03-02			801.0	1216.0	51	125.00	見位置圖	GL03-02
3		GL03-03			801.0	1261.0	34	34.34	見位置圖	GL03-03
4		GL03-04			596.0	1931.0	134	153.91	見位置圖	GL03-04
5		GL03-05			346.0	1226.0	34	14.42	見位置圖	GL03-05
6		GL03-06			396.0	1931.0	32	24.27	見位置圖	GL03-06
7		GL03-07			321.0	1261.0	17	6.88	見位置圖	GL03-07
8		GL03-08			246.0	1261.0	17	5.27	見位置圖	GL03-08
9		GL03-09			521.0	1931.0	32	32.19	見位置圖	GL03-09
						合計:	452	514.66		
10		GL01-01	8mm+12mm AIR GAP+10mm THK. I.G.U.	30.0	1296.0	2066.0	34	91.04	見位置圖	GL01-01
11		GL01-02			896.0	2066.0	17	31.47	見位置圖	GL01-02
12		GL01-03			813.0	618.0	51	25.62	見位置圖	GL01-03
13		GL01-04			813.0	468.0	34	12.94	見位置圖	GL01-04
14		GL01-05			333.0	468.0	17	2.65	見位置圖	GL01-05
15		GL01-06			258.0	468.0	17	2.05	見位置圖	GL01-06
16		GL01-07			506.0	2066.0	16	16.73	見位置圖	GL01-07
						合計:	186	182.49		
17		GL01a-01	8mm+9mm AIR GAP+12mm THK. I.G.U.	29.0	2390.0	2070.0	17	84.10	見位置圖	GL01a-01

 美特鋁質 有限公司 MIDI Aluminium Fabricator Ltd.		工程號:	J852	計算:	Ivan	日期:	2021.02.25	送呈:		
		地盤名稱:		核對:		日期:		副本:	參考用	
地盤用玻璃B.M.表		項目類別:	佛沙窗-T3-(1F~21F, 不包5F)			日期:		A/C Code:		
BM編號:		修改版次:	A(2021.03.12)	總計玻璃面積 (平方米):	895.88					
序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	加工圖參考
					寬度 (W mm)	高度 (H mm)				
						合計:	17	84.10		
18		GL04-01	10mm THK. TEMPERED GLASS (PROTECTIVE BARRIER)	10.0	666.0	593.0	102	40.28	見位置圖	GL04-01
19		GL04-02			586.0	593.0	32	11.12	見位置圖	GL04-02
20		GL04-03			461.0	593.0	32	8.75	見位置圖	GL04-03
21		GL04-04			661.0	593.0	134	52.52	見位置圖	GL04-04
22		GL04-05			311.0	368.0	17	1.95	見位置圖	GL04-05
						合計:	317	114.62		
						总合计:	972	895.88		
加工注意事項:		1).本表中之所有玻璃顏色待定。								
		2).本表中所有玻璃對角線尺寸偏差要求不超過負2mm。								
		3).本表中玻璃要求粗磨邊處理並倒棱角，而所有玻璃之入爐方向需保持一致。								
		4).本表中所有玻璃成品均需做雙面保護，用透明靜電膠紙加四周一寸FK白膠紙做雙面加固保護處理。								
		5).本表中所有玻璃成品均需注明室內外及其玻璃編號，以便識別。								