



工程指示 / 要求簡箋 ENGINEER INSTRUCTIONS(E.I.)

工程指示編號:	EI- 4516C	修改版本:	C
	HK- 2278		
工程編號:	J 853	工程名稱:	大窩坪 (延坪道)
收件人:	生統	發件人:	Edwin Ho
工程項目:	T5 幕牆單元背板生產 大貨 (修訂C: 依據EI5161C新增背板)	日期:	15/12/2022

<input type="checkbox"/> 原合約工程包	<input type="checkbox"/> 原合約工程加 / 減賬 QT-	<input type="checkbox"/> 新工程報價 QT-
---------------------------------	--	------------------------------------

信件批核號碼/圖紙參考編號:	批核模具圖紙編號:
客戶指示附件:	管理內部批簽署:

<input type="checkbox"/> 初步鋁料 B.M.	<input type="checkbox"/> 加工拆圖, 然後生產	<input type="checkbox"/> 尺寸表
<input type="checkbox"/> 正式鋁料 B.M.	<input type="checkbox"/> 技術上資料/指示	<input type="checkbox"/> 報價
<input checked="" type="checkbox"/> 配件 B.M.	<input type="checkbox"/> 樣辦或貨品說明書	<input type="checkbox"/> 分判合約
<input type="checkbox"/> 其他:		

內容: 修訂C: 依據EI5161C新增背板  請依附件資料, 更新幕牆背板圖紙及生產。
完成上列要求日期: ASAP

國內

<input type="checkbox"/> 生產技術總監	<input type="checkbox"/> 連附件	<input type="checkbox"/> 技術部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 生產部	<input type="checkbox"/> 連附件
<input type="checkbox"/> 採購部	<input type="checkbox"/> 連附件	<input checked="" type="checkbox"/> 生產統籌部	<input checked="" type="checkbox"/> 連附件	<input type="checkbox"/> 報關組	<input type="checkbox"/> 連附件
<input type="checkbox"/> 質檢部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 會計部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 機械設計部	<input type="checkbox"/> 連附件
<input type="checkbox"/> 香港辦	<input checked="" type="checkbox"/> 連附件	<input type="checkbox"/> 其他:			

香港

<input type="checkbox"/> 行政部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 會計部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 統籌部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 工程部	<input type="checkbox"/> 連附件
<input type="checkbox"/> 採購部	<input type="checkbox"/> 連附件	<input type="checkbox"/> QS部	<input type="checkbox"/> 連附件	<input checked="" type="checkbox"/> 地盤管理	<input checked="" type="checkbox"/> 連附件	<input type="checkbox"/> 維修部	<input type="checkbox"/> 連附件

*發件人簽署: Edwin Ho	*組別成員批核簽署:
傳遞編號:	項目經理簽署:

圖則登記表 DRAWING REGISTER									
工程名稱 Project Title:		延坪道住宅 大貨(T5座)幕牆背板			接收日期 Receiving Date (適用於客戶圖則)				
工程編號 Project No:		J-853			年				
分發予 Distributed To					月				
分發予 Distributed To					日				
分發予 Distributed To					年	22	22	22	22
分發予 Distributed To					月	3	4	8	10
分發予 Distributed To					日	25	13	9	16
分發予 Distributed To					年				
分發予 Distributed To					月				
分發予 Distributed To					日				
圖則編號 Drg. No.	圖則名稱 Drawing Title	修訂編號 Revision No.							
DBP-532L	背板-拆圖	1a	-	-	-	-	新增		
DBP-4	背板-拆圖	1	-	-	A	-	-		
DBP-4(1)	背板-拆圖尺寸數據	2	-	-	-	-	-		
DBP-4(2)	背板-拆圖尺寸數據	3	-	-	-	-	-		
DBP-4d	背板-拆圖	4	-	A	B	-	-		
DBP-6c	背板-拆圖	5	-	-	A	B	-		
DBP-5a	背板-拆圖	6	-	-	A	-	-		
DBP-5a(1)	背板-拆圖尺寸數據	7	-	-	-	-	-		
DBP-36	轉角生窗背板拆圖	8	-	-	A	-	-		
DBP-517	轉角梗窗背板拆圖	9	-	-	A	-	-		
DBP-36c	轉角生窗背板拆圖	10	-	-	A	B	-		
DBP-517c	轉角梗窗背板拆圖	11	-	-	A	B	-		
J853-T5-CW-4501	位置圖	12	-	-	A	B	-		
J853-T5-CW-4502	位置圖	13	-	-	A	B	-		
J853-T5-CW-4503	位置圖	14	-	-	-	-	-		
J853-T5-CW-4504	位置圖	15	-	-	-	-	-		
J853-T5-CW-4505	位置圖	16	-	-	-	-	-		
J853-T5-CW-4506	位置圖	17	-	-	A	B	-		
J853-T5-CW-4507	位置圖	18	-	-	A	B	-		
J853-T5-CW-4508	位置圖	19	-	-	-	-	-		
J853-T5-CW-4509	位置圖	20	-	-	-	-	A		
J853-T5-CW-4510	位置圖	21	-	-	-	-	-		

美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.		工程號: J-853	計算: 付吉寧	日期: 2022.03.15	送呈: 胡哥											
廠用鋁背板B.M.表		地盤名稱: 延坪道住宅	核對: 謝永林	日期: 2022.12.10	副本:											
項目類別: 修改版次: C 22.12.10		項目類別: T5座幕牆背板	批准:	日期:	A/C Code: 2073.32											
修改內容		鋁板圖號	鋁板名稱	顏色	實用	後備	總數	總重量	單件展開面積m <sup>2</sup>	總展開面積m <sup>2</sup>	單件V.F. m <sup>2</sup>	總V.F. m <sup>2</sup>	位置	單位	樓層	類型
1	DBP-4	2mm厚鋁板	UCT542049SC-3(淺灰)	8	8	24.30	0.56	4.483	0.39	3.141	T5 CW-4503	A	6/F-15/F	標準層		
2	DBP-5	2mm厚鋁板	UCT542049SC-3(淺灰)	1	1	2.70	0.50	0.499	0.34	0.338	T5 CW-4509	B	25/F	標準層		
3	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	6	6	19.31	0.59	3.562	0.42	2.531	T5 CW-4501	C	11/F-15/F	標準層		
4	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	18	18	57.92	0.59	10.687	0.42	7.592	T5 CW-4502	A	6/F-16/F	標準層		
5	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	1	1	3.22	0.59	0.594	0.42	0.422	T5 CW-4502	A	5/F	標準層		
18	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	6	6	19.31	0.59	3.562	0.42	2.531	T5 CW-4502	A	17/F-22/F	標準層		
6	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	8	8	25.74	0.59	4.750	0.42	3.374	T5 CW-4503	A	17/F-25/F	標準層		
7	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	1	1	3.22	0.59	0.594	0.42	0.422	T5 CW-4503	A	5/F	標準層		
8	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	9	9	28.96	0.59	5.344	0.42	3.796	T5 CW-4503	B	6/F-16/F	標準層		
9	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	2	2	6.44	0.59	1.187	0.42	0.844	T5 CW-4504	A	25/F	標準層		
10	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	7	7	22.53	0.59	4.156	0.42	2.952	T5 CW-4504	A	17/F-23/F	標準層		
11	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	3	3	9.65	0.59	1.781	0.42	1.265	T5 CW-4504	B	11/F-15/F	標準層		
12	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	24	24	77.23	0.59	14.250	0.42	10.122	T5 CW-4506	B	17/F-25/F	標準層		
13	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	12	12	38.62	0.59	7.125	0.42	5.061	T5 CW-4507	B	17/F-22/F	標準層		
14	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	8	8	25.74	0.59	4.750	0.42	3.374	T5 CW-4507	D	11/F-16/F	標準層		
15	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	24	24	77.23	0.59	14.250	0.42	10.122	T5 CW-4508	E	11/F-25/F	標準層		
16	DBP-6	2mm厚鋁板	UCT542049SC-3(淺灰)	24	24	77.23	0.59	14.250	0.42	10.122	T5 CW-4508	F	11/F-25/F	標準層		
19	DBP-11	2mm厚鋁板	UCT542049SC-3(淺灰)	4	4	14.21	0.66	2.622	0.48	1.904	T5 CW-4505	C	11/F-16/F	標準層		
20	DBP-20	2mm厚鋁板	UCT542049SC-3(淺灰)	7	7	29.75	0.78	5.488	0.59	4.119	T5 CW-4505	B	17/F-23/F	標準層		
21	DBP-25	2mm厚鋁板	UCT542049SC-3(淺灰)	1	1	4.58	0.85	0.846	0.64	0.643	T5 CW-4504	A	5/F	標準層		
22	DBP-25	2mm厚鋁板	UCT542049SC-3(淺灰)	9	9	41.26	0.85	7.613	0.64	5.784	T5 CW-4504	B	6/F-16/F	標準層		
23	DBP-26	2mm厚鋁板	UCT542049SC-3(淺灰)	7	7	33.36	0.88	6.154	0.67	4.703	T5 CW-4505	B	17/F-23/F	標準層		
24	DBP-37	2mm厚鋁板	UCT542049SC-3(淺灰)	16	16	87.59	1.01	16.160	0.79	12.583	T5 CW-4501	A	5/F-22/F	標準層		
25	DBP-50	2mm厚鋁板	UCT542049SC-3(淺灰)	12	12	75.75	1.16	13.976	0.92	11.062	T5 CW-4508	F	11/F-25/F	標準層		
26	DBP-501	2mm厚鋁板	UCT542049SC-3(淺灰)	6	6	37.87	1.16	6.988	0.92	5.531	T5 CW-4501	A	17/F-22/F	標準層		
27	DBP-502	2mm厚鋁板	UCT542049SC-3(淺灰)	3	3	16.65	1.02	3.073	0.80	2.397	T5 CW-4501	C	11/F-15/F	標準層		
28	DBP-503	2mm厚鋁板	UCT542049SC-3(淺灰)	3	3	14.49	0.89	2.673	0.68	2.047	T5 CW-4501	C	11/F-15/F	標準層		

美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.		工程號: J-853	計算: 付吉寧	日期: 2022.03.15	送呈: 胡哥									
廠用鋁箔板B.M.表		地盤名稱: 延坪道住宅	核對: 謝永林	日期: 2022.12.10	副本:									
修改版次: C.22.12.10		項目類別: T5座幕牆背板	批准:	日期:	A/C Code:									
修改內容		顏色	實用	後備	總數	總重量	單件展開面積 m <sup>2</sup>	總展開面積 m <sup>2</sup>	單件V.F. m <sup>2</sup>	總V.F. m <sup>2</sup>	位置	單位	樓層	類型
29	DBP-504	UCT542049SC-3(淺灰)	9		9	38.83	0.80	7.163	0.60	5.390	T5 CW-4502	A	6/F-16/F	標準層
30	DBP-505	UCT542049SC-3(淺灰)	1		1	6.05	1.12	1.117	0.88	0.880	T5 CW-4502	A	5/F	標準層
31	DBP-506	UCT542049SC-3(淺灰)	8		8	52.56	1.21	9.698	0.96	7.708	T5 CW-4502	A	6/F-15/F	標準層
32	DBP-507	UCT542049SC-3(淺灰)	6		6	44.45	1.37	8.201	1.10	6.594	T5 CW-4502	A	17/F-22/F	標準層
33	DBP-508	UCT542049SC-3(淺灰)	8		8	29.87	0.69	5.511	0.51	4.041	T5 CW-4503	A	17/F-25/F	標準層
34	DBP-508	UCT542049SC-3(淺灰)	1		1	3.73	0.69	0.689	0.51	0.505	T5 CW-4503	A	5/F	標準層
35	DBP-508	UCT542049SC-3(淺灰)	9		9	33.60	0.69	6.200	0.51	4.546	T5 CW-4503	B	6/F-16/F	標準層
36	DBP-509	UCT542049SC-3(淺灰)	3		3	15.69	0.96	2.894	0.75	2.240	T5 CW-4504	B	11/F-15/F	標準層
38	DBP-510	UCT542049SC-3(淺灰)	7		7	53.75	1.42	9.917	1.14	7.999	T5 CW-4504	A	17/F-23/F	標準層
39	DBP-511	UCT542049SC-3(淺灰)	1		1	4.58	0.85	0.846	0.64	0.643	T5 CW-4504	A	25/F	標準層
40	DBP-512	UCT542049SC-3(淺灰)	1		1	7.92	1.46	1.462	1.18	1.182	T5 CW-4502	A	5/F	標準層
41	DBP-513	UCT542049SC-3(淺灰)	7		7	64.04	1.69	11.816	1.38	9.662	T5 CW-4505	B	17/F-23/F	標準層
42	DBP-514	UCT542049SC-3(淺灰)	1		1	8.96	1.65	1.652	1.35	1.349	T5 CW-4505	B	25/F	標準層
43	DBP-515	UCT542049SC-3(淺灰)	1		1	9.08	1.68	1.676	1.37	1.370	T5 CW-4505	B	25/F	標準層
44	DBP-518	UCT542049SC-3(淺灰)	8		8	67.21	1.55	12.400	1.26	10.075	T5 CW-4506	B	17/F-25/F	標準層
45	DBP-520	UCT542049SC-3(淺灰)	8		8	74.43	1.72	13.732	1.41	11.242	T5 CW-4506	B	17/F-25/F	標準層
46	DBP-522	UCT542049SC-3(淺灰)	4		4	26.54	1.22	4.896	0.97	3.896	T5 CW-4507	D	11/F-16/F	標準層
47	DBP-523	UCT542049SC-3(淺灰)	4		4	32.21	1.49	5.943	1.20	4.813	T5 CW-4507	D	11/F-16/F	標準層
48	DBP-524	UCT542049SC-3(淺灰)	6		6	30.53	0.94	5.632	0.72	4.343	T5 CW-4507	B	17/F-22/F	標準層
49	DBP-525	UCT542049SC-3(淺灰)	6		6	57.60	1.77	10.627	1.45	8.719	T5 CW-4507	B	17/F-22/F	標準層
50	DBP-526	UCT542049SC-3(淺灰)	12		12	74.97	1.15	13.833	0.91	10.937	T5 CW-4508	F	11/F-25/F	標準層
51	DBP-527	UCT542049SC-3(淺灰)	12		12	74.97	1.15	13.833	0.91	10.937	T5 CW-4508	F	11/F-25/F	標準層
52	DBP-528	UCT542049SC-3(淺灰)	12		12	74.97	1.15	13.833	0.91	10.937	T5 CW-4508	E	11/F-25/F	標準層
53	DBP-529	UCT542049SC-3(淺灰)	12		12	70.33	1.08	12.977	0.85	10.187	T5 CW-4508	E	11/F-25/F	標準層
54	DBP-532	UCT542049SC-3(淺灰)	1		1	5.78	1.07	1.066	0.84	0.835	T5 CW-4509	B	25/F	標準層
55	DBP-533	UCT542049SC-3(淺灰)	1		1	5.77	1.06	1.065	0.83	0.834	T5 CW-4509	B	25/F	標準層
56	DBP-534	UCT542049SC-3(淺灰)	1		1	3.81	0.70	0.703	0.52	0.518	T5 CW-4509	B	25/F	標準層

美特鋁質 MDE Aluminium Fabricator Ltd.		工程號: J-853	計算: 付吉寧	日期: 2022.03.15	送呈: 胡哥											
廠用鋁背板B.M.表		地盤名稱: 延坪道住宅	核對: 謝永林	日期: 2022.12.10	副本:											
項目類別: T5座幕牆背板		批准:	A/C Code:													
修改版次: C 22.12.10		總V.F.:	2073.32													
		總重量: 291.65	此B.M.依據22.12.10 第9版施工圖計算													
序號	修改內容	鋁板圖號	鋁板名稱	顏色	實用	後備	總數	總重量	單件展開面積m <sup>2</sup>	單件展開面積m <sup>2</sup>	單件V.F. m <sup>2</sup>	總V.F. m <sup>2</sup>	位置	單位	樓層	類型
57		DBP-4d	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	3.04	0.56	0.56	0.39	0.393	T5 CW-4503	A	5/F	標準層雙掛碼
59		DBP-6d	2mm厚鋁板	UCT542049SC-3(淺灰)	2		2	6.44	1.187	1.187	0.42	0.844	T5 CW-4510	A	25/F	標準層雙掛碼
58		DBP-25d	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	4.58	0.846	0.846	0.64	0.643	T5 CW-4509	B	25/F	標準層雙掛碼
60		DBP-535d	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	8.07	1.488	1.488	1.21	1.205	T5 CW-4510	A	26/F	標準層雙掛碼
61		DBP-536d	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	8.07	1.488	1.488	1.21	1.205	T5 CW-4510	A	25/F	標準層雙掛碼
69		DBP-5a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	1.37	0.254	0.254	0.15	0.149	T5 CW-4509	B	26/F	特式層
70		DBP-6a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	1.64	0.302	0.302	0.19	0.185	T5 CW-4503	A	26/F	特式層
71		DBP-6a	2mm厚鋁板	UCT542049SC-3(淺灰)	2		2	3.27	0.604	0.604	0.19	0.370	T5 CW-4504	A	26/F	特式層
72		DBP-6a	2mm厚鋁板	UCT542049SC-3(淺灰)	2		2	3.27	0.604	0.604	0.19	0.370	T5 CW-4506	B	26/F	特式層
73		DBP-6a	2mm厚鋁板	UCT542049SC-3(淺灰)	2		2	3.27	0.604	0.604	0.19	0.370	T5 CW-4508	E	26/F	特式層
74		DBP-6a	2mm厚鋁板	UCT542049SC-3(淺灰)	2		2	3.27	0.604	0.604	0.19	0.370	T5 CW-4508	F	26/F	特式層
75		DBP-6a	2mm厚鋁板	UCT542049SC-3(淺灰)	2		2	3.27	0.604	0.604	0.19	0.370	T5 CW-4510	A	26/F	特式層
76		DBP-17a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	2.65	0.490	0.490	0.33	0.327	T5 CW-4509	A	26/F	特式層
77		DBP-18a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	2.95	0.544	0.544	0.37	0.368	T5 CW-4509	A	26/F	特式層
78		DBP-20a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	2.16	0.399	0.399	0.26	0.258	T5 CW-4505	B	26/F	特式層
79		DBP-25a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	2.33	0.430	0.430	0.28	0.282	T5 CW-4509	B	26/F	特式層
80		DBP-26a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	2.42	0.447	0.447	0.29	0.295	T5 CW-4505	B	26/F	特式層
82		DBP-50a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	3.21	0.592	0.592	0.40	0.405	T5 CW-4508	F	26/F	特式層
81		DBP-508a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	1.90	0.350	0.350	0.22	0.222	T5 CW-4503	A	26/F	特式層
83		DBP-511a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	2.33	0.430	0.430	0.28	0.282	T5 CW-4504	A	26/F	特式層
84		DBP-513a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	4.65	0.859	0.859	0.61	0.606	T5 CW-4505	B	26/F	特式層
86		DBP-519a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	0.99	0.182	0.182	0.09	0.095	T5 CW-4506	B	26/F	特式層
87		DBP-521a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	3.81	0.703	0.703	0.49	0.488	T5 CW-4506	B	26/F	特式層
88		DBP-526a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	3.18	0.586	0.586	0.40	0.400	T5 CW-4508	F	26/F	特式層
89		DBP-527a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	3.18	0.586	0.586	0.40	0.400	T5 CW-4508	F	26/F	特式層
90		DBP-528a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	3.18	0.586	0.586	0.40	0.400	T5 CW-4508	E	26/F	特式層
91		DBP-529a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	2.98	0.550	0.550	0.37	0.373	T5 CW-4508	E	26/F	特式層

美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.		工程號: J-853	計算: 付吉寧	日期: 2022.03.15	送呈: 胡哥												
廠用鋁背板B.M.表		地盤名稱: 延坪道住宅	核對: 謝永林	日期: 2022.12.10	副本:												
		項目類別: T5座幕牆背板	批准:	日期:	A/C Code:												
修改版次: C 22.12.10		總V.F.:	291.65	總重量:	2073.32												
		總V.F.:	291.65	總重量:	2073.32												
		總V.F.:	291.65	總重量:	2073.32												
序號	修改內容	鋁板圖號	鋁板名稱	顏色	實用	後備	總數	總重量	單件展開面積m <sup>2</sup>	單件展開面積m <sup>2</sup>	總展開面積m <sup>2</sup>	單件V.F. m <sup>2</sup>	總V.F. m <sup>2</sup>	位置	單位	樓層	類型
92		DBP-530a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	4.33	0.80	0.798	0.56	0.560	T5 CW-4509	A	26/F	特式層	
93		DBP-531a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	5.28	0.97	0.974	0.69	0.693	T5 CW-4509	A	26/F	特式層	
94		DBP-532a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	2.94	0.54	0.542	0.37	0.366	T5 CW-4509	B	26/F	特式層	
95		DBP-533a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	2.94	0.54	0.542	0.37	0.366	T5 CW-4509	B	26/F	特式層	
96		DBP-534a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	1.94	0.36	0.358	0.23	0.227	T5 CW-4509	B	26/F	特式層	
97		DBP-535a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	4.10	0.76	0.757	0.53	0.529	T5 CW-4510	A	26/F	特式層	
98		DBP-536a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	4.10	0.76	0.757	0.53	0.529	T5 CW-4510	A	26/F	特式層	
85		DBP-538a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	4.79	0.88	0.884	0.63	0.625	T5 CW-4506	B	26/F	特式層	
99		DBP-539a	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	1.12	0.21	0.206	0.11	0.113	T5 CW-4506	B	26/F	特式層	
62	取消	DBP-6c	2mm厚鋁板	UCT542049SC-3(淺灰)	0		0	0.00	0.00	0.000	0.00	0.000	T5 CW-4507	B	23/F	特式層	
63	取消	DBP-6c	2mm厚鋁板	UCT542049SC-3(淺灰)	0		0	0.00	0.00	0.000	0.00	0.000	T5 CW-4502	A	23/F	特式層	
64	取消	DBP-37c	2mm厚鋁板	UCT542049SC-3(淺灰)	0		0	0.00	0.00	0.000	0.00	0.000	T5 CW-4501	A	23/F	特式層	
65	取消	DBP-501c	2mm厚鋁板	UCT542049SC-3(淺灰)	0		0	0.00	0.00	0.000	0.00	0.000	T5 CW-4501	A	23/F	特式層	
66	取消	DBP-507c	2mm厚鋁板	UCT542049SC-3(淺灰)	0		0	0.00	0.00	0.000	0.00	0.000	T5 CW-4502	A	23/F	特式層	
67	取消	DBP-524c	2mm厚鋁板	UCT542049SC-3(淺灰)	0		0	0.00	0.00	0.000	0.00	0.000	T5 CW-4507	B	23/F	特式層	
68	取消	DBP-525c	2mm厚鋁板	UCT542049SC-3(淺灰)	0		0	0.00	0.00	0.000	0.00	0.000	T5 CW-4507	B	23/F	特式層	
102		DBP-36	2mm厚鋁板	UCT542049SC-3(淺灰)	6		6	28.61	0.88	5.278	0.68	4.086	T5 CW-4506	B	17F-22/F	轉角生窗	
103		DBP-36	2mm厚鋁板	UCT542049SC-3(淺灰)	4		4	19.07	0.88	3.519	0.68	2.724	T5 CW-4506	D	11/F-16/F	轉角生窗	
100		DBP-517	2mm厚鋁板	UCT542049SC-3(淺灰)	6		6	28.03	0.86	5.172	0.68	4.053	T5 CW-4506	B	17F-22/F	轉角樞窗	
101		DBP-517	2mm厚鋁板	UCT542049SC-3(淺灰)	4		4	18.69	0.86	3.448	0.68	2.702	T5 CW-4506	D	11/F-16/F	轉角樞窗	
105	取消	DBP-36c	2mm厚鋁板	UCT542049SC-3(淺灰)	0		0	0.00	0.00	0.000	0.00	0.000	T5 CW-4506	B	23/F	轉角生窗特式層	
104	取消	DBP-517c	2mm厚鋁板	UCT542049SC-3(淺灰)	0		0	0.00	0.00	0.000	0.00	0.000	T5 CW-4506	B	23/F	轉角樞窗特式層	
106	新增	DBP-532L	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	4.38	0.81	0.808	0.62	0.619	T5 CW-4509	B	25/F	特式層	
107	新增	DBP-533L	2mm厚鋁板	UCT542049SC-3(淺灰)	1		1	4.38	0.81	0.808	0.62	0.619	T5 CW-4509	B	25/F	特式層	
							統計:	444	2073.32	382.53	291.65						



# EG-DWG3


**美特鋁質有限公司**  
 MIDI Aluminium Fabricator Ltd.

依據E15161C新增背板





工程號 J-853 地盤 延坪道住宅

序號	物料編號	W	數量	A	M	X	N	位置	單位	分格尺寸	樓層	樓層數	每層數量	備註	
1	DBP-532L	991.0	1	45.5	300	x	3	T5 CW-4509	B	1095	25/F	1	1		
2	DBP-533L	991.0	1	45.5	300	x	3	T5 CW-4509	B	1095	25/F	1	1		
總數:			2												



室外

名稱	樑窗背板拆圖	制圖	付吉寧	2022.03.23	修改	新增	
材料	2mm 鋁板	復核	謝永林	2022.03.25	日期	2022.12.10	
顏色	UCT542049SC-3(淺灰)	批准	Daniel		圖號	DBP-532L	



LEGEND:

- ① - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED)
- ② - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ③ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ④ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑤ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑥ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑦ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑧ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑨ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑩ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑪ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑫ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)

DOOR LEVEL (S.F.L.)

FLOOR	LEVEL
ROOF	+210.00
FLOOR	+208.20
25/F	+208.20
26/F	+208.20
27/F	+208.20
28/F	+208.20
29/F	+208.20
30/F	+208.20

NOTE:

- ALL DIMENSIONS ARE IN mm.
- ALL DIMENSIONS ARE TAKEN FROM OUTSIDE FACE UNLESS SPECIFIED OTHERWISE.
- ALL DIMENSIONS ARE TAKEN FROM OUTSIDE FACE UNLESS SPECIFIED OTHERWISE.
- ALL DIMENSIONS ARE TAKEN FROM OUTSIDE FACE UNLESS SPECIFIED OTHERWISE.

LEGEND:

- ① - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED)
- ② - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ③ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ④ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑤ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑥ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑦ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑧ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑨ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑩ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑪ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)
- ⑫ - 12mm THK. CLEAR TEMPERED GLASS (UNTREATED) WITH 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS) & 2mm THK. ALUM. BACKING (SPANNING GLASS)

CLIENT: SHIMAO GROUP HOLDINGS LIMITED

ARCHITECT: HOKI TAKES & PARTNERS LIMITED

MAIN CONTRACTOR: 協興建築有限公司 SHIP HING CONSTRUCTION CO. LTD.

STRUCTURAL ENGINEER: C.M. WONG & ASSOCIATES LTD. 黃志偉建築師行 (CMW&A)

MECHANICAL CONSULTANT: MENHARDT

PROJECT: PROPOSED RESIDENTIAL DEVELOPMENT AT NAKKUL 6542 TUN PING ROAD, KWUN LON

TITLE: PART ELEVATION FOR CURTAIN WALL AT TOWER 5

DATE: 06-OCT-21 SCALE: 1:80 (A1)

DRAWN BY: LHR CHECKED BY:

Project No.: J-553

Drawn No.: 25/7

Check No.: 1932/10

DATE: 06-OCT-21 SCALE: 1:80 (A1)

DRAWN BY: LHR CHECKED BY:

Project No.: J-553

Drawn No.: 25/7

Check No.: 1932/10

DATE: 06-OCT-21 SCALE: 1:80 (A1)

DRAWN BY: LHR CHECKED BY:

Project No.: J-553

Drawn No.: 25/7

Check No.: 1932/10