



工程指示 / 要求簡箋(E.I.)

工程指示編號：EI/4577 / 22 修改版次：
 工程編號：J-853 工程名稱：大窩坪(廷坪路)
 工程項目：T2 幕埗玻璃(廠用)大貨
 收件人：Maggie 發件人：大明 日期：12/04/2022

要求提供 / 確認 事項：

- | | | |
|------------------------------------|-------------------------------------|-------------------------------|
| <input type="checkbox"/> 初步鋁料 B.M. | <input type="checkbox"/> 加工拆圖，然後生產 | <input type="checkbox"/> 尺寸表 |
| <input type="checkbox"/> 正式鋁料 B.M. | <input type="checkbox"/> 技術上資料 / 指示 | <input type="checkbox"/> 報 |
| <input type="checkbox"/> 配件 B.M. | <input type="checkbox"/> 樣辦或貨品說明書 | <input type="checkbox"/> 分判合約 |
| <input type="checkbox"/> 其他：_____ | | |

內容：

煩請依附件資料生產玻璃後送廠

第一批交貨：02/06/2022，第二批交貨：14/07/2022

請按 BS EN 14179-1:2016 標準做熱浸測試

請在 02/06/2022 前完成上列要求。

附有關圖紙 / 文件：附 B.M 表 7 頁,圖紙 1+5+7 頁

以上項目為:

- 原合約工程包 原合約工程加 / 減賬 新工程報價

原因：-

分發東莞各部門：

- () 生產技術總監 連附件 () 技術部 連附件 () 生產部 連附件 () 機械設計部 連附件
 () 採購部 連附件 (✓) 生產統籌部 連附件 梅
 () 質檢部 連附件 () 會計部 連附件 () 報關組 連附件 (✓) 其他 謝永材 連附件


分發香港各部門：

- () 行政部 連附件 () 會計部 連附件 () 統籌部 連附件 () 工程部地盤科文 連附件
 () 採購部 連附件 () QS 部 連附件 () 維修部 連附件 () 其他 _____ 連附件

傳遞編號：HK 0605

發件人簽署：

項目經理簽署：



美特鋁質有限公司
Meite Aluminum Fabrication Ltd.

工程號: 1853
地點名稱: 九龍運輝道
設計玻璃數量(塊): 1409


計畫: 計畫
接收: 謝永林
日期: 2022.3.16

陳啟聰
副本:
A/C Code:

日期: 2022.3.10
送呈:
胡哥

計算參考數值/所屬位置分格

序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量	總面積 平方米	使用位置	樓層	分屬類型	分格寬度	分格高度	樓層	每層數量	備註	單位	批次出貨
					寬度W (mm)	高度H (mm)												
1		GI-1	GI	34	3660	6570	9	2.16	1853-SD-CW-4205	6/F-16/F	下樓	400	712.5	9	1		D	第一批次交貨
2		GI-5	GI	34	4660	6570	19	5.82	1853-SD-CW-4204	5/F-26/F	下樓	500	712.5	19	1		C	第一批次交貨 5/F ~ 16/F
3		GI-5	GI	34	4660	6570	19	5.82	1853-SD-CW-4205	5/F-26/F	下樓	500	712.5	19	1		B	第一批次交貨 5/F ~ 16/F
4		GI-6	GI	34	5660	6570	17	6.32	1853-SD-CW-4201	5/F-23/F	下樓	600	712.5	17	1		A	第一批次交貨 5/F ~ 16/F
5		GI-6	GI	34	5660	6570	10	3.72	1853-SD-CW-4202	5/F-16/F	下樓	600	712.5	10	1		A	第一批次交貨
6		GI-6	GI	34	5660	6570	7	2.60	1853-SD-CW-4203	17/F-23/F	下樓	600	712.5	7	1		A	
7		GI-6	GI	34	5660	6570	19	7.07	1853-SD-CW-4204	5/F-26/F	下樓	600	712.5	19	1		C	第一批次交貨 5/F ~ 16/F
8		GI-6	GI	34	5660	6570	19	7.07	1853-SD-CW-4205	5/F-26/F	下樓	600	712.5	19	1		B	第一批次交貨 5/F ~ 16/F
9		GI-6	GI	34	5660	6570	2	0.74	1853-SD-CW-4206	26/F	下樓	600	712.5	1	2		A	
10		GI-9	GI	34	553.5	6570	7	2.55	1853-SD-CW-4202	17/F-23/F	下樓	587.5	712.5	7	1		A	
11		GI-9	GI	34	553.5	6570	10	3.64	1853-SD-CW-4202	5/F-16/F	下樓	587.5	712.5	10	1		A	第一批次交貨
12		GI-10	GI	34	6160	6570	2	0.81	1853-SD-CW-4206	26/F	下樓	650	712.5	1	2		A	
13		GI-16	GI	34	683.5	6570	19	8.53	1853-SD-CW-4204A	5/F-26/F	下樓	717.5	712.5	19	1		B	第一批次交貨 5/F ~ 16/F
14		GI-16	GI	34	683.5	6570	19	8.53	1853-SD-CW-4204A	5/F-26/F	下樓	717.5	712.5	19	1		C	第一批次交貨 5/F ~ 16/F
15		GI-18	GI	34	7160	6570	4	1.88	1853-SD-CW-4202	25/F-26/F	下樓	750	712.5	2	2		A	
16		GI-22	GI	34	693.5	6570	10	4.56	1853-SD-CW-4203	5/F-16/F	下樓	815	712.5	10	1		D	第一批次交貨
17		GI-22	GI	34	693.5	6570	7	3.19	1853-SD-CW-4203	17/F-23/F	下樓	815	712.5	7	1	轉角	A	
18		GI-30	GI	34	9160	6570	19	11.43	1853-SD-CW-4204A	5/F-26/F	下樓	950	712.5	19	1		B	第一批次交貨 5/F ~ 16/F
19		GI-30	GI	34	9160	6570	19	11.43	1853-SD-CW-4204A	5/F-26/F	下樓	950	712.5	19	1		C	第一批次交貨 5/F ~ 16/F
20		GI-30	GI	34	916	657	9	5.42	1853-SD-CW-4205	6/F-16/F	下樓	950	712.5	9	1		A	第一批次交貨
21		GI-50	GI	34	11660	6570	19	14.56	1853-SD-CW-4201	5/F-26/F	下樓	1200	712.5	19	1		A	第一批次交貨 5/F ~ 16/F
22		GI-201	GI	34	11660	21370	6	14.95	1853-SD-CW-4201	17/F-22-F	全樓	1200	2192.5	6	1		A	
23		GI-201A	GI	34	1166	2287	2	5.33	1853-SD-CW-4201	25/F-26/F	全樓	1200	2342.5	2	1		A	
24		GI-201B	GI	34	11660	23870	1	2.78	1853-SD-CW-4201	23/F	全樓	1200	2442.5	1	1		A	
25		GI-202	GI	34	6660	21370	6	8.54	1853-SD-CW-4201	17/F-22-F	全樓	700	2192.5	6	1		A	
26		GI-202	GI	34	6660	21370	8	11.39	1853-SD-CW-4201	6/F-15/F	全樓	700	2192.5	8	1		D	第一批次交貨
27		GI-202A	GI	34	6660	22870	1	1.52	1853-SD-CW-4201	16/F	全樓	700	2342.5	1	1		D	第一批次交貨
28		GI-202A	GI	34	666	2287	1	1.52	1853-SD-CW-4201	5/F	全樓	700	2342.5	1	1		A	第一批次交貨
29		GI-202D	GI	34	6660	21870	1	1.46	1853-SD-CW-4201	23/F	全樓	700	2242.5	1	1		A	
30		GI-203	GI	34	11660	21370	8	19.93	1853-SD-CW-4202	6/F-15/F	全樓	1200	2192.5	8	1		A	第一批次交貨
31		GI-203A	GI	34	11660	22870	1	2.67	1853-SD-CW-4202	16/F	全樓	1200	2342.5	1	1		A	第一批次交貨
32		GI-203A	GI	34	1166	2287	1	2.67	1853-SD-CW-4202	5/F	全樓	1200	2342.5	1	1		A	第一批次交貨
33		GI-204	GI	34	678.5	21370	8	11.60	1853-SD-CW-4202	6/F-15/F	全樓	712.5	2192.5	8	1		A	第一批次交貨
34		GI-204A	GI	34	678.5	22870	1	1.55	1853-SD-CW-4202	16/F	全樓	712.5	2342.5	1	1		A	第一批次交貨



美特鋁質有限公司
AIT Aluminum Fabricator Ltd.

工程號: J853
地點名稱: 九龍運洋道
項目類別: T2總匯元式綠樓


日期: 2022.3.10
日期: 2022.3.16

送呈: 謝永林
副本: A/C Code:

制單: 胡哥

計算參考數值所屬位置分格

序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量	總面積 平方米	使用位置	樓層	分屬類型	分格寬度	分格高度	樓層	每層數量	備註	單位	批次出貨
					寬度W (mm)	高度H (mm)												
35		G1-204A	G1	34	678.5	2287	1	1.55	J853-SD-CW-4202	5/F	全梗	712.5	2342.5	1	1		A	第一批次交貨
36		G1-205A	G1	34	1566.0	2287.0	2	7.16	J853-SD-CW-4202	25/F-26/F	全梗	1600	2342.5	2	1		A	
37		G1-206	G1	34	1278.5	2137.0	6	16.39	J853-SD-CW-4202	17/F-22/F	全梗	1312.5	2192.5	6	1		A	
38		G1-206B	G1	34	1278.5	2387.0	1	3.05	J853-SD-CW-4202	23/F	全梗	1312.5	2442.5	1	1		A	
39		G1-207	G1	34	1295.5	2137	8	22.15	J853-SD-CW-4203	6/F-15/F	全梗	1400	2192.5	8	1	轉角	D	第一批次交貨
40		G1-207A	G1	34	1295.5	2287.0	1	2.96	J853-SD-CW-4203	16/F	全梗	1400	2342.5	1	1	轉角	D	第一批次交貨
41		G1-207A	G1	34	1295.5	2287.0	1	2.96	J853-SD-CW-4203	5/F	全梗	1400	2342.5	1	1	轉角	A	第一批次交貨
42		G1-208	G1	34	1895.5	2137	6	24.30	J853-SD-CW-4203	17/F-22/F	全梗	2000	2192.5	6	1	轉角	A	
43		G1-208D	G1	34	1895.5	2187.0	1	4.15	J853-SD-CW-4203	23/F	全梗	2000	2242.5	1	1	轉角	A	
44		G1-209	G1	34	878.5	2137	6	11.26	J853-SD-CW-4204	17/F-22/F	全梗	912.5	2192.5	6	1		C	第一批次交貨
45		G1-209	G1	34	878.5	2137.0	8	15.02	J853-SD-CW-4204	6/F-15/F	全梗	912.5	2192.5	8	1		C	
46		G1-209A	G1	34	878.5	2287.0	2	4.02	J853-SD-CW-4204	25/F-26/F	全梗	912.5	2342.5	2	1		C	
47		G1-209A	G1	34	878.5	2287.0	1	2.01	J853-SD-CW-4204	16/F	全梗	912.5	2342.5	1	1		C	第一批次交貨
48		G1-209A	G1	34	878.5	2287.0	1	2.01	J853-SD-CW-4204	5/F	全梗	912.5	2342.5	1	1		C	第一批次交貨
49		G1-209B	G1	34	878.5	2387.0	1	2.10	J853-SD-CW-4204	23/F	全梗	912.5	2442.5	1	1		C	
50		G1-210	G1	34	828.5	2137.0	6	10.62	J853-SD-CW-4204	17/F-22/F	全梗	862.5	2192.5	6	1		C	
51		G1-210	G1	34	828.5	2137.0	8	14.16	J853-SD-CW-4204	6/F-15/F	全梗	862.5	2192.5	8	1		C	第一批次交貨
52		G1-210A	G1	34	828.5	2287	2	3.79	J853-SD-CW-4204	25/F-26/F	全梗	862.5	2342.5	2	1		C	
53		G1-210A	G1	34	828.5	2287.0	1	1.89	J853-SD-CW-4204	16/F	全梗	862.5	2342.5	1	1		C	第一批次交貨
54		G1-210A	G1	34	828.5	2287.0	1	1.89	J853-SD-CW-4204	5/F	全梗	862.5	2342.5	1	1		C	第一批次交貨
55		G1-210B	G1	34	828.5	2387.0	1	1.98	J853-SD-CW-4204	23/F	全梗	862.5	2442.5	1	1		C	
56		G1-211	G1	34	1218.5	2137.0	6	15.62	J853-SD-CW-4204A	17/F-22/F	全梗	1252.5	2192.5	6	1		B	第一批次交貨
57		G1-211	G1	34	1218.5	2137.0	8	20.83	J853-SD-CW-4204A	6/F-15/F	全梗	1252.5	2192.5	8	1		B	
58		G1-211A	G1	34	1218.5	2287.0	2	5.57	J853-SD-CW-4204A	25/F-26/F	全梗	1252.5	2342.5	2	1		B	第一批次交貨
59		G1-211A	G1	34	1218.5	2287.0	1	2.79	J853-SD-CW-4204A	16/F	全梗	1252.5	2342.5	1	1		B	第一批次交貨
60		G1-211A	G1	34	1218.5	2287.0	1	2.79	J853-SD-CW-4204A	5/F	全梗	1252.5	2342.5	1	1		B	第一批次交貨
61		G1-211B	G1	34	1218.5	2387.0	1	2.91	J853-SD-CW-4204A	23/F	全梗	1252.5	2442.5	1	1		B	第一批次交貨
62		G1-212	G1	34	1218.5	2137.0	6	15.62	J853-SD-CW-4204A	17/F-22/F	全梗	1252.5	2192.5	6	1		C	
63		G1-212	G1	34	1218.5	2137.0	8	20.83	J853-SD-CW-4204A	6/F-15/F	全梗	1252.5	2192.5	8	1		C	第一批次交貨
64		G1-212A	G1	34	1218.5	2287.0	2	5.57	J853-SD-CW-4204A	25/F-26/F	全梗	1252.5	2342.5	2	1		C	
65		G1-212A	G1	34	1218.5	2287.0	1	2.79	J853-SD-CW-4204A	16/F	全梗	1252.5	2342.5	1	1		C	第一批次交貨
66		G1-212A	G1	34	1218.5	2287.0	1	2.79	J853-SD-CW-4204A	5/F	全梗	1252.5	2342.5	1	1		C	第一批次交貨
67		G1-212B	G1	34	1218.5	2387.0	1	2.91	J853-SD-CW-4204A	23/F	全梗	1252.5	2442.5	1	1		C	
68		G1-213	G1	34	978.5	2137.0	6	12.55	J853-SD-CW-4205	17/F-22/F	全梗	1012.5	2192.5	6	1		B	



美特鋁質有限公司
MTD Aluminium Fabricator Ltd.

工程號: J853
地點名稱: 九龍延壽道
核算: 接封:
批准:


日期: 2022.3.10
日期: 2022.3.16
送呈: 初將

項目類別: 12座單元式玻璃
總計玻璃數量(塊): 1409
總計玻璃面積(平方米): 1166.35
此份數據作為參考用途

廠用玻璃B.M-表
項目名稱: 謝永林
日期: 2022.3.16
副本:
A/C Code:

計算參考數值/所屬位置分格

序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量	總面積 平方米	使用位置	樓層	分屬類型	分格寬度	分格高度	樓層	每層數量	備註	單位	批次出貨
					寬度W (mm)	高度H (mm)												
69		G1-213	G1	34	978.5	2137.0	8	16.73	J853-SD-CW-4205	6/F-15/F	全樑	1012.5	2192.5	8	1		B	第一批次交貨
70		G1-213A	G1	34	978.5	2287.0	2	4.48	J853-SD-CW-4205	25/F-26/F	全樑	1012.5	2342.5	2	1		B	
71		G1-213A	G1	34	978.5	2287.0	1	2.24	J853-SD-CW-4205	16/F	全樑	1012.5	2342.5	1	1		B	第一批次交貨
72		G1-213A	G1	34	978.5	2287.0	1	2.24	J853-SD-CW-4205	5/F	全樑	1012.5	2342.5	1	1		B	第一批次交貨
73		G1-213B	G1	34	978.5	2387.0	1	2.34	J853-SD-CW-4205	23/F	全樑	1012.5	2442.5	1	1		B	
74		G1-214	G1	34	878.5	2137.0	6	11.26	J853-SD-CW-4205	17/F-22/F	全樑	912.5	2192.5	6	1		B	
75		G1-214	G1	34	878.5	2137.0	8	15.02	J853-SD-CW-4205	6/F-15/F	全樑	912.5	2192.5	8	1		B	第一批次交貨
76		G1-214A	G1	34	878.5	2287.0	2	4.02	J853-SD-CW-4205	25/F-26/F	全樑	912.5	2342.5	2	1		B	
77		G1-214A	G1	34	878.5	2287.0	1	2.01	J853-SD-CW-4205	16/F	全樑	912.5	2342.5	1	1		B	第一批次交貨
78		G1-214A	G1	34	878.5	2287.0	1	2.01	J853-SD-CW-4205	5/F	全樑	912.5	2342.5	1	1		B	第一批次交貨
79		G1-214B	G1	34	878.5	2387.0	1	2.10	J853-SD-CW-4205	23/F	全樑	912.5	2442.5	1	1		B	
80		G1-215A	G1	34	1571.0	2287.0	1	3.59	J853-SD-CW-4206	26/F	全樑	1605	2342.5	1	1		A	
81		G1-216A	G1	34	903.5	2287.0	1	2.07	J853-SD-CW-4206	26/F	全樑	937.5	2342.5	1	1		A	
82		G1-217A	G1	34	1928.5	2287.0	1	4.41	J853-SD-CW-4206	26/F	全樑	1962.5	2342.5	1	1		A	
83						合計:	454	547.26										
84		G2-1	G2	32	338.0	1426.5	8	3.86	J853-SD-CW-4205	6/F-15/F	TH	400	1480	8	1		D	第一批次交貨
85		G2-1A	G2	32	338.0	1576.5	1	0.53	J853-SD-CW-4205	16/F	TH	400	1630	1	1		D	第一批次交貨
86		G2-5	G2	32	438.0	1426.5	6	3.75	J853-SD-CW-4204	17/F-22/F	SH	500	1480	6	1		C	
87		G2-5	G2	32	438	1426.5	8	5.00	J853-SD-CW-4204	6/F-15/F	SH	500	1480	8	1		C	第一批次交貨
88		G2-5	G2	32	438.0	1426.5	6	3.75	J853-SD-CW-4205	17/F-22/F	SH	500	1480	6	1		B	
89		G2-5	G2	32	438.0	1426.5	8	5.00	J853-SD-CW-4205	6/F-15/F	SH	500	1480	8	1		B	第一批次交貨
90		G2-5A	G2	32	438.0	1576.5	2	1.38	J853-SD-CW-4204	25/F-26/F	SH	500	1630	2	1		C	
91		G2-5A	G2	32	438.0	1576.5	1	0.69	J853-SD-CW-4204	16/F	SH	500	1630	1	1		C	第一批次交貨
92		G2-5A	G2	32	438.0	1576.5	1	0.69	J853-SD-CW-4204	5/F	SH	500	1630	1	1		C	第一批次交貨
93		G2-5A	G2	32	438.0	1576.5	2	1.38	J853-SD-CW-4205	25/F-26/F	SH	500	1630	2	1		B	
94		G2-5A	G2	32	438.0	1576.5	1	0.69	J853-SD-CW-4205	16/F	SH	500	1630	1	1		B	第一批次交貨
95		G2-5A	G2	32	438.0	1576.5	1	0.69	J853-SD-CW-4205	5/F	SH	500	1630	1	1		B	第一批次交貨
96		G2-5B	G2	32	438.0	1676.5	1	0.73	J853-SD-CW-4204	23/F	SH	500	1730	1	1		C	
97		G2-5B	G2	32	438.0	1676.5	1	0.73	J853-SD-CW-4205	23/F	SH	500	1730	1	1		B	
98		G2-6	G2	32	538.0	1426.5	6	4.60	J853-SD-CW-4201	17/F-22/F	SH	600	1480	6	1		A	
99		G2-6	G2	32	538.0	1426.5	8	6.14	J853-SD-CW-4201	6/F-15/F	SH	600	1480	8	1		D	第一批次交貨
100		G2-6	G2	32	538.0	1426.5	8	6.14	J853-SD-CW-4202	6/F-15/F	TH	600	1480	8	1		A	第一批次交貨
101		G2-6	G2	32	538.0	1426.5	6	4.60	J853-SD-CW-4203	17/F-22/F	SH	600	1480	6	1		A	
102		G2-6	G2	32	538.0	1426.5	6	4.60	J853-SD-CW-4204	17/F-22/F	SH	600	1480	6	1		C	



美特鋁質有限公司
JBD Aluminium Fabricator Ltd.


工程號: J853
地點名稱: 九龍冠拜道
項目類別: 17座單元式幕牆

日期: 2022.3.10
日期: 2022.3.16

送呈: 胡珩
副本: A/C Code:
此份數據作為參考用途

計算參考數值所屬位置分格

序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量	總面積 平方米	使用位置	樓層	分類類型	分格寬度	分格高度	樓層	每層數量	備註	單位	批次出貨
					寬度W (mm)	高度H (mm)												
103		G2-6	G2	32	538.0	1426.5	8	6.14	J853-SD-CW-4204	6/F-15/F	SH	600	1480	8	1		C	第一批次交貨
104		G2-6	G2	32	538.0	1426.5	6	4.60	J853-SD-CW-4205	17/F-22/F	SH	600	1480	6	1		B	第一批次交貨
105		G2-6	G2	32	538.0	1426.5	8	6.14	J853-SD-CW-4205	6/F-15/F	SH	600	1480	8	1		B	第一批次交貨
106		G2-6A	G2	32	538.0	1576.5	1	0.85	J853-SD-CW-4201	16/F	SH	600	1630	1	1		D	第一批次交貨
107		G2-6A	G2	32	538	1576.5	1	0.85	J853-SD-CW-4201	5/F	SH	600	1630	1	1		A	第一批次交貨
108		G2-6A	G2	32	538.0	1576.5	1	0.85	J853-SD-CW-4202	16/F	TH	600	1630	1	1		A	第一批次交貨
109		G2-6A	G2	32	538.0	1576.5	1	0.85	J853-SD-CW-4202	5/F	TH	600	1630	1	1		A	第一批次交貨
110		G2-6A	G2	32	538.0	1576.5	2	1.70	J853-SD-CW-4204	25/F-26/F	SH	600	1630	2	1		C	第一批次交貨
111		G2-6A	G2	32	538.0	1576.5	1	0.85	J853-SD-CW-4204	16/F	SH	600	1630	1	1		C	第一批次交貨
112		G2-6A	G2	32	538.0	1576.5	1	0.85	J853-SD-CW-4204	5/F	SH	600	1630	1	1		C	第一批次交貨
113		G2-6A	G2	32	538.0	1576.5	2	1.70	J853-SD-CW-4205	25/F-26/F	SH	600	1630	2	1		B	第一批次交貨
114		G2-6A	G2	32	538.0	1576.5	1	0.85	J853-SD-CW-4205	16/F	SH	600	1630	1	1		B	第一批次交貨
115		G2-6A	G2	32	538.0	1576.5	1	0.85	J853-SD-CW-4205	5/F	SH	600	1630	1	1		B	第一批次交貨
116		G2-6A	G2	32	538.0	1576.5	2	1.70	J853-SD-CW-4206	26/F	SH	600	1630	1	2		A	第一批次交貨
117		G2-6B	G2	32	538.0	1676.5	1	0.90	J853-SD-CW-4204	23/F	SH	600	1730	1	1		C	第一批次交貨
118		G2-6B	G2	32	538.0	1676.5	1	0.90	J853-SD-CW-4205	23/F	SH	600	1730	1	1		B	第一批次交貨
119		G2-6D	G2	32	538.0	1476.5	1	0.79	J853-SD-CW-4201	23/F	SH	600	1530	1	1		A	第一批次交貨
120		G2-6D	G2	32	538.0	1476.5	1	0.79	J853-SD-CW-4203	23/F	SH	600	1530	1	1		A	第一批次交貨
121		G2-9	G2	32	525.5	1426.5	6	4.50	J853-SD-CW-4202	17/F-22/F	SH	587.5	1480	6	1		A	第一批次交貨
122		G2-9	G2	32	525.5	1426.5	8	6.00	J853-SD-CW-4202	6/F-15/F	TH	587.5	1480	8	1		A	第一批次交貨
123		G2-9A	G2	32	525.5	1576.5	1	0.83	J853-SD-CW-4202	16/F	TH	587.5	1630	1	1		A	第一批次交貨
124		G2-9A	G2	32	525.5	1576.5	1	0.83	J853-SD-CW-4202	5/F	TH	587.5	1630	1	1		A	第一批次交貨
125		G2-9B	G2	32	525.5	1676.5	1	0.88	J853-SD-CW-4202	23/F	SH	587.5	1730	1	1		A	第一批次交貨
126		G2-10A	G2	32	588.0	1576.5	2	1.85	J853-SD-CW-4206	26/F	SH	650	1630	1	2		A	第一批次交貨
127		G2-16	G2	32	655.5	1426.5	6	5.61	J853-SD-CW-4204A	17/F-22/F	TH	717.5	1480	6	1		B	第一批次交貨
128		G2-16	G2	32	655.5	1426.5	8	7.48	J853-SD-CW-4204A	6/F-15/F	TH	717.5	1480	8	1		B	第一批次交貨
129		G2-16	G2	32	655.5	1426.5	6	5.61	J853-SD-CW-4204A	17/F-22/F	TH	717.5	1480	6	1		C	第一批次交貨
130		G2-16	G2	32	655.5	1426.5	8	7.48	J853-SD-CW-4204A	6/F-15/F	TH	717.5	1480	8	1		C	第一批次交貨
131		G2-16A	G2	32	655.5	1576.5	2	2.07	J853-SD-CW-4204A	25/F-26/F	TH	717.5	1630	2	1		B	第一批次交貨
132		G2-16A	G2	32	655.5	1576.5	1	1.03	J853-SD-CW-4204A	16/F	TH	717.5	1630	1	1		B	第一批次交貨
133		G2-16A	G2	32	655.5	1576.5	1	1.03	J853-SD-CW-4204A	5/F	TH	717.5	1630	1	1		B	第一批次交貨
134		G2-16A	G2	32	655.5	1576.5	2	2.07	J853-SD-CW-4204A	25/F-26/F	TH	717.5	1630	2	1		C	第一批次交貨
135		G2-16A	G2	32	655.5	1576.5	1	1.03	J853-SD-CW-4204A	16/F	TH	717.5	1630	1	1		C	第一批次交貨
136		G2-16A	G2	32	655.5	1576.5	1	1.03	J853-SD-CW-4204A	5/F	TH	717.5	1630	1	1		C	第一批次交貨



美特鋁質有限公司
A-Metal Aluminum Fabricator Ltd.

工程號: J853
地點名稱: 九龍延平道
計算: 謝永林
校對: 謝永林

日期: 2022.3.10
日期: 2022.3.16


送呈: 副本
A/C Code:

初哥

計算參考數值/所屬位置分格

廠用玻璃B.M.表	項目類別: 12連環式玻璃	總計玻璃數量(塊): 1409	總計玻璃面積(平方米): 1166.35	此份數據作為參考用途
修改版次:				

序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量	總面積 平方米	使用位置	樓層	分類類 型	分格寬度	分格高度	樓層	每層數量	備註	單位	批次出貨
					寬度W (mm)	高度H (mm)												
137		G2-16B	G2	32	655.5	1676.5	1	1.10	J853-SD-CW-4204A	23/F	TH	717.5	1730	1	1		B	
138		G2-16B	G2	32	655.5	1676.5	1	1.10	J853-SD-CW-4204A	23/F	TH	717.5	1730	1	1		C	
139		G2-18A	G2	32	688.0	1576.5	4	4.34	J853-SD-CW-4202	25/F-26/F	TH	750	1630	2	2		A	
140		G2b-22	G2	32	679	1426.5	8	7.75	J853-SD-CW-4203	6/F-15/F	TH	815	1480	8	1	轉角	D	第一批次交貨
141		G2b-22	G2	32	679.0	1426.5	6	5.81	J853-SD-CW-4203	17/F-22/F	TH	815	1480	6	1	轉角	A	
142		G2b-22A	G2	32	679.0	1576.5	1	1.07	J853-SD-CW-4203	16/F	TH	815	1630	1	1	轉角	D	第一批次交貨
143		G2b-22A	G2	32	679.0	1576.5	1	1.07	J853-SD-CW-4203	5/F	TH	815	1630	1	1	轉角	A	第一批次交貨
144		G2b-22D	G2	32	679.0	1476.5	1	1.00	J853-SD-CW-4203	23/F	TH	815	1530	1	1	轉角	A	
145		G2-30	G2	32	888.0	1426.5	6	7.60	J853-SD-CW-4204A	17/F-22/F	TH	950	1480	6	1		B	
146		G2-30	G2	32	888.0	1426.5	8	10.13	J853-SD-CW-4204A	6/F-15/F	TH	950	1480	8	1		B	第一批次交貨
147		G2-30	G2	32	888.0	1426.5	6	7.60	J853-SD-CW-4204A	17/F-22/F	TH	950	1480	6	1		C	
148		G2-30	G2	32	888.0	1426.5	8	10.13	J853-SD-CW-4204A	6/F-15/F	TH	950	1480	8	1		C	第一批次交貨
149		G2-30	G2	32	888.0	1426.5	8	10.13	J853-SD-CW-4205	6/F-15/F	TH	950	1480	8	1		A	第一批次交貨
150		G2-30A	G2	32	888.0	1576.5	2	2.80	J853-SD-CW-4204A	25/F-26/F	TH	950	1630	2	1		B	
151		G2-30A	G2	32	888.0	1576.5	1	1.40	J853-SD-CW-4204A	16/F	TH	950	1630	1	1		B	第一批次交貨
152		G2-30A	G2	32	888.0	1576.5	1	1.40	J853-SD-CW-4204A	5/F	TH	950	1630	1	1		B	第一批次交貨
153		G2-30A	G2	32	888.0	1576.5	2	2.80	J853-SD-CW-4204A	25/F-26/F	TH	950	1630	2	1		C	
154		G2-30A	G2	32	888.0	1576.5	1	1.40	J853-SD-CW-4204A	16/F	TH	950	1630	1	1		C	第一批次交貨
155		G2-30A	G2	32	888.0	1576.5	1	1.40	J853-SD-CW-4204A	5/F	TH	950	1630	1	1		C	第一批次交貨
156		G2-30A	G2	32	888.0	1576.5	1	1.40	J853-SD-CW-4205	16/F	TH	950	1630	1	1		A	第一批次交貨
157		G2-30B	G2	32	888.0	1676.5	1	1.49	J853-SD-CW-4204A	23/F	TH	950	1730	1	1		B	
158		G2-30B	G2	32	888.0	1676.5	1	1.49	J853-SD-CW-4204A	23/F	TH	950	1730	1	1		C	
159		G2-50	G2	32	1138.0	1426.5	6	9.74	J853-SD-CW-4201	17/F-22/F	TH	1200	1480	6	1		A	
160		G2-50	G2	32	1138.0	1426.5	8	12.99	J853-SD-CW-4201	6/F-15/F	TH	1200	1480	8	1		A	第一批次交貨
161		G2-50A	G2	32	1138.0	1576.5	2	3.59	J853-SD-CW-4201	25/F-26/F	TH	1200	1630	2	1		A	
162		G2-50A	G2	32	1138.0	1576.5	1	1.79	J853-SD-CW-4201	16/F	TH	1200	1630	1	1		A	第一批次交貨
163		G2-50A	G2	32	1138.0	1576.5	1	1.79	J853-SD-CW-4201	5/F	TH	1200	1630	1	1		A	第一批次交貨
164		G2-50B	G2	32	1138.0	1676.5	1	1.91	J853-SD-CW-4201	23/F	TH	1200	1730	1	1		A	
165						合計:	265	252.69										
166		G4-1	G4	12	366.0	903.0	9	2.97	J853-SD-CW-4205	5/F-15/F	上樓	400	957.5	9	1	6/F底部	D	第一批次交貨
167		G4-5	G4	12	466.0	903.0	18	7.57	J853-SD-CW-4204	5/F-25/F	上樓	500	957.5	18	1		C	第一批次交貨 5/F ~ 16/F
168		G4-5	G4	12	466.0	903.0	18	7.57	J853-SD-CW-4205	5/F-25/F	上樓	500	957.5	18	1		B	第一批次交貨 5/F ~ 16/F
169		G4-6	G4	12	566.0	903.0	16	8.18	J853-SD-CW-4201	5/F-22/F	上樓	600	957.5	16	1		A	第一批次交貨 5/F ~ 16/F
170		G4-6	G4	12	566.0	903.0	10	5.11	J853-SD-CW-4202	5/F-16/F	上樓	600	957.5	10	1		A	第一批次交貨



美特鋁質有限公司
Meitong Aluminum Fabricator Ltd.

工程號: J853
地點名稱: 九龍冠洋道

日期: 2022.3.10
日期: 2022.3.16

送呈: 謝永林
副本: A/C Code:

初哥

計算參考數值所屬位置分格

序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)	玻璃尺寸		數量	總面積 平方米	使用位置	樓層	分屬類型	分格寬度	分格高度	樓層	每層數量	備註	單位	批次出貨
					寬度W (mm)	高度H (mm)												
171		G4-6	G4	12	566.0	903.0	6	3.07	J853-SD-CW-4203	17/F-22/F	上樓	600	957.5	6	1		A	
172		G4-6	G4	12	566	903	18	9.20	J853-SD-CW-4204	5/F-25/F	上樓	600	957.5	18	1		C	第二批交貨 5/F ~ 16/F
173		G4-6	G4	12	566.0	903.0	18	9.20	J853-SD-CW-4205	5/F-25/F	上樓	600	957.5	18	1		B	第三批交貨 5/F ~ 16/F
174		G4-6	G4	12	566.0	903.0	2	1.02	J853-SD-CW-4206	25/F	上樓	600	957.5	1	2	26/F底部	A	
175		G4-9	G4	12	553.5	903.0	7	3.50	J853-SD-CW-4202	17/F-23/F	上樓	587.5	957.5	7	1		A	
176		G4-9	G4	12	553.5	903.0	10	5.00	J853-SD-CW-4202	5/F-16/F	上樓	587.5	957.5	10	1		A	第一批交貨
177		G4-16	G4	12	683.5	903.0	18	11.11	J853-SD-CW-4204A	5/F-25/F	上樓	717.5	957.5	18	1		B	第一批交貨 5/F ~ 16/F
178		G4-16	G4	12	683.5	903.0	18	11.11	J853-SD-CW-4204A	5/F-25/F	上樓	717.5	957.5	18	1		C	第一批交貨 5/F ~ 16/F
179		G4-18	G4	12	716.0	903.0	2	1.29	J853-SD-CW-4202	25/F	上樓	750	957.5	1	2		A	
180		G4-22	G4	12	693.5	903.0	10	6.26	J853-SD-CW-4203	5/F-16/F	上樓	815	957.5	10	1	轉角	D	第一批交貨
181		G4-22	G4	12	693.5	903.0	6	3.76	J853-SD-CW-4203	17/F-22/F	上樓	815	957.5	6	1	轉角	A	
182		G4-30	G4	12	916.0	903.0	18	14.89	J853-SD-CW-4204A	5/F-25/F	上樓	950	957.5	18	1		B	
183		G4-30	G4	12	916.0	903.0	18	14.89	J853-SD-CW-4204A	5/F-25/F	上樓	950	957.5	18	1		C	第一批交貨 5/F ~ 16/F
184		G4-30	G4	12	916.0	903.0	9	7.44	J853-SD-CW-4205	5/F-15/F	上樓	950	957.5	9	1	6/F底部	A	第一批交貨
185		G4-201	G4	12	1166.0	903.0	18	18.95	J853-SD-CW-4201	5/F-25/F	上樓	1200	957.5	18	1		A	第一批交貨 5/F ~ 16/F
186		G4-201	G4	12	1166.0	903.0	8	8.42	J853-SD-CW-4201	17/F-25/F	上樓	1200	957.5	8	1		A	
187		G4-202	G4	12	666.0	903.0	16	9.62	J853-SD-CW-4201	5/F-22-F	上樓	700	957.5	16	1		A	第一批交貨 5/F ~ 16/F
190		G4-203	G4	12	1166.0	903.0	9	9.48	J853-SD-CW-4202	5/F-15/F	上樓	1200	957.5	9	1		A	第一批交貨
191		G4-204	G4	12	678.5	903.0	10	6.13	J853-SD-CW-4202	5/F-16/F	上樓	712.5	957.5	10	1		A	第一批交貨
192		G4-205	G4	12	1566.0	903.0	1	1.41	J853-SD-CW-4202	25/F	上樓	1600	957.5	1	1		A	
193		G4-206	G4	12	1278.5	903	7	8.08	J853-SD-CW-4202	17/F-23/F	上樓	1312.5	957.5	7	1		A	
194		G4-207	G4	12	1295.5	903.0	10	11.70	J853-SD-CW-4203	5/F-16/F	上樓	1400	957.5	10	1	轉角	D	
196		G4-208	G4	12	1895.5	903.0	6	10.27	J853-SD-CW-4203	17/F-22/F	上樓	2000	957.5	6	1	轉角	A	
197		G4-209	G4	12	878.5	903.0	18	14.28	J853-SD-CW-4204	5/F-25/F	上樓	912.5	957.5	18	1		C	第一批交貨 5/F ~ 16/F
198		G4-210	G4	12	828.5	903.0	18	13.47	J853-SD-CW-4204	5/F-25/F	上樓	862.5	957.5	18	1		C	第一批交貨 5/F ~ 16/F
199		G4-211	G4	12	1218.5	903.0	18	19.81	J853-SD-CW-4204A	5/F-25/F	上樓	1252.5	957.5	18	1		B	第一批交貨 5/F ~ 16/F
200		G4-212	G4	12	1218.5	903.0	18	19.81	J853-SD-CW-4204A	5/F-25/F	上樓	1252.5	957.5	18	1		C	第一批交貨 5/F ~ 16/F
201		G4-213	G4	12	978.5	903.0	18	15.90	J853-SD-CW-4205	5/F-25/F	上樓	1012.5	957.5	18	1		B	第一批交貨 5/F ~ 16/F
202		G4-214	G4	12	878.5	903.0	18	14.28	J853-SD-CW-4205	5/F-25/F	上樓	912.5	957.5	18	1		B	第一批交貨 5/F ~ 16/F
203		G4-215	G4	12	1571.0	903.0	1	1.42	J853-SD-CW-4206	25/F	上樓	1605	957.5	1	1	26/F底部	A	
204							425	316.17										
205		G5-1	G5	12	330.0	297.5	9	0.88	J853-SD-CW-4205	6/F-16/F	擱河	400	297.5	9	1		D	第一批交貨
206		G5-5	G5	12	430.0	297.5	19	2.43	J853-SD-CW-4204	5/F-26/F	擱河	500	297.5	19	1		C	第一批交貨 5/F ~ 16/F
207		G5-5	G5	12	430.0	297.5	19	2.43	J853-SD-CW-4205	5/F-26/F	擱河	500	297.5	19	1		B	第一批交貨 5/F ~ 16/F



美特鋁質有限公司
MTD Aluminium Fabricator Ltd.

工程號: J853
地點名稱: 九龍延平道
項目類別: 172單元式幕牆

日期: 2022.3.10
日期: 2022.3.16

陳啟聰
謝永林

日期: 2022.3.10
日期: 2022.3.16

送呈: 副本
A/C Code:

日期: 2022.3.10
日期: 2022.3.16

日期: 2022.3.10
日期: 2022.3.16

日期: 2022.3.10
日期: 2022.3.16

日期: 2022.3.10
日期: 2022.3.16

計算參考數值所屬位置分格

廠用玻璃B.M.表	項目類別:	172單元式幕牆	批准:	總計玻璃面積(平方米):	1166.35	此份數據作為參考用途
修改版次:	總計玻璃數量(塊):	1409				

序號	修改內容	玻璃圖號	顏色與類型	厚度 (mm)		數量	總面積 平方米	使用位置	層層	分屬類 型	分格寬度	分格高度	層層	每層數量	備註	單位	批次出貨
				寬度W (mm)	高度H (mm)												
208		G5-6	G5	12	530.0	297.5	17	2.68	J853-SD-CW-4201	5/F-23/F	擱河	600	297.5	17	1	A	第一批交貨 5/F ~ 16/F
209		G5-6	G5	12	530.0	297.5	10	1.58	J853-SD-CW-4202	5/F-16/F	擱河	600	297.5	10	1	A	第一批交貨
210		G5-6	G5	12	530.0	297.5	7	1.10	J853-SD-CW-4203	17/F-23/F	擱河	600	297.5	7	1	A	
211		G5-6	G5	12	530.0	297.5	19	3.00	J853-SD-CW-4204	5/F-26/F	擱河	600	297.5	19	1	C	第一批交貨 5/F ~ 16/F
212		G5-6	G5	12	530.0	297.5	19	3.00	J853-SD-CW-4205	5/F-26/F	擱河	600	297.5	19	1	B	第一批交貨 5/F ~ 16/F
213		G5-6	G5	12	530.0	297.5	2	0.32	J853-SD-CW-4206	26/F	擱河	600	297.5	1	2	A	
214		G5-9	G5	12	517.5	297.5	7	1.08	J853-SD-CW-4202	17/F-23/F	擱河	587.5	297.5	7	1	A	
215		G5-9	G5	12	517.5	297.5	10	1.54	J853-SD-CW-4202	5/F-16/F	擱河	587.5	297.5	10	1	A	第一批交貨
216		G5-10	G5	12	580.0	297.5	2	0.35	J853-SD-CW-4206	26/F	擱河	650	297.5	1	2	A	
217		G5-16	G5	12	647.5	297.5	19	3.66	J853-SD-CW-4204A	5/F-26/F	擱河	717.5	297.5	19	1	B	第一批交貨 5/F ~ 16/F
218		G5-16	G5	12	647.5	297.5	19	3.66	J853-SD-CW-4204A	5/F-26/F	擱河	717.5	297.5	19	1	C	第一批交貨 5/F ~ 16/F
219		G5-18	G5	12	680.0	297.5	4	0.81	J853-SD-CW-4202	25/F-26/F	擱河	750	297.5	2	2	A	
220		G5-22	G5	12	598.0	297.5	10	1.78	J853-SD-CW-4203	5/F-16/F	擱河	815	297.5	10	1	D	第一批交貨
221		G5-22	G5	12	598.0	297.5	7	1.25	J853-SD-CW-4203	17/F-23/F	擱河	815	297.5	7	1	A	轉角
222		G5-30	G5	12	880.0	297.5	19	4.97	J853-SD-CW-4204A	5/F-26/F	擱河	950	297.5	19	1	B	第一批交貨 5/F ~ 16/F
223		G5-30	G5	12	880.0	297.5	19	4.97	J853-SD-CW-4204A	5/F-26/F	擱河	950	297.5	19	1	C	第一批交貨 5/F ~ 16/F
224		G5-30	G5	12	880.0	297.5	9	2.36	J853-SD-CW-4205	6/F-16/F	擱河	950	297.5	9	1	A	第一批交貨
225		G5-50	G5	12	1130.0	297.5	19	6.39	J853-SD-CW-4201	5/F-26/F	擱河	1200	297.5	19	1	A	第一批交貨 5/F ~ 16/F
226							合計:	265	50.22								

(1) 本表中玻璃採用廣東海控特種玻璃技術有限公司，樣板代號亦為三種產品代號。

(2) 本表中所有玻璃對角線尺寸偏差要求不超過負2mm。

(3) 本表中玻璃要求粗磨邊處理並倒控角，擱河玻璃頂底葉精磨邊，而所有玻璃之入牆方向需保持一致。

(4) 本表中所有玻璃成品均需做雙面保護，用透明膠紙膠紙膠紙四周一半米白膠紙做雙面封固保護處理。

(5) 本表中所有玻璃成品均需註明室內外及其玻璃編號/使用位置/樓層，以便識別。


(G1) 10mm (Heat Strengthened)+12mm Air +12mm (Tempered) IGU(10mm FDNB0-54T#2 + 12A + 12mm Clear) Sample No.: D21031911



(G2) 10mm (Heat Strengthened)+12mm Air +10mm (Tempered) IGU (10mm FDNB0-54T#2 + 12A + 10mm Clear) Sample No.: D21031909

(G3) 12mm Clear (Heat Strengthened) with CSTL54(10mm Clear #3 SSC-50T) Sample No.: D21032005

(G5) 12mm Clear Tempered Glass(12mm Clear) Sample No.: D21032007


加工注意事項/玻璃類 型描述:

 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.				類別	物料號			
修改				制圖	陳敏聰	2022.3.10	圖號	G1
日期				復核	謝永林	2022.3.16	數量	見BOM表
				批准			位置	見BOM表




工程號	J-853	地盤	九龍延坪道	附件
名稱	玻璃加工圖 (大梗窗玻璃+小梗窗玻璃)		採用	
材料			地盤	
顏色	10mm FDNB0-54T#2+12A+12mm Clear	工廠	√	


 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.				類別	物料號		
修改				制圖	陳敏聰	2022.3.10	圖號 G2
日期				復核	謝永林	2022.3.16	數量 見BOM表
				批准			位置 見BOM表



工程號	J-853	地盤	九龍延坪道	附件
名稱	玻璃加工圖 (生窗玻璃)	採用		
材料		地盤		
顏色	10mm FDNB0-54T#2+12A+10mm Clear	工廠	√	


 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.				類別	物料號			
修改				制圖	陳敏聰	2022.3.10	圖號	G2b-22
日期				復核	謝永林	2022.3.16	數量	-
				批准			位置	-

玻璃圖號	顏色類型	厚度 (mm)	玻璃尺寸		數量 (塊)	總面積 (平方米)	使用位置	樓層	分層類型	分格寬度	分格高度	樓層	每層數量	備註
			寬度W (mm)	高度H (mm)										
G2b-22	G2	32	679	1426.5	8	7.75	J853-SD-CW-4203	6/F-15/F	TH	815	1480	8	1	轉角
G2b-22	G2	32	679.0	1426.5	6	5.81	J853-SD-CW-4203	17/F-22/F	TH	815	1480	6	1	轉角
G2b-22A	G2	32	679.0	1576.5	1	1.07	J853-SD-CW-4203	16/F	TH	815	1630	1	1	轉角
G2b-22A	G2	32	679.0	1576.5	1	1.07	J853-SD-CW-4203	5/F	TH	815	1630	1	1	轉角
G2b-22D	G2	32	679.0	1476.5	1	1.00	J853-SD-CW-4203	23F	TH	815	1530	1	1	轉角





工程號	J-853	地盤	九龍延坪道	附 件
名稱	玻璃加工圖 (生窗轉角玻璃)		採用	
材料			地盤	
顏色	10mm FDNB0-54T#2+12A+10mm Clear	工廠	√	

 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.				類別	物料號			
修改				制圖	陳敏聰	2022.3.10	圖號	G4
日期				復核	謝永林	2022.3.16	數量	見BOM表
				批准			位置	見BOM表



工程號	J-853	地盤	九龍延坪道	附件
名稱	玻璃加工圖 (背板位玻璃)		採用	
材料		地盤		
顏色	12mm Clear #2 SSC-50T	工廠	√	

 美特鋁質有限公司 MIDI Aluminium Fabricator Ltd.				類別	物料號			
				制圖	陳敏聰	2022.3.10	圖號	G5
修改				復核	謝永林	2022.3.16	數量	見BOM表
日期				批准			位置	見BOM表



工程號	J-853	地盤	九龍延坪道		附 件	
名稱	玻璃加工圖 (攔河玻璃)		採用			
材料			地盤			
顏色	12mm Clear		工廠	√		

請用A3紙打印

CLIENT:
SHIMAO GROUP HOLDINGS LIMITED

ARCHITECT:
YIP YIP YIP ARCHITECTS LIMITED

MAIN CONTRACTOR:
YIP HING CONSTRUCTION CO. LTD.

STRUCTURAL ENGINEER:
CAMWONG & ASSOCIATES LTD.

MECHANICAL ENGINEER:
YIP HING CONSTRUCTION CO. LTD.

PROJECT:
PROPOSED RESIDENTIAL DEVELOPMENT AT NAKILL 6542 YIM PING ROAD KOWLOON


TITLE:
PART ELEVATION FOR CURTAIN WALL AT TOWER 2

DWG NO.: 28-MAR-21
SCALE: 1:100 (A1)
DRAWN BY: LHR
CHECKED BY: [Signature]
DATE: 28-MAR-21
PROJECT NO.: 2803-SO-04-4202
REV.: A

12 FLOOR LEVEL (S/L)

FLOOR	LEVEL
12/F	+210.00
11/F	+200.70
10/F	+191.40
9/F	+182.10
8/F	+172.80
7/F	+163.50
6/F	+154.20
5/F	+144.90

LEGEND:
 ① 10mm HEAT STRENGTHENED GLASS (OUTER)
 ② 10mm HEAT STRENGTHENED GLASS (INNER)
 ③ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm AIR SPACE + 12mm HEAT STRENGTHENED GLASS (INNER)
 ④ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm AIR SPACE + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑤ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER)
 ⑥ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑦ 3mm THK ALUM. CLASPIC
 ⑧ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER)
 ⑨ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑩ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑪ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑫ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑬ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑭ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑮ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑯ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑰ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑱ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑲ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ⑳ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉑ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉒ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉓ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉔ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉕ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉖ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉗ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉘ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉙ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉚ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉛ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉜ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉝ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉞ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㉟ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊱ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊲ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊳ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊴ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊵ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊶ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊷ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊸ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊹ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊺ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊻ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊼ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊽ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊾ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)
 ㊿ 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE GLASS)



SCALE: 1:100 (A1)
 DRAWN BY: LHR
 CHECKED BY: [Signature]
 DATE: 28-MAR-21
 PROJECT NO.: 2803-SO-04-4202
 REV.: A

請用A3紙打印

CLIENT : SHIMAO GROUP HOLDINGS LIMITED

CONTRACTOR : HPHING CONSTRUCTION CO LTD

STRUCTURAL ENGINEER : CAWONG & ASSOCIATES LTD

ARCHITECT : HONG TING & PARTNERS LIMITED

SCALE: 1:150 (A1)

DATE: 26-MAR-21

PROJECT: PROPOSED RESIDENTIAL DEVELOPMENT AT MALL 6542 YIN PING ROAD MONKLOON

TITLE: PART ELEVATION FOR CURTAIN WALL AT TOWER 2

DRAWN BY: LHR

CHECKED BY: LHR

DATE: 26-MAR-21

PROJECT: PROPOSED RESIDENTIAL DEVELOPMENT AT MALL 6542 YIN PING ROAD MONKLOON

TITLE: PART ELEVATION FOR CURTAIN WALL AT TOWER 2

DRAWN BY: LHR

CHECKED BY: LHR

DATE: 26-MAR-21

PROJECT: PROPOSED RESIDENTIAL DEVELOPMENT AT MALL 6542 YIN PING ROAD MONKLOON


TITLE: PART ELEVATION FOR CURTAIN WALL AT TOWER 2

DRAWN BY: LHR

CHECKED BY: LHR

DATE: 26-MAR-21

PROJECT: PROPOSED RESIDENTIAL DEVELOPMENT AT MALL 6542 YIN PING ROAD MONKLOON



FLOOR LEVEL (SEA.L)	LEND
ROOF	+210.00
20/F	+200.70
25/F	+202.45
23/F	+200.00
22/F	+196.85
21/F	+193.70
20/F	+190.55
19/F	+187.40
18/F	+184.25
17/F	+181.10
15/F	+177.95
12/F	+171.50
11/F	+168.35
10/F	+165.20
9/F	+162.05
8/F	+158.90
7/F	+155.75
6/F	+152.60
5/F	+149.45

- LEGEND:
- 10mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) + 12mm AIR SPACE + 12mm HEAT STRENGTHENED GLASS (OUTER) + 12mm HEAT STRENGTHENED GLASS (INNER) (INTERNAL PROTECTIVE BARBERS)
 - 12mm THK. CLEAR TEMPERED GLASS
 - 12mm THK. ALUM. CLADDING
 - 3mm THK. ALUM. CLADDING
 - SINK JOINT (WIND LOAD)
 - ALUM. EXTRUSION (NO. 1)
 - SUPPORT POINT (WIND LOAD + DEAD LOAD)

SHIMAO GROUP HOLDINGS LIMITED

HPHING CONSTRUCTION CO LTD

CAWONG & ASSOCIATES LTD

HONG TING & PARTNERS LIMITED

YENYUOT

SCALE: 1:150 (A1)

DATE: 26-MAR-21

PROJECT: PROPOSED RESIDENTIAL DEVELOPMENT AT MALL 6542 YIN PING ROAD MONKLOON

TITLE: PART ELEVATION FOR CURTAIN WALL AT TOWER 2

DRAWN BY: LHR

CHECKED BY: LHR

DATE: 26-MAR-21

PROJECT: PROPOSED RESIDENTIAL DEVELOPMENT AT MALL 6542 YIN PING ROAD MONKLOON

TITLE: PART ELEVATION FOR CURTAIN WALL AT TOWER 2

DRAWN BY: LHR

CHECKED BY: LHR

DATE: 26-MAR-21

