

工程指示 / 要求簡箋 ENGINEER INSTRUCTIONS(E.I.)

工程指示編號:	EI- 5873	修改版本:	-
	HK- /		
工程編號:	J 853	工程名稱:	延坪道
收件人:	Maggie Lor	發件人:	Joe Chan
工程項目:	Podium Ceiling Feature (Part 4) 第2批鐵件生產	日期:	16/03/2023

☒ 原合約工程包	☐ 原合約工程加 / 減賬 QT-	☐ 新工程報價 QT-
--	--	------------------------------------

信件批核號碼/圖紙參考編號:	批核模具圖紙編號:
客戶指示附件:	管理內部批簽署:

☐ 初步鋁料 B.M.	☐ 加工拆圖, 然後生產	☐ 尺寸表
☐ 正式鋁料 B.M.	☐ 技術上資料/指示	☐ 報價
☐ 配件 B.M.	☐ 樣辦或貨品說明書	☐ 分判合約
☒ 其他: 拆圖		

內容: 請依附件資料, 生產GMS鐵件, 送地盤. (鐵廠收螺絲).	
廠驗焊: 10%磁粉, 100%目測.	
驗焊報告名稱: 待定	
T5 天花. (1463頁)	
完成上列要求日期: 17/04/2023 ASAP	

國內

☐ 生產技術總監	☐ 連附件	☐ 技術部	☐ 連附件	☐ 生產部	☐ 連附件
☐ 採購部	☐ 連附件	☐ 生產統籌部	☐ 連附件	☐ 報關組	☐ 連附件
☐ 質檢部	☐ 連附件	☐ 會計部	☐ 連附件	☐ 機械設計部	☐ 連附件
☐ 香港辦	☐ 連附件	☐ 其他:			

香港

☐ 行政部	☐ 連附件	☐ 會計部	☐ 連附件	☐ 統籌部	☐ 連附件	☐ 工程部	☐ 連附件
☐ 採購部	☐ 連附件	☐ QS部	☐ 連附件	☒ 地盤管理	☒ 連附件	☐ 維修部	☐ 連附件

*發件人簽署: /	*組別成員批核簽署: P.P. /
傳遞編號: /	項目經理簽署: /

①

 美特鋁質 有限公司 MTDI Aluminium Fabricator Ltd.		工程號:		J853 T5 10/F	計算:	李傳鵬	日期:	15/3/2023	送呈:			
		地盤名稱:		香港延坪道	核對:	練松文	日期:	15/3/2023	副本:			
		項目類別:		天花	批准:	陳梓豪	日期:	15/3/2023				
		修改版次:			A/C Code : 2023/03/15	鐵件總重量KG:		8648.69				
BM編號:												
序號	修改內容	鐵件圖號	鐵件名稱		顏色	實用	後備	總數	單位	單件 (kg)	總重量 (kg)	備注
1		T5-AK01-01	75x50x5mm THK. GMS.ANGLE.(S7)		熱浸鋅	27	0	27	件	1.120	30.240	
2		T5-AK01-02	75x50x5mm THK. GMS.ANGLE.(S7)		熱浸鋅	2	0	2	件	16.800	33.600	
3		T5-BK01-01	200x200x10mm THK. GMS.PLATE		熱浸鋅	59	0	59	件	3.140	185.260	
4		T5-BK01-02	200x200x10mm THK. GMS.PLATE		熱浸鋅	19	0	19	件	3.140	59.660	
5		T5-BK11-01	150x150x10mm THK. GMS.PLATE		熱浸鋅	36	0	36	件	1.767	63.612	
6		T5-BK12-01	150x150x10mm THK. GMS.PLATE		熱浸鋅	4	0	4	件	1.767	7.068	
7		T5-BK12-02	150x150x10mm THK. GMS.PLATE		熱浸鋅	2	0	2	件	1.767	3.534	
8		T5-BK31-01	200x100x10mm THK. GMS.ANGEL (S12)		熱浸鋅	80	0	80	件	4.536	362.880	
9		T5-LA01-01	100x50x6mm THK. GMS.ANGLE.(S6)		熱浸鋅	11	0	11	件	20.216	222.379	
10		T5-LA02-01	75x50x5mm THK. GMS.ANGLE.(S7)		熱浸鋅	12	0	12	件	16.772	201.264	
11		T5-LA03-01	40x40x5mm THK. GMS.ANGLE.(S9)		熱浸鋅	15	0	15	件	8.805	132.080	
12		T5-LA04-01	50x50x5mm THK. GMS.ANGLE.(S8)		熱浸鋅	12	0	12	件	11.171	134.056	
13		T5-MS01-01	40x40x5mm THK. GMS.RHS.(S4)		熱浸鋅	54	0	54	件	4.682	252.806	
14		T5-MS01-02	40x40x5mm THK. GMS.RHS.(S4)		熱浸鋅	18	0	18	件	5.815	104.666	
15		T5-MS02-01	40x40x5mm THK. GMS.RHS.(S4)		熱浸鋅	26	0	26	件	15.960	414.960	
16		T5-MS02-02	40x40x5mm THK. GMS.RHS.(S4)		熱浸鋅	1	0	1	件	2.660	2.660	
17		T5-MS02-03	40x40x5mm THK. GMS.RHS.(S4)		熱浸鋅	1	0	1	件	6.384	6.384	
18		T5-MS02-04	40x40x5mm THK. GMS.RHS.(S4)		熱浸鋅	1	0	1	件	8.725	8.725	
19		T5-MS02-05	40x40x5mm THK. GMS.RHS.(S4)		熱浸鋅	1	0	1	件	7.145	7.145	

②

美特鋁質有限公司 MTDI Aluminium Fabricator Ltd.		工程號:	J853 T5 10/F	計算:	李傳鵬	日期:	15/3/2023	送呈:			
		地盤名稱:	香港延坪道	核對:	練松文	日期:	15/3/2023	副本:			
		項目類別:	天花	批准:	陳梓豪	日期:	15/3/2023				
		修改版次:		A/C Code : 2023/03/15	鐵件總重量KG:		8648.69				
BM編號:											
序號	修改內容	鐵件圖號	鐵件名稱	顏色	實用	後備	總數	單位	單件 (kg)	總重量 (kg)	備注
20		T5-MS03-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	18.435	36.870	
21		T5-MS03-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	20.390	40.780	
22		T5-MS03-03	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	4	0	4	件	17.599	70.396	
23		T5-MS03-04	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	4	0	4	件	19.555	78.219	
24		T5-MS03-05	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	19.828	19.828	
25		T5-MS03-06	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	22.031	22.031	
26		T5-MS11-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	4	0	4	件	15.933	63.734	
27		T5-MS11-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	14	0	14	件	11.943	167.208	
28		T5-MS12-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.390	10.390	
29		T5-MS12-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.390	10.390	
30		T5-MS12-03	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	13.752	13.752	
31		T5-MS12-04	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	12.143	12.143	
32		T5-MS12-05	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	6.770	6.770	
33		T5-MS12-06	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	5.160	5.160	
34		T5-MS12-07	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	9.815	9.815	
35		T5-MS12-08	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	9.815	9.815	
36		T5-MS12-09	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	16.465	16.465	
37		T5-MS12-10	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	16.465	16.465	
38		T5-MS12-11	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	8.485	8.485	

3

美特鋁質有限公司 MTDI Aluminium Fabricator Ltd.		工程號:	J853 T5 10/F	計算:	李傳鵬	日期:	15/3/2023	送呈:			
		地盤名稱:	香港延坪道	核對:	練松文	日期:	15/3/2023	副本:			
		項目類別:	天花	批准:	陳梓豪	日期:	15/3/2023				
		BM編號:		修改版次:	A/C Code : 2023/03/15		鐵件總重量KG:		8648.69		
序號	修改內容	鐵件圖號	鐵件名稱	顏色	實用	後備	總數	單位	單件 (kg)	總重量 (kg)	備注
39		T5-MS12-12	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	8.485	8.485	
40		T5-MS12-13	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	0.000	0.000	
41		T5-MS12-14	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	0.000	0.000	
42		T5-MS12-15	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	8.485	8.485	
43		T5-MS12-16	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	8.485	8.485	
44		T5-MS13-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	12.954	12.954	
45		T5-MS13-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	12.954	12.954	
46		T5-MS13-03	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	6.091	6.091	
47		T5-MS13-04	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	4.482	4.482	
48		T5-MS13-05	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	13.872	13.872	
49		T5-MS13-06	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	13.872	13.872	
50		T5-MS13-07	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	12.954	12.954	
51		T5-MS13-08	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	6.432	6.432	
52		T5-MS13-09	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	14.401	14.401	
53		T5-MS13-10	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	16.011	16.011	
54		T5-MS13-11	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	16.731	16.731	
55		T5-MS13-12	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	14.191	14.191	
56		T5-MS13-13	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	17.029	17.029	
57		T5-MS13-14	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.798	15.798	

4

美特鋁質有限公司 Mei Tat Aluminum Fabricator Ltd.		工程號:	J853 T5 10/F	計算:	李傳鵬	日期:	15/3/2023	送呈:			
		地盤名稱:	香港延坪道	核對:	練松文	日期:	15/3/2023	副本:			
		項目類別:	天花	批准:	陳梓豪	日期:	15/3/2023				
		修改版次:			A/C Code : 2023/03/15	鐵件總重量KG:		8648.69			
BM編號:											
序號	修改內容	鐵件圖號	鐵件名稱	顏色	實用	後備	總數	單位	單件 (kg)	總重量 (kg)	備注
58		T5-ST01-01	S2+S3+S5+S7	熱浸鋅	22	0	22	件	38.100	838.200	
59		T5-ST01-02	S2+S3+S5+S7	熱浸鋅	3	0	3	件	40.800	122.400	
60		T5-ST01-03	S2+S3+S5+S7	熱浸鋅	5	0	5	件	43.100	215.500	
61		T5-ST02-01	S2+S3+S5+S7	熱浸鋅	20	0	20	件	36.800	736.000	
62		T5-ST02-02	S2+S3+S5+S7	熱浸鋅	1	0	1	件	39.600	39.600	
63		T5-ST02-03	S2+S3+S5+S7	熱浸鋅	3	0	3	件	38.900	116.700	
64		T5-ST03-01	S2+S3+S5+S7	熱浸鋅	4	0	4	件	37.100	148.400	
65		T5-ST03-02	S2+S3+S5+S7	熱浸鋅	2	0	2	件	37.600	75.200	
66		T5-ST04-01	S2+S3+S5+S7+S8+S10	熱浸鋅	12	0	12	件	69.700	836.400	
67		T5-ST04-02	S2+S3+S5+S7+S8+S10	熱浸鋅	4	0	4	件	78.600	314.400	
68		T5-ST04-03	S2+S3+S5+S7+S8+S10	熱浸鋅	2	0	2	件	80.300	160.600	
69		T5-ST05-01	S2+S3+S5+S7+S8+S10	熱浸鋅	4	0	4	件	45.300	181.200	
70		T5-TM01-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	3	0	3	件	15.933	47.800	
71		T5-TM01-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	15.933	31.867	
72		T5-TM01-03	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	3	0	3	件	15.933	47.800	
73		T5-TM01-04	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	15.933	31.867	
74		T5-TM01-05	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	15.933	31.867	
75		T5-TM01-06	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.933	15.933	
76		T5-TM01-07	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.933	15.933	

5

美特鋁質有限公司 Mei Tat Aluminium Fabricator Ltd. 地盘鐵件BM表		工程號:	J853 T5 10/F	計算 :	李傳鵬	日期:	15/3/2023	送呈:			
		地盘名稱 :	香港延坪道	核對 :	練松文	日期:	15/3/2023	副本:			
		項目類別 :	天花	批准 :	陳梓豪	日期:	15/3/2023				
		修改版次:		A/C Code : 2023/03/15	鐵件總重量KG:		8648.69				
BM編號:											
序號	修改內容	鐵件圖號	鐵件名稱	顏色	實用	後備	總數	單位	單件 (kg)	總重量 (kg)	備注
77		T5-TM01-08	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.933	15.933	
78		T5-TM01-09	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.933	15.933	
79		T5-TM01-10	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.933	15.933	
80		T5-TM01-11	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.933	15.933	
81		T5-TM01-12	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.933	15.933	
82		T5-TM01-13	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.933	15.933	
83		T5-TM01-14	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.933	15.933	
84		T5-TM02-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	11.449	11.449	
85		T5-TM02-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.417	10.417	
86		T5-TM02-03	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	11.449	11.449	
87		T5-TM02-04	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.417	10.417	
88		T5-TM02-05	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	14.643	14.643	
89		T5-TM02-06	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	14.324	14.324	
90		T5-TM02-07	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.653	10.653	
91		T5-TM02-08	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.122	15.122	
92		T5-TM02-09	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.653	10.653	
93		T5-TM02-10	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.122	15.122	
94		T5-TM02-11	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.919	10.919	
95		T5-TM02-12	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.122	15.122	

⑥

美特鋁質有限公司 Mei Tat Aluminium Fabricator Ltd. 地盤鐵件BM表		工程號:	J853 T5 10/F	計算 :	李傳鵬	日期:	15/3/2023	送呈:			
		地盤名稱 :	香港延坪道	核對 :	練松文	日期:	15/3/2023	副本:			
		項目類別 :	天花	批准 :	陳梓豪	日期:	15/3/2023				
		修改版次:		A/C Code : 2023/03/15	鐵件總重量KG:		8648.69				
BM編號:											
序號	修改內容	鐵件圖號	鐵件名稱	顏色	實用	後備	總數	單位	單件 (kg)	總重量 (kg)	備注
96		T5-TM02-13	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.919	10.919	
97		T5-TM02-14	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	16.452	16.452	
98		T5-TM02-15	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.919	10.919	
99		T5-TM02-16	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	16.452	16.452	
100		T5-TM02-17	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	8.658	8.658	
101		T5-TM02-18	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	16.452	16.452	
102		T5-TM02-19	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	8.658	8.658	
103		T5-TM02-20	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	13.848	13.848	
104		T5-TM02-21	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	11.890	11.890	
105		T5-TM02-22	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	11.294	11.294	
106		T5-TM02-23	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	12.499	12.499	
107		T5-TM02-24	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	13.257	13.257	
108		T5-TM02-25	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	12.646	12.646	
109		T5-TM02-26	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	14.933	14.933	
110		T5-TM02-27	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	12.646	12.646	
111		T5-TM02-28	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	14.933	14.933	
112		T5-TM02-29	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	12.646	12.646	
113		T5-TM02-30	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	14.933	14.933	
114		T5-TM02-31	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	8.821	8.821	


7



美特鋁質 有限公司 MTDI Aluminium Fabricator Ltd. 地盘鐵件BM表		工程號: J853 T5 10/F	計算 :	李傳鵬	日期:	15/3/2023	送呈:				
		地盘名稱 : 香港延坪道	核對 :	練松文	日期:	15/3/2023	副本:				
		項目類別 : 天花	批准 :	陳梓豪	日期:	15/3/2023					
		BM編號:	修改版次:	A/C Code : 2023/03/15	鐵件總重量KG:		8648.69				
序號	修改內容	鐵件圖號	鐵件名稱	顏色	實用	後備	總數	單位	單件 (kg)	總重量 (kg)	備注
115		T5-TM02-32	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.347	10.347	
116		T5-TM02-33	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	11.449	11.449	
117		T5-TM02-34	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.040	15.040	
118		T5-TM03-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	13.497	13.497	
119		T5-TM03-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	8.592	8.592	
120		T5-TM03-03	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	14.375	14.375	
121		T5-TM03-04	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	16.875	16.875	
122		T5-TM03-05	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	12.725	12.725	
123		T5-TM03-06	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	13.859	13.859	
124		T5-TM04-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	8.658	8.658	
125		T5-TM04-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	15.933	15.933	
126		T5-TM04-03	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	13.045	13.045	
127		T5-TM05-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	4.400	4.400	
128		T5-TM05-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	5.363	5.363	
129		T5-TM11-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	8	0	8	件	8.565	68.522	
130		T5-TM11-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	26	0	26	件	9.363	243.443	
131		T5-TM11-03	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	33	0	33	件	10.693	352.876	
132		T5-TM12-01	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	5.586	11.172	
133		T5-TM12-02	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	7.448	7.448	

8


美特鋁質有限公司 MTD Aluminium Fabricator Ltd. 地盤鐵件BM表		工程號:	J853 T5 10/F	計算:	李傳鵬	日期:	15/3/2023	送呈:			
		地盤名稱:	香港延坪道	核對:	練松文	日期:	15/3/2023	副本:			
		項目類別:	天花	批准:	陳梓豪	日期:	15/3/2023				
		修改版次:		A/C Code : 2023/03/15	鐵件總重量KG:		8648.69				
BM編號:											
序號	修改內容	鐵件圖號	鐵件名稱	顏色	實用	後備	總數	單位	單件 (kg)	總重量 (kg)	備注
134		T5-TM12-03	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	3.070	3.070	
135		T5-TM12-04	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	6.581	6.581	
136		T5-TM12-05	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	3.719	3.719	
137		T5-TM12-06	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	5.613	5.613	
138		T5-TM12-07	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.741	10.741	
139		T5-TM12-08	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.890	10.890	
140		T5-TM12-09	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	7.209	7.209	
141		T5-TM12-10	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	3.575	3.575	
142		T5-TM12-11	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	3.798	7.597	
143		T5-TM12-12	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	5.772	5.772	
144		T5-TM12-13	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.986	10.986	
145		T5-TM12-14	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	9.103	9.103	
146		T5-TM12-15	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	7.741	7.741	
147		T5-TM12-16	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	5	0	5	件	9.071	45.353	
148		T5-TM12-17	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	10.544	10.544	
149		T5-TM12-18	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	9.369	9.369	
150		T5-TM12-19	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	8.640	8.640	
151		T5-TM12-20	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	2.234	2.234	
152		T5-TM12-21	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	2.713	5.426	

 美特鋁質 有限公司 WTDI Aluminium Fabricator Ltd.		工程號: J853 T5 10/F	計算 :	李傳鵬	日期:	15/3/2023	送 呈:				
		地盤名稱 : 香港延坪道	核對 :	練松文	日期:	15/3/2023	副 本:				
		項目類別 : 天花	批准 :	陳梓豪	日期:	15/3/2023					
BM編號:		修改版次:		A/C Code : 2023/03/15	鐵件總重量KG:		8648.69				
序號	修改內容	鐵件圖號	鐵件名稱	顏色	實用	後備	總數	單位	單件 (kg)	總重量 (kg)	備注
153		T5-TM12-22	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	10.214	20.429	
154		T5-TM12-23	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	3.458	6.916	
155		T5-TM12-24	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	1	0	1	件	9.369	9.369	
156		T5-TM12-25	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	3	0	3	件	2.500	7.501	
157		T5-TM12-26	40x40x5mm THK. GMS.RHS.(S4)	熱浸鋅	2	0	2	件	7.714	15.428	

[illegible][illegible]


[illegible]

SECTION A-A



VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

[illegible]

SECTION A-A

A	
---	--


VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

REV.	DATE	AMENDMENT	REVISED BY	PROJECT	J853-PODIUM ALUM CEILING & FEATURE CLADDING T5 10/F	JOB NO. J853
—	—	—	—	 美特鋁質有限公司 MIDI ALUMINIUM FABRICATOR LTD. Units 6-8, Sunray Industrial Centre, 1/F 610 Cha Kwo Ling Road, Kowloon Tel:23489211-4 Fax:(852)2727666		
FACTORY		01	W/CENTRE	~~W/CENTRE~~ /FAB	CUT ENDS	N/A
Standard		X X . = ±1	Angle	±1°	DATE	
Tolerances		X X X = ±0.5	Squareness	±1°	3/2/2023	
DRAWING TITLE		鐵料加工圖				
DRAWING NO.		250x200x10mm THK. GMS. PLATE				
DRAWING NO.		T5-BK01				
SHT.		REV.				
1 of 2		—				

[illegible]

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES


[illegible]

[illegible]

SECTION A-A


VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES



[illegible]

[illegible]

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES


[illegible]

[illegible][illegible]



[illegible]

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]


[illegible]

SECTION A-A






VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

[illegible]


正常位斜撐

[illegible]

[illegible]

SECTION A-A

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES





轉角位缺架斜撐

[illegible]



REV.	CHECKED DATE	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS	EXTR. DRAWING PART DRAWING
-		T5-MS03-01	3465.2		1103					2			
-		T5-MS03-02	3832.7		1220					2			
-		T5-MS03-03	3308.1		1053					4			
-		T5-MS03-04	3675.7		1170					4			
-		T5-MS03-05	3727.1		1053					1			
-		T5-MS03-06	4141.2		1170					1			

200-100-10mm DIA.
G.A.S. ANGLE L=100(S12)
2"-1/4" HES-R M12
ANCHOR BOLT B805/6






REF:	3/7002
------	--------



SECTION A-A



VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

[illegible]

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES




[illegible]

[illegible]

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

REV.	CHECKED DATE	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLE ON PARTS	EXTR. DRAWING PART DRAWING
-		T5-MS12-09	3095.0	150	2845	50				1			
-		T5-MS12-10	3095.0	452.5	2542.5	50				1			



VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

SECTION A-A

REV.	DATE	AMENDMENT	REVISD BY	JOB NO.	PROJECT	DRAWING TITLE	FACTORY	W/CENTRE	CUT ENDS	FINISH	熱浸	POST PAINT	PART	REV.
-	-	-	-	J853	J853-PODIUM ALUM CEILING & FEATURE CLADDING T5 10/F	40x40x5mm THK. GMS. SHS.	01	W/CENTRE M84/300/FAB	N/A	DATE 3/2/2023	YUENG	SCALE 1:2	SUB ASSEM. TRACK TYPE S....	5 of 9
-	-	-	-	J853	J853-PODIUM ALUM CEILING & FEATURE CLADDING T5 10/F	40x40x5mm THK. GMS. SHS.	01	W/CENTRE M84/300/FAB	N/A	DATE 3/2/2023	YUENG	SCALE 1:2	SUB ASSEM. TRACK TYPE S....	5 of 9



美特鋁質有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunray Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel:23489211-4 Fax:(852)27727666

PROJECT J853-PODIUM ALUM CEILING
& FEATURE CLADDING T5 10/F

DRAWING TITLE
40x40x5mm THK. GMS. SHS.



DRAWING NO.
T5-MS12

REV. 5 of 9

[illegible]


VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

[illegible]


VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

[illegible]



VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

[illegible]

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES


[illegible]

[illegible]


SECTION A-A

[illegible]


VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

[illegible]

[illegible]

Technical drawing of a window frame assembly. The drawing shows a cross-section of the frame with dimensions: 70, 50, and 72.5. A dashed line indicates the position of the glass. The text 'MG 玻璃' (MG Glass) is written near the glass. The drawing also shows the frame structure and the glass panes.




VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

43

REV.	CHECKED DATE BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLE ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST01-01								22				

22號架



SECTION B-B

SECTION A-A

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES


REV.	DATE	AMENDMENT	REVISED BY	JOB NO.	PROJECT	DRAWING NO.	REV.
-	-	-	-	J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)	610 Cha Kwo Ling Road, Kowloon Tel:23489211-4 Fax:(852)2727666	T5-ST01	1 of 3

REV.	DATE	AMENDMENT	REVISED BY	JOB NO.	PROJECT	DRAWING NO.	REV.
-	-	-	-	J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)	610 Cha Kwo Ling Road, Kowloon Tel:23489211-4 Fax:(852)2727666	T5-ST01	1 of 3

REV.	DATE	AMENDMENT	REVISED BY	JOB NO.	PROJECT	DRAWING NO.	REV.
-	-	-	-	J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)	610 Cha Kwo Ling Road, Kowloon Tel:23489211-4 Fax:(852)2727666	T5-ST01	1 of 3

REV.	DATE	AMENDMENT	REVISED BY	JOB NO.	PROJECT	DRAWING NO.	REV.
-	-	-	-	J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)	610 Cha Kwo Ling Road, Kowloon Tel:23489211-4 Fax:(852)2727666	T5-ST01	1 of 3

REV.	DATE	AMENDMENT	REVISED BY	JOB NO.	PROJECT	DRAWING NO.	REV.
-	-	-	-	J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)	610 Cha Kwo Ling Road, Kowloon Tel:23489211-4 Fax:(852)2727666	T5-ST01	1 of 3


[illegible][illegible]

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

5	50x50x5mm THK. C.N.S. HOLLOW	219	开料	1	SS
4	75x506mm THK. C.N.S. ANGLE	100	开料	4	S7
3	50x50x5mm THK. C.N.S. HOLLOW	393	开料	2	SS
2	60x50x5mm THK. C.N.S. HOLLOW	900	开料	1	S3
1	100x100x5mm THK. C.N.S. HOLLOW	1320	开料	1	S2
名称	材料规格	长度	附件描述	数量	备注

E:\J853 PODIUM ALUM.CEILING\加工圖\T5 10F\T5 10F GMS FAB NO 1\T5-ST01.dwg 40456 周四, 02 三月 2023 12:14

[illegible][illegible]


VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

46

REV.	CHECKED DATE	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST02-01								20				

25號架



SECTION A-A

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

MIDI 鋁質有限公司 MIDI ALUMINIUM FABRICATOR LTD. Units 6-8, Sunray Industrial Centre, 1/F 610 Cha Kwo Ling Road, Kowloon Tel: 23489211-4 Fax: (852) 27727666		PROJECT J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)		JOB NO. J853		DRAWING TITLE 鐵料加工圖		DRAWING NO. T5-ST02		SHEET 1 of 3		REV. -	
FACTORY 01		W/CENTRE 1000/300/FAB		CUT ENDS N/A		FINISH 9/6003		DATE 3/2/2023		SCALE 1:5		SUB ASSEM. TRACK TYPE S....	
Standard X X . = ±1		Angle ±1°		Squarness ±1°		Tolerances X X . X = ±0.5		DRAWN YEUNG		POST PAINT PRE PAINT		PART SUB ASSEM.	
4		75x50x6mm THK. G.M.S. ANGLE		200		2		S7		2		S7	
3		50x50x5mm THK. G.M.S. HOLLOW		242.5		2		S5		2		S5	
2		60x60x5mm THK. G.M.S. HOLLOW		850		1		S3		1		S3	
1		100x100x6.3mm THK. G.M.S. HOLLOW		1320		1		S2		1		S2	

[illegible][illegible]

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

E:\J853 PODIUM ALUM.CEILING\加工圖\T5 10F\T5 10F\T5 10F.GMS FAB NO 1\T5-ST02.dwg 40456 周四, 02 三月 2023 12:14

[illegible][illegible]

4	75x506mm THK. G.M.S. ANGLE	100	开料	4	S7
3	50x60x5.5mm THK. G.M.S. HOLLOW	393	开料	2	S5
2	60x60x6mm THK. G.M.S. HOLLOW	850	开料	1	S3
1	100x100x6.3mm THK. G.M.S. HOLLOW	1320	开料	1	S2
底片	材料规格	重量	取料备注		

E:\J853 PODIUM ALUM.CEILING\加工圖\T5 10F\T5 10F GMS FAB NO 1\T5-ST02.dwg 40456 周四, 02 三月 2023 12:15

[illegible][illegible]

SECTION A-A

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]


[illegible][illegible]

6	5mm THK. G.M.S.P.LATE	60x60	升料	1	箱口片
	50x50x5mm THK. G.M.S. HOLLOW	426	升料	1	S5
5	4 75x50x6mm THK. G.M.S.ANGLE	200	升料	2	S7
3	50x50x5mm THK. G.M.S. HOLLOW	242.5	升料	1	S5
2	80x60x5mm THK. G.M.S. HOLLOW	785	升料	1	S3
1	100x100x6.3mm THK. G.M.S. HOLLOW	1320	升料	1	S2
序号	材料规格	长度	配件描述	数量	备注
热浸					
DRAWN		SCALE	POST PAINT	PART	
2/2023		YEUNG	PRE PAINT	SUB ASSEM.	
DRAWING NO.		1:5	TRACK TYPE		S.....
T5-ST03		SHT.		REV.	
		2 of 2		-	

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]


EXTR. DRAWING	
PART DRAWING	X

[illegible]

序号	材料规格	长度	配件材料	材料数量	备注
9	100*100*6.3mm THK G.M.S. HOLLOW	1320	开料	1	S2
8	75*50*6mm THK G.M.S. ANGLE	200	开料	2	S7
7	100*75*6mm THK G.M.S. ANGLE	200	开料	1	S10
6	50*50*5mm THK G.M.S. ANGLE	242.5	开料	1	S8
5	50*50*5mm THK G.M.S. HOLLOW	425	开料	2	S5
4	50*50*5mm THK G.M.S. HOLLOW	425	开料	3	S5
3	60*60*5mm THK G.M.S. HOLLOW	1343	开料	1	S3
2	60*60*5mm THK G.M.S. HOLLOW	187.5	开料	1	S3
1	60*60*5mm THK G.M.S. HOLLOW	1897	开料	1	S3
	材料规格		配件材料	材料数量	备注

[illegible]

E:\J853 PODIUM ALUM.CEILING\加工圖\T5 10F\T5 10F GMS FAB NO 1\T5-ST04.dwg 40456 周四, 02 三月 2023 12:15

[illegible][illegible]


9	100x100x5.5mm THK. G.M.S. HOLLOW	1320	开料	1	S2
8	75x50x6mm THK. G.M.S. ANGLE	100	开料	4	S7
7	100x75x6mm THK. G.M.S. WEDGE	230	开料	1	S10
6	50x50x5mm THK. G.M.S. ANGLE	180	开料	2	S8
5	50x50x5mm THK. G.M.S. HOLLOW	393	开料	2	S5
4	50x50x5mm THK. G.M.S. HOLLOW	626	开料	3	S5
3	60x60x5mm THK. G.M.S. HOLLOW	1343	开料	1	S3
2	60x60x5mm THK. G.M.S. HOLLOW	187.5	开料	1	S3
1	60x60x5mm THK. G.M.S. HOLLOW	1897	开料	1	S3

[illegible]

E:\J853 PODIUM ALUM.CEILING\加工圖\T5 10F\T5 10F\GMS FAB NO 1\T5-ST04.dwg 周四, 02 三月 2023 12:15

[illegible][illegible]

3185



SECTION B-B
VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

SECTION E-E



美特鋁質有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunray Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 27277666

PROJECT	J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)	J853
---------	--	------



FACTORY 01	W/CENTRE 10081/5008/FAB	CUT ENDS N/A	FINISH	熱浸	PRE PAINT	POST PAINT	PART	SUB ASSEM.	TRACK TYPE	S.....	REV.	3 of 3
DRAWING TITLE												
Drawing No. T5-ST04												
DRAFTING TITLE												
DRAFTING NO.												
DATE												
3/2/2023												
Angle												
Squarness ±1°												
±1°												
±0.5												
±1												
W/CENTRE												
10081/5008/FAB												
CUT ENDS												
N/A												
FINISH												
熱浸												
PRE PAINT												
POST PAINT												
PART												
SUB ASSEM.												
TRACK TYPE												
S.....												
REV.												
3 of 3												

10	100x100x3mm THK. G.A.S. HOLLOW	1320	开料	1	S2
9	75x50x6mm THK. G.A.S. ANGLE	205	开料	2	S7
8	75x50x6mm THK. G.A.S. ANGLE	50	开料	2	S7
7	100x75x6mm THK. G.A.S. ANGLE	230	开料	2	S10
6	50x50x5mm THK. G.A.S. ANGLE	165	开料	2	S8
5	50x50x5mm THK. G.A.S. HOLLOW	470.5	开料	2	S5
4	50x50x5mm THK. G.A.S. HOLLOW	626	开料	3	S5
3	60x60x5mm THK. G.A.S. HOLLOW	1343	开料	1	S3
2	60x60x5mm THK. G.A.S. HOLLOW	187.5	开料	1	S3
1	60x60x5mm THK. G.A.S. HOLLOW	1897	开料	1	S3

ALL DIMENSIONS IN MILLIMETRES															
						 美特鋁質有限公司 MIDI ALUMINIUM FABRICATOR LTD. Units 6-8, Sunray Industrial Centre, 1/F 610 Cha Kwo Ling Road, Kowloon Tel: 23489211-4 Fax: (852) 2727666 PROJECT J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F) J853									

54

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				



REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.		DATE	AMENDMENT	REVISED BY	JOB NO.	PROJECT	DRAWING NO.	SCALE	TRACK TYPE	SHT.	REV.
-	-	-	-	-	J853	J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)	T5-ST05	1:5	S....	1 of 1	-

美特鋁質有限公司
MIDI ALUMINIUM FABRICATOR LTD.
Units 6-8, Sunray Industrial Centre, 1/F
610 Cha Kwo Ling Road, Kowloon
Tel: 23489211-4 Fax: (852) 2727666
PROJECT J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)

FACTORY	W/CENTRE	CUT ENDS	FINISH	DATE	SCALE	TRACK TYPE	SHT.	REV.
01	±1	Angle	±1	3/2/2023	1:5	S....	1 of 1	-

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				


REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				

REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-ST05-01								4				


REV.	CHECKED BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D</
------	---------------	-------------	--------	--------	--------	----------

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

REV.	CREATED DATE	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLE ON PARTS	EXTR. PART	DRAWING
-		T5-TM01-01	2995	683	1520	520	0	0	272.0	3				
-		T5-TM01-02	2995	1209	0	0	0	0	1786.0	2				
-		T5-TM01-03	2995	683	520	1000	520	0	272.0	3				
-		T5-TM01-04	2995	332.5	1000	520	500	520	122.5	2				
-		T5-TM01-05	2995	372.5	1020	500	520	0	582.5	2				
-		T5-TM01-06	2995	412.5	520	500	520	0	1042.5	1				
-		T5-TM01-07	2995	1332	520	1020	0	0	123.0	1				
-		T5-TM01-08	2995	1892.5	520	0	0	0	582.5	1				
-		T5-TM01-09	2995	932.5	1020	0	0	0	1042.5	1				
-		T5-TM01-10	2995	332.5	2020	0	0	0	642.5	1				
-		T5-TM01-11	2995	372.5	1020	0	0	0	1602.5	1				
-		T5-TM01-12	2995	412.5	1020	520	0	0	1042.5	1				
-		T5-TM01-13	2995	332.5	1520	500	520	0	122.5	1				
-		T5-TM01-14	2995	642.5	500	520	1000	0	332.5	1				




SECTION A-A

ALL DIMENSIONS IN MILLIMETRES														
						美特鋁質有限公司 MIDI ALUMINIUM FABRICATOR LTD.		FACTORY	W/CENTRE	CUT ENDS	FINISH	POST PAINT	PART	REF: 7/7001
				Units 6-8, Sunray Industrial Centre, 1/F 610 Cha Kwo Ling Road, Kowloon Tel:23489211-4 Fax:(852)27727666		X X . = ±1 Tolerances X X . X = ±0.5		01	~~1008~~ /5004/FAB	N/A		PRE PAINT	☒	SUB ASSEM.
								Standard	X X . = ±1	Angle ±1°	DATE	SCALE	TRACK TYPE	S.....
										Squareness ±1°	3/2/2023	YUEUNG	1:2	
REV.	-	-	-	PROJECT J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)		JOB NO. J853		DRAWING TITLE		DRAWING NO.		SHT.		REV.
				AMENDMENT				鐵料加工圖 (企通) 40x40x5mm THK. GMS. SHS.		T5-TM01		1 of 1		-


E:\1853 PDLIM ALUM CELLING\本工圖\TS 10E\TS 10E.GWS EAB NO 1\TS-TM01.dwg 40456 圖號 02 三 B 2023.12.15

REV.	CHECKED DATE	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	Dim. H	ASSEMBLE ON PARTS	EXTR. DRAWING PART DRAWING
-		T5-TM02-01	2152	1562	0	0	0	0	1x750c/ø 1			0		
-		T5-TM02-02	1958	453	0	0	0	0	1x750c/ø 1			0		
-		T5-TM02-03	2152	62	1020	0	0	0	1x750c/ø 1			0		
-		T5-TM02-04	1958	1453	0	0	0	0	1x750c/ø 1			0		
-		T5-TM02-05	2752.5	62	1020	480	0	0	1x750c/ø 1			1x950c/c		
-		T5-TM02-06	2692.5	453	1000	520	500	0	2x750c/ø 1			0		
-		T5-TM02-07	2002.5	332	1020	0	0	0	1x950c/ø 1			0		
-		T5-TM02-08	2842.5	743	0	0	0	0	2x750c/ø 1			0	有加長100	
-		T5-TM02-09	2002.5	812	0	0	0	0	1x950c/ø 1			0		
-		T5-TM02-10	2842.5	223	1020	1020	0	0	2x750c/ø 1			0	有加長100	
-		T5-TM02-11	2052.5	332	480	540	0	0	1x750c/ø 1			0		
-		T5-TM02-12	2842.5	223	520	500	1020	0	2x750c/ø 1			0	有加長100	
-		T5-TM02-13	2052.5	332	1020	0	0	0	1x750c/ø 1			0		
-		T5-TM02-14	3092.5	743	0	0	0	0	2x750c/ø 1			0	有加長100	
-		T5-TM02-15	2052.5	812	0	0	0	0	1x750c/ø 1			0		
-		T5-TM02-16	3092.5	223	1020	1020	0	0	2x750c/ø 1			0	有加長100	
-		T5-TM02-17	1627.5	332	480	540	0	0	0	1		0		
-		T5-TM02-18	3092.5	223	520	500	1020	500	2x750c/ø 1			0	有加長100	
-		T5-TM02-19	1627.5	332	1020	0	0	0	0	1		0		
-		T5-TM02-20	2603	743	0	0	0	0	2x750c/ø 1			0	有加長100	


SECTION A-A



SECTION A-A




VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

ALL DIMENSIONS IN MILLIMETRES																	
				美特鋁質有限公司 MIDI ALUMINIUM FABRICATOR LTD. Units 6-8, Sunway Industrial Centre, 1/F 610 Cha Kwo Ling Road, Kowloon Tel:23469211-4 Fax:(852)27727666				FACTORY 01	W/CENTRE ~~1008~~ /5008/FAB	CUT ENDS N/A	FINISH	熱浸	POST PAINT PRE PAINT	PART	REF: 7/7001		
								Standard Tolerances	X X . X = ±1 X X . X = ±0.5	Angle Squareness ±1°	DATE 3/2/2023	DRAWN YEUNG	SCALE 1:2	SUB ASSEM. TRACK TYPE			
REV.	DATE	AMENDMENT	REVISED BY	PROJECT J853-PODIUM ALUM CEILING & FEATURE CLADDING (T5 10/F)				JOB NO. J853		DRAWING TITLE 鐵料加工圖 (全通) 40x40x5mm THK. GMS. SHS.					DRAWING NO. T5-TM02	SHT. 1 of 2	REV. -

E:\J853 PODIUM ALUM.CEILING\加工圖\T5 10F\T5 10F\T5 10F.GMS FAB NO 1\T5-TM02.dwg 40456 周四, 02 三月 2023 12:16

REV.	CHECKED DATE BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLE ON PARTS	EXTR. DRAWING PART DRAWING
-		T5-TM02-21	2235	182.5	540	520	0	0	1x750c/d	1			
-		T5-TM02-22	2123	292	1020	0	0	0	1x750c/d	1	有加長100		
-		T5-TM02-23	2349.5	182.5	1020	480	540	0	1x750c/d	1			
-		T5-TM02-24	2492	372	1020	500	0	0	1x750c/d	1	有加長100		
-		T5-TM02-25	2377	183	1020	480	0	0	1x750c/d	1			
-		T5-TM02-26	2807	472	500	270	750	0	2x750c/d	1			
-		T5-TM02-27	2377	182.5	1020	0	0	0	1x750c/d	1			
-		T5-TM02-28	2807	472.5	770	0	0	0	2x750c/d	1			
-		T5-TM02-29	2377	1682.5	0	0	0	0	1x750c/d	1			
-		T5-TM02-30	2807	972.5	1020	0	0	0	2x750c/d	1			
-		T5-TM02-31	1658	372.5	500	520	0	0	0	1	有加長100		
-		T5-TM02-32	1945	182.5	500	520	0	0	1x750c/d	1	有加長100		
-		T5-TM02-33	2152	182.5	1020	480	0	0	1x750c/d	1			
-		T5-TM02-34	2827	412.5	520	500	520	0	2x750c/d	1	有加長100		



SECTION A-A



VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

E:\J853 PODIUM ALUM.CEILING\加工圖\T5 10F\T5 10F GNS FAB NO 1\T5-TM02.dwg 周四, 02 三月 2023 12:16

58

REV.	CHECKED DATE BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLE ON PARTS		EXTR. DRAWING PART DRAWING
-		T5-TM03-01	2537	650	540	480	0	505	2x750c/d	1		右邊有加长100		
-		T5-TM03-02	1615	639	520	0	0	635	1x750c/d	1		右邊有加长100		
-		T5-TM03-03	2702	429	480	1020	0	615	2x750c/d	1		右邊有加长100		
-		T5-TM03-04	3172	1195	500	510	510	820	2x750c/d	1		左右各有加长100		
-		T5-TM03-05	2392	470	480	1020	0	655	1x750c/d	1		右邊有加长100		
-		T5-TM03-06	2605	443	520	1000	0	635	2x750c/d	1		左右各有加长100		





SECTION A-A

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

MIDI 美特鋁質有限公司 MIDI ALUMINIUM FABRICATOR LTD. Units 6-8, Sunray Industrial Centre, 1/F 610 Cha Kwo Ling Road, Kowloon Tel: 23489211-4 Fax: (852) 27727666		PROJECT J853-Podium ALUM CEILING & FEATURE CLADDING (T5 10/F)		JOB NO. J853		REVISED BY		DATE		AMENDMENT		REV.	
FACTORY 01		W/CENTRE 1004/3004/FAB		CUT ENDS N/A		FINISH		DRAWN YEUNG		SCALE 1:2		SHT. 1 of 1	
Standard Tolerances		X X . = ±1 X X . X = ±0.5		Angle Squareness		±1° ±1°		DATE 3/2/2023		POST PAINT PRE PAINT		SUB ASSEM. TRACK TYPE	
DRAWING TITLE 鐵料加工圖 (全通) 40x40x5mm THK. GMS. SHS.		DRAWING NO. T5-TM03		REV.		REF: 777001		PART		EXTR. DRAWING PART DRAWING		REV.	

REV.	CHECKED DATE BY	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLE ON PARTS	EXTR. PART	DRAWING
-		T5-TM04-01	1627.5						0	1				
-		T5-TM04-02	2995						2x750c/φ	1				
-		T5-TM04-03	2452						1x750c/φ	1		右邊有加长100		




SECTION A-A

VS = VISIBLE SURFACE
ALL DIMENSIONS IN MILLIMETRES

[illegible]

--	--	--

REV.	CHECKED DATE	PART NUMBER	Dim. A	Dim. B	Dim. C	Dim. D	Dim. E	Dim. F	Dim. G	QTY	Inv. Code	ASSEMBLY ON PARTS	EXTR. PART	DRAWING
-		T5-TM11-01	1610.0							8				
-		T5-TM11-02	1760.0							26				
-		T5-TM11-03	2010.0							33				



SECTION A-A

[illegible]

E:\J853 PODIUM ALUM, CEILING\加工圖\T5 10F\T5 10F GMS FAB NO 1\T5-TM11.dwg 40456 星期四, 02 三月 2023 12:16

