



工程指示 / 要求簡箋(E.I.)

工程指示編號：EI / 4709 / 23

修改版次： C

工程編號： J - 858

工程名稱：將軍澳日出康城 11

工程項目：大樓幕牆吊船使用 車仔架 (補回導向威也)

收件人：Maggie

發件人：Ant Yeung

日期：24/03/2023

要求提供 / 確認 事項：

- | | | |
|------------------------------------|-------------------------------------|-------------------------------|
| <input type="checkbox"/> 初步鋁料 B.M. | <input type="checkbox"/> 加工拆圖，然後生產 | <input type="checkbox"/> 尺寸表 |
| <input type="checkbox"/> 正式鋁料 B.M. | <input type="checkbox"/> 技術上資料 / 指示 | <input type="checkbox"/> 報價 |
| <input type="checkbox"/> 配件 B.M. | <input type="checkbox"/> 樣辦或貨品說明書 | <input type="checkbox"/> 分判合約 |

內容：

C：按實際操作，起吊位置和安裝位置相隔距離甚遠。

因此需要使用導向威也，協助吊運

預算位置 T1 1 個位，用兩台，預升 3 次，使用預 10 個月
預算位置 T2 1 個位，用兩台，預升 3 次，使用預 10 個月
預算位置 T3 1 個位，用兩台，預升 3 次，使用預 10 個月
合共 6 台

謝謝

請在 2023.03.30 前完成上列要求。

附： 頁

原合約工程包

原合約工程加 / 減賬

新工程報價

分發東莞各部門：

- | | | | | | | | |
|---------------------------------|------------------------------|--------------------------------|------------------------------|-------------------------------|------------------------------|--------------------------------|------------------------------|
| <input type="checkbox"/> 生產技術總監 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 技術部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 生產部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 機械設計部 | <input type="checkbox"/> 連附件 |
| <input type="checkbox"/> 採購部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 生產統籌部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 小羅&清 | <input type="checkbox"/> 連附件 | | |
| <input type="checkbox"/> 質檢部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 會計部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 報關組 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 其他 | <input type="checkbox"/> 連附件 |

分發香港各部門：


- | | | | | | | | |
|---|------------------------------|-------------------------------|------------------------------|------------------------------|------------------------------|---|------------------------------|
| <input type="checkbox"/> 行政部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 會計部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 統籌部 | <input type="checkbox"/> 連附件 | <input checked="" type="checkbox"/> 工程部地盤科文 | <input type="checkbox"/> 連附件 |
| <input checked="" type="checkbox"/> 採購部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> QS 部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 維修部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 其他 | <input type="checkbox"/> 連附件 |

傳遞編號：

HK / 23

發件人簽署：

項目經理簽署：



柳心作平台棚
及5F工作棚托
加自木板/补河
方便行出去并建

12/29/11
G. H. [Signature]

- 1) 不在EVA起吊
- 2) 天样吊至5F
- 3) W心吊起再用西活去EVA补work直吊上

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT

AC TRAVEL DISTANCE B
= 25.957m < 36m

24-HOUR COVERED FEEDSTOCK

PLAN
23.50 S.L.
24.95
R.C.P.W.1

TAIL

ELEC METER ROOM (FOR CHARGING)

PLANTER
23.50 S.L.
23.15 S.F.L.

VERTICAL GREEN

23.60 T.O.K. 24.80 T.M.R.

TRANSFER PLATE
ABOVE

R.C.

R.C.P.W.1

VERTICAL GREEN
7.550H
23.60 T.O.K. 24.80 T.M.R.

50mm
MOVEMENT
JOINT



20/F

15/F

T1(1A)

C

10/F

凱柏峰

凱柏

拆5-8/F
平台棚

凱柏峰
YUEA GARDEN



T1A B 拆棚5-9/F