



工程指示 / 要求簡箋(E.I.)

工程指示編號：EI / 8842 / 25

修改版次：-

工程編號：J - 858

工程名稱：將軍澳日出康城

工程項目：幕牆 補生窗欄河玻璃仔 地盤執修用

收件人：Maggie

發件人：Ant Yeung

日期：26/03/2025

要求提供 / 確認 事項：

- | | | |
|------------------------------------|-------------------------------------|-------------------------------|
| <input type="checkbox"/> 初步鋁料 B.M. | <input type="checkbox"/> 加工拆圖，然後生產 | <input type="checkbox"/> 尺寸表 |
| <input type="checkbox"/> 正式鋁料 B.M. | <input type="checkbox"/> 技術上資料 / 指示 | <input type="checkbox"/> 報價 |
| <input type="checkbox"/> 配件 B.M. | <input type="checkbox"/> 樣辦或貨品說明書 | <input type="checkbox"/> 分判合約 |

內容：

由於地盤需要更換玻璃備用，請按玻璃 BM 生產玻璃，共 290 件 送地盤。
請安排熱浸

1. 不要印上熱浸標籤。只給”可移除”的標籤。
2. 依原 EI 4867, EI 4943, EI 4942 尺寸補，
3. *****分尺寸包裝。***** 請留意。

謝謝

請在 2025. 04. 25 前完成上列要求。

分發東莞各部門：

- | | | | | | | | |
|---------------------------------|------------------------------|--------------------------------|------------------------------|-------------------------------|------------------------------|--------------------------------|------------------------------------|
| <input type="checkbox"/> 生產技術總監 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 技術部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 生產部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 機械設計部 | <input type="checkbox"/> 連附件 |
| <input type="checkbox"/> 採購部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 生產統籌部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 小羅&清 | <input type="checkbox"/> 連附件 | | |
| <input type="checkbox"/> 質檢部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 會計部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 報關組 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 其他 | _____ <input type="checkbox"/> 連附件 |

分發香港各部門：

- | | | | | | | | |
|---|---|-------------------------------|------------------------------|------------------------------|------------------------------|--|---|
| <input type="checkbox"/> 行政部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 會計部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 統籌部 | <input type="checkbox"/> 連附件 | <input checked="" type="checkbox"/> 工程部地盤科文 三寶 | <input checked="" type="checkbox"/> 連附件 |
| <input checked="" type="checkbox"/> 採購部 | <input checked="" type="checkbox"/> 連附件 | <input type="checkbox"/> QS 部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 維修部 | <input type="checkbox"/> 連附件 | <input type="checkbox"/> 其他 | _____ <input type="checkbox"/> 連附件 |

傳遞編號：

HK / 25

發件人簽署：

項目經理簽署：

J858康城11期单元幕墙玻璃分层统计表 (T1-T3 Spare 单元幕墙) 生窗欄河玻璃仔

工程: J858康城11期 (T1)

日期: 26-03-2025

序号	玻璃编号	玻璃类型	玻璃尺寸			单面积 (m2)	分层数量					訂購数量	总面積	备注	玻璃编号	原本大貨數					REMARKS
			W(mm)	x	H(mm)		9F(10, 12~16, 18~20, 22~25,	11F	40F	17F(2 1,26,3 0,35,3 9,43,4	T1					T2	T3	total			
1	GL04-01	GL04	545	x	145	0.08						5	0.4		GL04-01	44	0	0	44	665mm	T1 AB廁所
2	GL04-02	GL04	580	x	145	0.08						100	8.4		GL04-02	396	432	575	1403	700mm	700窗
3	GL04-03	GL04	561	x	145	0.08						100	8.1		GL04-03	616	672	480	1768	681mm	681窗
4	GL04-04	GL04	502	x	145	0.07						20	1.5		GL04-04	88	48	48	184	623mm	622.5窗
5	GL04-05	GL04	474	x	145	0.07						50	3.4		GL04-05	176	144	144	464	765mm	轉角窗
6	GL04-07	GL04	495	x	145	0.07						10	0.7		GL04-07	0	48	48	96	615mm	T2 T3 AB廁所
7	GL04-08	GL04	430	x	145	0.06						5	0.3		GL04-08	44	0	0	44	550mm	T1 AE
												290	22.9		4003						
												件	m2								

注: 玻璃类型

1	GL01	10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W/ LOW-E COATING ON (R20220114001)									
2	GL02	10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W/ LOW-E COATING ON (R20220114003)									
3	GL03	12mm THK. HEAT STRENGTHEN GLASS .Reflective Glass SSC1-60T (R20220324054)									
4	GL04	12mm THK.CLEAR TEMPERED GLASS (R20220114008)									
5	GL01A	10mm THK.Reflective Glass SSC1-60T HEAT STRENGTHEN GLASS (OUTSIDE)R20220517050									

*生窗欄河玻璃仔 頂底精磨

J858康城11期单元幕墙玻璃分层统计表 (T1 单元幕墙)

工程: J858康城11期 (T1)													
日期: 16-Jun-22													
序号	玻璃编号	玻璃类型	玻璃尺寸			单面积 (m2)	分层数量			总数量	总面积	备注	
			W(mm)	x	H(mm)		9F(10.12~16.18~20.22~25.27~29.31~33.36~38.41~42.45~47.49~51.53~56.58~60F相同, 共34层)						
							11F	40F	17F(21.26.30.35.39.43.48.52.57F相同, 共10层)				
21	GL03-22	GL03	678.5	x	313	0.21		3		30	33	7.0	送工厂
22	GL03-23	GL03	678.5	x	578	0.39		1		10	11	4.3	送工厂
23	GL03-24	GL03	1770	x	578	1.02		1		10	11	11.3	送工厂
24	GL03-25	GL03	644	x	578	0.37		1		10	11	4.1	送工厂
25	GL03-27	GL03	1325.5	x	578	0.77	34	1	1	10	46	35.2	送工厂
26	GL03-28	GL03	1594	x	843	1.34	34	1	1	10	46	61.8	送工厂
27	GL03-29	GL03	663	x	313	0.21		3		30	33	6.8	送工厂
28	GL03-32	GL03	1388	x	843	1.17	34		1		35	41.0	送工厂
29	GL03-33	GL03	1751	x	843	1.48	34		1		35	51.7	送工厂
30	GL03-34	GL03	1388	x	313	0.43		1		10	11	4.8	送工厂
31	GL03-35	GL03	1751	x	313	0.55		1		10	11	6.0	送工厂
暂停	32	GL03-36	GL03	1348	x	843	1.14	34		1	35	39.8	送工厂
暂停	33	GL03-37	GL03	1348	x	313	0.42		1	10	11	4.6	送工厂
34	GL03-38	GL03	1660	x	843	1.40	34		1		35	49.0	送工厂
35	GL03-39	GL03	1660	x	313	0.52		1		10	11	5.7	送工厂
36	GL03-40	GL03	1544	x	843	1.30	34	1	1	10	46	59.9	送工厂
37	GL03-89	GL03	1325.5	x	519.5	0.69		4	4		8	5.5	送工厂
38	GL03-90	GL03	644	x	519.5	0.33		4	4		8	2.7	送工厂
39	GL03-91	GL03	1272	x	519.5	0.66		1	1		2	1.3	送工厂
40	GL03-92	GL03	1662	x	519.5	0.86		1	1		2	1.7	送工厂
41	GL03-93	GL03	1208	x	519.5	0.63		2	2		4	2.5	送工厂
42	GL03-94	GL03	1594	x	519.5	0.83		1	1		2	1.7	送工厂
43	GL03-95	GL03	663	x	519.5	0.34		4	4		8	2.8	送工厂
44	GL03-96	GL03	1544	x	519.5	0.80		1	1		2	1.6	送工厂
45	GL03-101	GL03	970	x	519.5	0.50		3	3		6	3.0	送工厂
46	GL03-102	GL03	986	x	519.5	0.51		3	3		6	3.1	送工厂
47	GL03-103	GL03	975	x	519.5	0.51		18	18		36	18.2	送工厂
48	GL03-104	GL03	948	x	519.5	0.49		6	6		12	5.9	送工厂
49	GL03-105	GL03	966	x	519.5	0.50		6	6		12	6.0	送工厂
50	GL03-106	GL03	1325.5	x	308	0.41		4	4		8	3.3	送工厂
51	GL03-107	GL03	644	x	308	0.20		4	4		8	1.6	送工厂
52	GL03-108	GL03	1272	x	308	0.39		1	1		2	0.8	送工厂
53	GL03-109	GL03	1662	x	308	0.51		1	1		2	1.0	送工厂
54	GL03-110	GL03	1208	x	308	0.37		2	2		4	1.5	送工厂
55	GL03-111	GL03	663	x	308	0.20		4	4		8	1.6	送工厂
56	GL03-112	GL03	1594	x	308	0.49		1	1		2	1.0	送工厂
57	GL03-113	GL03	1544	x	308	0.48		1	1		2	1.0	送工厂

2168 1751.588

1	GL04-01	GL04	545	x	145	0.08	34			10	44	3.5	送工厂	
2	GL04-02	GL04	580	x	145	0.08	306			90	396	33.3	送工厂	
3	GL04-03	GL04	561	x	145	0.08	476			140	616	50.1	送工厂	
4	GL04-04	GL04	502.5	x	145	0.07	68			20	88	6.4	送工厂	
5	GL04-05	GL04	474	x	145	0.07	136			40	176	12.1	送工厂	
6	GL04-08	GL04	480	x	145	0.06	34			10	44	2.7	送工厂	
							总数量	5508	151	151	1620	1364	108.1	
												7430	6771.7	

注: 玻璃类型

7430 6771.718

1	GL01	10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W LOW-E COATING ON SURFACE 5&T #2 + 12 mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLASS(INN) R20220114001										
2	GL02	10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W LOW-E COATING ON SURFACE 5&T #2 + 12 mm AIR SPACE + 10mm THK. CLEAR TEMPERED GLASS(INN) R20220114003										
3	GL03	12mm THK. HEAT STRENGTHEN GLASS Reflective Glass SSC1-60T (R20220324054)										
4	GL04	12mm THK. CLEAR TEMPERED GLASS (R20220114005)										
5	GL01A	10mm THK. Reflective Glass SSC1-60T HEAT STRENGTHEN GLASS (OUTSIDE) + 12 mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLASS(INN) IGU R20220517050										

J858康城11期单元幕墙玻璃分层统计表 (T2)

工程: J858康城11期 (T2,9F-65F)
日期: 28-Jul-22

序号	玻璃编号	玻璃类型	玻璃尺寸			单面积 (m2)	分层数量				总数量	备注	总面积 (m2)		
			W(mm)	x	H(mm)		9F(10,12~16,18~20,22~25,27~29,31~33,36~38,41~42,45~47,49~51,53~56,58~60,52~65F相同, 共37层)	11F	40F	17F(21,26,30,35,39,43,48,52,57,61F相同, 共11层)					
12	GL03-19	GL03	1770	x	843	1.49	111		3			114	送工厂	170.1	
13	GL03-20	GL03	1770	x	313	0.55			2		22		24	送工厂	13.3
14	GL03-21	GL03	678	x	843	0.57	111		3				114	送工厂	65.2
15	GL03-22	GL03	678	x	313	0.21			2		22		24	送工厂	5.1
16	GL03-23	GL03	678	x	578	0.39			1		11		12	送工厂	4.7
17	GL03-24	GL03	1770	x	578	1.02			1		11		12	送工厂	12.3
18	GL03-25	GL03	644	x	578	0.37			1		11		12	送工厂	4.5
19	GL03-27	GL03	1325	x	578	0.77	37		1	1	11		50	送工厂	38.3
20	GL03-41	GL03	1687	x	843	1.42	37		1	1	11		50	送工厂	71.1
21	GL03-42	GL03	1818	x	843	1.53	37			1			38	送工厂	58.2
22	GL03-43	GL03	1653	x	843	1.39	37			1			38	送工厂	53.0
23	GL03-44	GL03	1818	x	578	1.05			1		11		12	送工厂	12.6
24	GL03-45	GL03	1653	x	578	0.96			1		11		12	送工厂	11.5
25	GL03-46	GL03	578	x	578	0.33	37		1	1	11		50	送工厂	16.7
26	GL03-47	GL03	1619	x	843	1.36	37		1	1	11		50	送工厂	68.2
27	GL03-48	GL03	1289	x	843	1.09	37		1	1	11		50	送工厂	54.3
28	GL03-49	GL03	1743	x	843	1.47	37			1			38	送工厂	55.8
29	GL03-50	GL03	1743	x	313	0.55			1		11		12	送工厂	6.5
30	GL03-51	GL03	1690	x	843	1.42	37			1			38	送工厂	54.1
31	GL03-52	GL03	1690	x	313	0.53			1		11		12	送工厂	6.3
32	GL03-53	GL03	713	x	843	0.60	74		2	2	22		100	送工厂	60.1
33	GL03-89	GL03	1325	x	520	0.69			3	3			6	送工厂	4.1
34	GL03-90	GL03	644	x	520	0.33			3	3			6	送工厂	2.0
35	GL03-91	GL03	1272	x	520	0.66			1	1			2	送工厂	1.3
36	GL03-93	GL03	1208	x	520	0.63			1	1			2	送工厂	1.3
37	GL03-95	GL03	663	x	520	0.34			4	4			8	送工厂	2.8
38	GL03-97	GL03	1687	x	520	0.88			1	1			2	送工厂	1.8
39	GL03-98	GL03	1619	x	520	0.84			1	1			2	送工厂	1.7
40	GL03-99	GL03	713	x	520	0.37			2	2			4	送工厂	1.5
41	GL03-101	GL03	970	x	520	0.50			3	3			6	送工厂	3.0
42	GL03-102	GL03	986	x	520	0.51			3	3			6	送工厂	3.1
43	GL03-103	GL03	975	x	520	0.51			24	24			48	送工厂	24.3
44	GL03-104	GL03	948	x	520	0.49			6	6			12	送工厂	5.9
45	GL03-106	GL03	1325	x	308	0.41			3	3			6	送工厂	2.4
46	GL03-107	GL03	644	x	308	0.20			3	3			6	送工厂	1.2
47	GL03-108	GL03	1272	x	308	0.39			1	1			2	送工厂	0.8
48	GL03-110	GL03	1208	x	308	0.37			1	1			2	送工厂	0.7
49	GL03-111	GL03	663	x	308	0.20			4	4			8	送工厂	1.6
50	GL03-115	GL03	1687	x	308	0.52			1	1			2	送工厂	1.0
51	GL03-116	GL03	1619	x	308	0.50			1	1			2	送工厂	1.0
52	GL03-117	GL03	713	x	308	0.22			2	2			4	送工厂	0.9
											2136		1764.8		

1	GL04-02	GL04	580	x	145	0.08	333				99		432	送工厂	36.3
2	GL04-03	GL04	561	x	145	0.08	518				154		672	送工厂	54.7
3	GL04-04	GL04	502	x	145	0.07	37				11		48	送工厂	3.5
4	GL04-05	GL04	474	x	145	0.07	111				33		144	送工厂	9.9
5	GL04-07	GL04	405	x	145	0.07	37				11		48	送工厂	3.4
											1344		107.8		
总数量							5476		143	143	1628	0	7390		6820.7

注: 7390 6820.7

1	GL01	10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W/ LOW-E COATING ON SURFACE 58T #2 + 12 mm AIR SPACE + 12mm THK. CLEAR TEMPERR20220114001)										
2	GL02	10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W/ LOW-E COATING ON SURFACE 58T #2 + 12 mm AIR SPACE + 10mm THK. CLEAR TEMPEFR20220114003)										
3	GL03	12mm THK. HEAT STRENGTHEN GLASS .Reflective Glass SSC1-60T (R20220324054)										
4	GL04	12mm THK. CLEAR TEMPERED GLASS (R20220114008)										
5	GL01A	10mm THK. Reflective Glass SSC1-60T HEAT STRENGTHEN GLASS (OUTSIDE) + 12 mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLASS(INSIDR20220517050)										

J858康城11期单元幕墙玻璃分层统计表 (T3-9F~65F)

工程: J858康城11期(T3-9F~65F)

日期: 29-Jul-22

序号	玻璃编号	玻璃类型	玻璃尺寸			单面积 (m ²)	分层数量					总数量	备注	总面积 (m ²)			
			W(mm)	x	H(mm)		9F(10.12~16.18~20.22~25.27~29.31~33.36~38.41~42.45~47.49~51.53~56.58~60.52~6	11F	40F	17F(21.26.30.35.39.43.48.52.57.61F相同,共11层)	5F						
13	GL03-23	GL03	678	x	578	0.39				1			11		12	送工厂	4.7
14	GL03-24	GL03	1769	x	578	1.02				1			11		12	送工厂	12.3
15	GL03-25	GL03	644	x	578	0.37				1			11		12	送工厂	4.5
16	GL03-27	GL03	1325	x	578	0.77			37	1	1		11		50	送工厂	38.3
17	GL03-29	GL03	663	x	313	0.21				4			44		48	送工厂	10.0
18	GL03-32	GL03	1388	x	843	1.17			37		1				38	送工厂	44.5
19	GL03-33	GL03	1751	x	843	1.48			37		1				38	送工厂	56.1
20	GL03-41	GL03	1687	x	843	1.42			37	1	1		11		50	送工厂	71.1
21	GL03-42	GL03	1818	x	843	1.53			37		1				38	送工厂	58.2
22	GL03-43	GL03	1653	x	843	1.39			37		1				38	送工厂	53.0
23	GL03-44	GL03	1818	x	578	1.05				1			11		12	送工厂	12.6
24	GL03-45	GL03	1653	x	578	0.96				1			11		12	送工厂	11.5
25	GL03-46	GL03	578	x	578	0.33			37	1	1		11		50	送工厂	16.7
26	GL03-47	GL03	1619	x	843	1.36			37	1	1		11		50	送工厂	68.2
27	GL03-53	GL03	713	x	843	0.60			74	2	2		22		100	送工厂	60.1
28	GL03-54	GL03	1738	x	843	1.47			37		1				38	送工厂	55.7
29	GL03-55	GL03	1738	x	313	0.54				1			11		12	送工厂	6.5
30	GL03-57	GL03	1388	x	313	0.43				1			11		12	送工厂	5.2
31	GL03-58	GL03	1751	x	313	0.55				1			11		12	送工厂	6.6
32	GL03-59	GL03	1289	x	843	1.09			37	1	1		11		50	送工厂	54.3
33	GL03-60	GL03	1553	x	843	1.31			37	1	1		11		38	送工厂	49.7
34	GL03-61	GL03	1553	x	313	0.49				1			11		12	送工厂	5.8
35	GL03-89	GL03	1325	x	520	0.69				4	4				8	送工厂	5.5
36	GL03-90	GL03	644	x	520	0.33				4	4				8	送工厂	2.7
37	GL03-91	GL03	1272	x	520	0.66				1	1				2	送工厂	1.3
38	GL03-93	GL03	1208	x	520	0.63				1	1				2	送工厂	1.3
39	GL03-95	GL03	663	x	520	0.34				4	4				8	送工厂	2.8
40	GL03-97	GL03	1687	x	520	0.88				1	1				2	送工厂	1.8
41	GL03-98	GL03	1619	x	520	0.84				1	1				2	送工厂	1.7
42	GL03-99	GL03	713	x	520	0.37				2	2				4	送工厂	1.5
43	GL03-100	GL03	1289	x	520	0.67				1	1				2	送工厂	1.3
44	GL03-101	GL03	970	x	520	0.50				3	3				6	送工厂	3.0
45	GL03-102	GL03	986	x	520	0.51				3	3				6	送工厂	3.1
46	GL03-103	GL03	975	x	520	0.51				18	18				36	送工厂	18.3
47	GL03-104	GL03	948	x	520	0.49				6	6				12	送工厂	5.9
48	GL03-106	GL03	1325	x	308	0.41				4	4				8	送工厂	3.3
49	GL03-107	GL03	644	x	308	0.20				4	4				8	送工厂	1.6
50	GL03-108	GL03	1272	x	308	0.39				1	1				2	送工厂	0.8
51	GL03-110	GL03	1208	x	308	0.37				1	1				2	送工厂	0.7
52	GL03-111	GL03	663	x	308	0.20				4	4				8	送工厂	1.6
53	GL03-115	GL03	1687	x	308	0.52				1	1				2	送工厂	1.0
54	GL03-116	GL03	1619	x	308	0.50				1	1				2	送工厂	1.0
55	GL03-117	GL03	713	x	308	0.22				2	2				4	送工厂	0.9
56	GL03-118	GL03	1289	x	308	0.40				1	1				2	送工厂	0.8
57	GL03-119	GL03	976	x	520	0.51				3	3				6	送工厂	3.0
												2142		1701.7			

已减1件

1	GL04-02	GL04	580	x	145	0.08				444	443			132		575	送工厂	48.4
2	GL04-03	GL04	561	x	145	0.08				370				110		480	送工厂	39.0
3	GL04-04	GL04	502	x	145	0.07				37				11		48	送工厂	3.5
4	GL04-05	GL04	474	x	145	0.07				111				33		144	送工厂	9.9
5	GL04-07	GL04	495	x	145	0.07				37				11		48	送工厂	3.4
														1295		104.3		
总数量										5291	142	142	1573	0	7144		6554.4	

注:

1	GL01	10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W/ LOW-E 58T #2 + 12 mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLASS(INSI (R20220114001)														
2	GL02	10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W/ LOW-E 58T #2 + 12 mm AIR SPACE + 10mm THK. CLEAR TEMPERED GLASS(INSI (R20220114003)														
3	GL03	12mm THK. HEAT STRENGTHEN GLASS .Reflective Glass SSCI-60T (R20220324054)														
4	GL04	12mm THK.CLEAR TEMPERED GLASS (R20220114008)														
5	GL01A	10mm THK.Reflective Glass SSCI-60T HEAT STRENGTHEN GLASS (OUTSIDE) + 12 mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLAS: R20220517050														