



## 工程指示 / 要求簡箋(E.I.)

工程指示編號：EI / 898 / 25

修改版次：-

工程編號：J - 858

工程名稱：將軍澳日出康城

工程項目：幕牆 補生窗欄河玻璃仔 地盤執修用

收件人：Maggie

發件人：Jason

日期：12/06/2025

□要求提供 / □確認 事項：

- |                                    |                                     |                               |
|------------------------------------|-------------------------------------|-------------------------------|
| <input type="checkbox"/> 初步鋁料 B.M. | <input type="checkbox"/> 加工拆圖，然後生產  | <input type="checkbox"/> 尺寸表  |
| <input type="checkbox"/> 正式鋁料 B.M. | <input type="checkbox"/> 技術上資料 / 指示 | <input type="checkbox"/> 報價   |
| <input type="checkbox"/> 配件 B.M.   | <input type="checkbox"/> 樣辦或貨品說明書   | <input type="checkbox"/> 分判合約 |

內容：

由於地盤需要更換玻璃備用，請按玻璃 BM 生產玻璃，共 290 件 送地盤。  
請安排熱浸

1. 不要印上熱浸標籤。只給”可移除”的標籤。
2. 依原 EI 4867, EI 4943, EI 4942 尺寸補，
3. \*\*\*\*\*分尺寸包裝。\*\*\*\*\* 請留意。

謝謝

請在 2025.07.12 前完成上列要求。

分發東莞各部門：

- |                                      |                                     |                                    |  |
|--------------------------------------|-------------------------------------|------------------------------------|--|
| <input type="checkbox"/> 生產技術總監 □連附件 | <input type="checkbox"/> 技術部 □連附件   | <input type="checkbox"/> 生產部 □連附件  | <input type="checkbox"/> 機械設計部 □連附件    |
| <input type="checkbox"/> 採購部 □連附件    | <input type="checkbox"/> 生產統籌部 □連附件 | <input type="checkbox"/> 小羅&清 □連附件 |  |
| <input type="checkbox"/> 質檢部 □連附件    | <input type="checkbox"/> 會計部 □連附件   | <input type="checkbox"/> 報關組 □連附件  | <input type="checkbox"/> 其他 _____ □連附件 |

分發香港各部門：

- |  |                                    |                                   |  |
|--|------------------------------------|-----------------------------------|--|
| <input type="checkbox"/> 行政部 □連附件            | <input type="checkbox"/> 會計部 □連附件  | <input type="checkbox"/> 統籌部 □連附件 | <input checked="" type="checkbox"/> 工程部地盤科文 <u>二寶</u> □連附件 |
| <input checked="" type="checkbox"/> 採購部 □連附件 | <input type="checkbox"/> QS 部 □連附件 | <input type="checkbox"/> 維修部 □連附件 | <input type="checkbox"/> 其他 _____ □連附件                     |

傳遞編號：

HK

/ 25

發件人簽署：

項目經理簽署：

J858 康城11期单元幕墙玻璃分层统计表 (T1-T3 Spare 单元幕墙) 生窗欄河玻璃仔

工程: J858康城11期 (T1)

日期: 26-03-2025

序号	玻璃编号	玻璃类型	玻璃尺寸		单面积 (m2)	分层数量				訂購数量	总面积	备注	玻璃编号	原本大貨數			REMARKS			
			W(mm)	H(mm)		9F(10, 12-16, 18-20, 22-25,	11F	40F	17F(2 1,26.3 0.35,3 9.43,4					T1	T2	T3		total		
1	GL04-01	GL04	545	x	145	0.08				5	0.4		GL04-01	44	0	0	44	665mm	T1 AB廁所	
2	GL04-02	GL04	580	x	145	0.08				100	8.4		GL04-02	396	432	575	1403	700mm	700窗	
3	GL04-03	GL04	561	x	145	0.08				100	8.1		GL04-03	616	672	480	1768	681mm	681窗	
4	GL04-04	GL04	502	x	145	0.07				20	1.5		GL04-04	88	48	48	184	623mm	622.5窗	
5	GL04-05	GL04	474	x	145	0.07				50	3.4		GL04-05	176	144	144	464	765mm	轉角窗	
6	GL04-07	GL04	495	x	145	0.07				10	0.7		GL04-07	0	48	48	96	615mm	T2 T3 AB廁所	
7	GL04-08	GL04	430	x	145	0.06				5	0.3		GL04-08	44	0	0	44	550mm	T1 AE	
										290	22.9									4003
										件	m2									

注: 玻璃类型

1	GL01	10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W/ LOW-E COATING ON (R20220114001)
2	GL02	10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W/ LOW-E COATING ON (R20220114003)
3	GL03	12mm THK. HEAT STRENGTHEN GLASS .Reflective Glass SSC1-60T (R20220324054)
4	GL04	12mm THK.CLEAR TEMPERED GLASS (R20220114008)
5	GL01A	10mm THK.Reflective Glass SSC1-60T HEAT STRENGTHEN GLASS (OUTSIDE)(R20220517050)

\*生窗欄河玻璃仔頂底精磨

J858康城11期单元幕墙玻璃分层统计表 (T1 单元幕墙)

工程: J858康城11期 (T1)		日期: 2020-06-22		玻璃尺寸		单面积 (m <sup>2</sup> )	分层数量				总数量	总面积	备注		
序号	玻璃编号	玻璃类型	W(mm)	H(mm)	9F(10,12-16,18-20,22-25,27-29,31-33,36-38,41-42,45-47,49-51,53-56,58-60F相同, 0.34L)		11F	40F	17F(21,26,30,35,39,43,48,52,57F相同, 共10L)						
21	GL03-22	GL03	678.5	x	313	0.21			3			30	33	7.0	送工厂
22	GL03-23	GL03	678.5	x	578	0.39			1			10	11	4.3	送工厂
23	GL03-24	GL03	1770	x	578	1.02			1			10	11	11.5	送工厂
24	GL03-25	GL03	644	x	578	0.37			1			10	11	4.1	送工厂
25	GL03-27	GL03	1325.5	x	578	0.77			1	1		10	46	38.2	送工厂
26	GL03-28	GL03	1594	x	843	1.34			1	1		10	46	61.8	送工厂
27	GL03-29	GL03	663	x	313	0.21			3			30	33	6.8	送工厂
28	GL03-32	GL03	1388	x	843	1.17				1			35	41.0	送工厂
29	GL03-33	GL03	1751	x	843	1.48				1			35	51.7	送工厂
30	GL03-34	GL03	1388	x	313	0.43			1			10	11	4.5	送工厂
31	GL03-35	GL03	1751	x	313	0.55			1			10	11	6.0	送工厂
32	GL03-36	GL03	1348	x	843	1.14			1	1			35	39.8	送工厂
33	GL03-37	GL03	1348	x	313	0.42			1			10	11	4.6	送工厂
34	GL03-38	GL03	1660	x	843	1.40				1			35	49.0	送工厂
35	GL03-39	GL03	1660	x	313	0.52			1			10	11	5.7	送工厂
36	GL03-40	GL03	1544	x	843	1.30			1	1		10	48	59.9	送工厂
37	GL03-39	GL03	1325.5	x	519.5	0.69			4	4			8	5.5	送工厂
38	GL03-90	GL03	644	x	519.5	0.53			4	4			8	2.7	送工厂
39	GL03-91	GL03	1272	x	519.5	0.66			1	1			2	1.3	送工厂
40	GL03-92	GL03	1662	x	519.5	0.86			1	1			2	1.7	送工厂
41	GL03-93	GL03	1208	x	519.5	0.63			2	2			4	2.5	送工厂
42	GL03-94	GL03	1594	x	519.5	0.83			1	1			2	1.7	送工厂
43	GL03-95	GL03	663	x	519.5	0.34			4	4			8	2.8	送工厂
44	GL03-96	GL03	1544	x	519.5	0.80			1	1			2	1.6	送工厂
45	GL03-101	GL03	970	x	519.5	0.50			3	3			6	3.0	送工厂
46	GL03-102	GL03	986	x	519.5	0.51			3	3			6	3.1	送工厂
47	GL03-103	GL03	975	x	519.5	0.51			18	18			36	18.2	送工厂
48	GL03-104	GL03	948	x	519.5	0.49			6	6			12	5.9	送工厂
49	GL03-105	GL03	966	x	519.5	0.50			6	6			12	6.0	送工厂
50	GL03-106	GL03	1325.5	x	308	0.41			4	4			8	3.3	送工厂
51	GL03-107	GL03	644	x	308	0.20			4	4			8	1.6	送工厂
52	GL03-108	GL03	1272	x	308	0.39			1	1			2	0.8	送工厂
53	GL03-109	GL03	1662	x	308	0.51			1	1			2	1.0	送工厂
54	GL03-110	GL03	1208	x	308	0.37			2	2			4	1.5	送工厂
55	GL03-111	GL03	663	x	308	0.20			4	4			8	1.6	送工厂
56	GL03-112	GL03	1594	x	308	0.49			1	1			2	1.0	送工厂
57	GL03-113	GL03	1544	x	308	0.48			1	1			2	1.0	送工厂

2168 1751.588

1	GL04-01	GL04	545	x	145	0.08						10	44	3.5	送工厂
2	GL04-02	GL04	580	x	145	0.08						90	396	33.3	送工厂
3	GL04-03	GL04	561	x	145	0.08						140	616	50.1	送工厂
4	GL04-04	GL04	502.5	x	145	0.07						20	88	6.4	送工厂
5	GL04-05	GL04	474	x	145	0.07						40	176	12.1	送工厂
6	GL04-08	GL04	430	x	145	0.06						10	44	2.7	送工厂
													1364	108.1	
													7430	6771.7	

7430 6771.718

注: 玻璃类型

- GL01 16mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W LOW-E COATING ON SURFACE 5ST #2 + 12mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLASS(INR2022014001)
- GL02 16mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W LOW-E COATING ON SURFACE 5ST #2 + 12mm AIR SPACE + 10mm THK. CLEAR TEMPERED GLASS(INR2022014003)
- GL03 12mm THK. HEAT STRENGTHEN GLASS Reflective Glass SSC1-60T (R2022024054)
- GL04 12mm THK. CLEAR TEMPERED GLASS (R2022014005)
- GL04A 10mm THK. Reflective Glass SSC1-60T HEAT STRENGTHEN GLASS (OUTSIDE) + 12mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLASS(INSIDE) IGL (R20220517050)

J858康城11期单元幕墙玻璃分层统计表 (T2)

工程: J858康城11期 (T2) (65F)

日期: 28-Jul-22

序号	玻璃编号	玻璃类型	玻璃尺寸		单面面积 (m2)	分层数量			总数量	备注	总面积 (m2)		
			W(mm)	H(mm)		11F	40F	17F(21,26,30,35,39,43,48,52,57,61F相同, 共11F)					
12	GL03-19	GL03	1770	x	843	1.49	111		3	114	送工厂	170.1	
13	GL03-20	GL03	1770	x	313	0.55		2		24	送工厂	13.3	
14	GL03-21	GL03	678	x	843	0.57	111		3	114	送工厂	65.2	
15	GL03-22	GL03	678	x	313	0.21		2		24	送工厂	5.1	
16	GL03-23	GL03	678	x	578	0.39		1		12	送工厂	4.7	
17	GL03-24	GL03	1770	x	578	1.02		1		12	送工厂	12.3	
18	GL03-25	GL03	644	x	578	0.37		1		12	送工厂	4.5	
19	GL03-27	GL03	1325	x	578	0.77	37		1	50	送工厂	38.3	
20	GL03-41	GL03	1687	x	843	1.42	37		1	50	送工厂	71.1	
21	GL03-42	GL03	1818	x	843	1.53	37		1	38	送工厂	58.2	
22	GL03-43	GL03	1653	x	843	1.39	37		1	38	送工厂	53.0	
23	GL03-44	GL03	1818	x	578	1.05		1		12	送工厂	12.6	
24	GL03-45	GL03	1653	x	578	0.96		1		12	送工厂	11.5	
25	GL03-46	GL03	578	x	578	0.33	37		1	50	送工厂	16.7	
26	GL03-47	GL03	1619	x	843	1.36	37		1	50	送工厂	68.2	
27	GL03-48	GL03	1289	x	843	1.09	37		1	50	送工厂	54.3	
28	GL03-49	GL03	1743	x	843	1.47	37		1	38	送工厂	55.8	
29	GL03-50	GL03	1743	x	313	0.55		1		12	送工厂	6.5	
30	GL03-51	GL03	1690	x	843	1.42	37		1	38	送工厂	54.1	
31	GL03-52	GL03	1690	x	313	0.53		1		12	送工厂	6.3	
32	GL03-53	GL03	713	x	843	0.60	74		2	100	送工厂	60.1	
33	GL03-89	GL03	1325	x	520	0.69		3	3	6	送工厂	4.1	
34	GL03-90	GL03	644	x	520	0.33		3	3	6	送工厂	2.0	
35	GL03-91	GL03	1272	x	520	0.66		1	1	2	送工厂	1.3	
36	GL03-93	GL03	1208	x	520	0.63		1	1	2	送工厂	1.3	
37	GL03-95	GL03	663	x	520	0.34		4	4	8	送工厂	2.8	
38	GL03-97	GL03	1687	x	520	0.88		1	1	2	送工厂	1.8	
39	GL03-98	GL03	1619	x	520	0.84		1	1	2	送工厂	1.7	
40	GL03-99	GL03	713	x	520	0.37		2	2	4	送工厂	1.5	
41	GL03-101	GL03	970	x	520	0.50		3	3	6	送工厂	3.0	
42	GL03-102	GL03	986	x	520	0.51		3	3	6	送工厂	3.1	
43	GL03-103	GL03	975	x	520	0.51		24	24	48	送工厂	24.3	
44	GL03-104	GL03	948	x	520	0.49		6	6	12	送工厂	5.9	
45	GL03-106	GL03	1325	x	308	0.41		3	3	6	送工厂	2.4	
46	GL03-107	GL03	644	x	308	0.26		3	3	6	送工厂	1.2	
47	GL03-108	GL03	1272	x	308	0.39		1	1	2	送工厂	0.8	
48	GL03-110	GL03	1208	x	308	0.37		1	1	2	送工厂	0.7	
49	GL03-111	GL03	663	x	308	0.20		4	4	8	送工厂	1.6	
50	GL03-115	GL03	1687	x	308	0.52		1	1	2	送工厂	1.0	
51	GL03-116	GL03	1619	x	308	0.50		1	1	2	送工厂	1.0	
52	GL03-117	GL03	713	x	308	0.22		2	2	4	送工厂	0.9	
										2136		1764.8	
1	GL04-02	GL04	580	x	145	0.08	333			99	432	送工厂	36.3
2	GL04-03	GL04	561	x	145	0.08	518			154	672	送工厂	54.7
3	GL04-04	GL04	502	x	145	0.07	37			11	48	送工厂	3.5
4	GL04-05	GL04	474	x	145	0.07	111			33	144	送工厂	9.9
5	GL04-07	GL04	495	x	145	0.07	37			11	48	送工厂	3.4
总数量										1344		107.8	
										0	7390	6820.7	
										7390		6820.7	

- 注:
- GL01 10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W LOW-E COATING ON SURFACE 58T #2 + 12mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLASS (R20220114001)
  - GL02 10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W LOW-E COATING ON SURFACE 58T #2 + 12mm AIR SPACE + 10mm THK. CLEAR TEMPERED GLASS (R20220114003)
  - GL03 12mm THK. HEAT STRENGTHEN GLASS Reflective Glass SSC1-60T (R20220324054)
  - GL04 12mm THK. CLEAR TEMPERED GLASS (R20220114008)
  - GL01A 10mm THK. Reflective Glass SSC1-60T HEAT STRENGTHEN GLASS (OUTSIDE) + 12mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLASS (INSIDE) (R20220517050)

J858康城11期单元幕墙玻璃分层统计表 (T3-9F~65F)

工程: J858康城11期(T3-9F~65F)

日期: 29-Jul-22

序号	玻璃编号	玻璃类型	玻璃尺寸		单面积 (m <sup>2</sup> )	楼层数量										总数量	备注	总面积 (m <sup>2</sup> )	
			W(mm)	H(mm)		9F(10,12-16,18-20,22-25,27-29,31-33,36-38,41-42,45-47,49-51,53-56,58-60,52-65F相同,共37层)	11F	40F	17F(21,26,30,35,39,43,48,52,57,61F相同,共11层)	5F									
13	GL03-23	GL03	678	x	578	0.39									11		12	送工厂	4.7
14	GL03-24	GL03	1769	x	578	1.02									11		12	送工厂	12.3
15	GL03-25	GL03	644	x	578	0.37									11		12	送工厂	4.5
16	GL03-27	GL03	1325	x	578	0.77		37							11		50	送工厂	38.3
17	GL03-29	GL03	663	x	313	0.21									44		48	送工厂	10.0
18	GL03-32	GL03	1385	x	843	1.17		37							1		58	送工厂	44.5
19	GL03-33	GL03	1751	x	843	1.48		37							1		38	送工厂	56.1
20	GL03-41	GL03	1687	x	843	1.42		37							11		50	送工厂	71.1
21	GL03-42	GL03	1518	x	843	1.53		37							1		38	送工厂	58.2
22	GL03-43	GL03	1653	x	843	1.39		37							1		38	送工厂	53.0
23	GL03-44	GL03	1518	x	578	1.05									11		12	送工厂	12.6
24	GL03-45	GL03	1653	x	578	0.96									11		12	送工厂	11.5
25	GL03-46	GL03	578	x	578	0.33		37							11		50	送工厂	16.7
26	GL03-47	GL03	1619	x	843	1.36		37							11		50	送工厂	68.2
27	GL03-53	GL05	713	x	843	0.60		74							22		100	送工厂	60.1
28	GL03-54	GL05	1738	x	843	1.47		37							1		38	送工厂	55.7
29	GL03-55	GL05	1738	x	313	0.54									11		12	送工厂	6.5
30	GL03-57	GL05	1388	x	313	0.43									11		12	送工厂	5.2
31	GL03-58	GL05	1751	x	313	0.55									11		12	送工厂	6.6
32	GL03-59	GL05	1289	x	843	1.09		37							11		50	送工厂	54.3
33	GL03-60	GL05	1553	x	843	1.31		37							1		38	送工厂	49.7
34	GL03-61	GL05	1553	x	313	0.49									11		12	送工厂	5.8
35	GL03-89	GL03	1325	x	520	0.69									4	4	8	送工厂	5.5
36	GL03-90	GL03	644	x	520	0.33									4	4	8	送工厂	2.7
37	GL03-91	GL03	1272	x	520	0.66									1	1	2	送工厂	1.3
38	GL03-93	GL03	1208	x	520	0.63									1	1	2	送工厂	1.3
39	GL03-95	GL03	663	x	520	0.34									4	4	8	送工厂	2.8
40	GL03-97	GL03	1687	x	520	0.88									1	1	2	送工厂	1.8
41	GL03-98	GL03	1619	x	520	0.84									1	1	2	送工厂	1.7
42	GL03-99	GL03	713	x	520	0.37									2	2	4	送工厂	1.5
43	GL03-100	GL03	1289	x	520	0.67									1	1	2	送工厂	1.3
44	GL03-101	GL05	970	x	520	0.50									3	3	6	送工厂	3.0
45	GL03-102	GL05	986	x	520	0.51									3	3	6	送工厂	3.1
46	GL03-103	GL03	975	x	520	0.51									18	18	36	送工厂	18.3
47	GL03-104	GL03	948	x	520	0.49									6	6	12	送工厂	5.9
48	GL03-106	GL03	1325	x	308	0.41									4	4	8	送工厂	3.3
49	GL03-107	GL03	644	x	308	0.20									4	4	8	送工厂	1.6
50	GL03-108	GL03	1272	x	308	0.39									1	1	2	送工厂	0.8
51	GL03-110	GL03	1208	x	308	0.37									1	1	2	送工厂	0.7
52	GL03-111	GL03	663	x	308	0.20									4	4	8	送工厂	1.6
53	GL03-115	GL03	1687	x	308	0.52									1	1	2	送工厂	1.0
54	GL03-116	GL03	1619	x	308	0.50									1	1	2	送工厂	1.0
55	GL03-117	GL03	713	x	308	0.22									2	2	4	送工厂	0.9
56	GL03-118	GL03	1289	x	308	0.40									1	1	2	送工厂	0.8
57	GL03-119	GL03	976	x	520	0.51									3	3	6	送工厂	3.0
													2142		1701.7				

已竣工件

1	GL04-02	GL04	580	x	145	0.08		944							132		575	送工厂	48.4	
2	GL04-05	GL04	561	x	145	0.05		376							110		480	送工厂	39.0	
3	GL04-04	GL04	502	x	145	0.07		37							11		48	送工厂	3.5	
4	GL04-05	GL04	474	x	145	0.07		111							33		144	送工厂	9.9	
5	GL04-07	GL04	498	x	145	0.07		37							11		48	送工厂	3.4	
													1295		104.3					
													5293	142	142	1573	0	7144		6554.4

注:

- GL01 10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W/ LOW-E 58T #2 + 12mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLASS(INSD) (R20220114001)
- GL02 10mm THK. HEAT STRENGTHEN GLASS (OUTSIDE) W/ LOW-E 58T #2 + 12mm AIR SPACE + 10mm THK. CLEAR TEMPERED GLASS(INSD) (R20220114003)
- GL03 12mm THK. HEAT STRENGTHEN GLASS ,Reflective Glass SSC1-60T (R20220324054)
- GL04 12mm THK.CLEAR TEMPERED GLASS (R20220114008)
- GL04A 10mm THK.Reflective Glass SSC1-60T HEAT STRENGTHEN GLASS (OUTSIDE) + 12mm AIR SPACE + 12mm THK. CLEAR TEMPERED GLASS (R20220517050)