



工程指示 / 要求簡箋 ENGINEER INSTRUCTIONS (E.I.)

工程指示編號:	EI- 7226	修改版本:	-
	HK-		
工程編號:	J 860	工程名稱:	馬灣(村屋)
收件人:	Maggie	發件人:	nero
工程項目:	馬灣(村屋)前十座玻璃	日期:	11/1/2024

<input type="checkbox"/> 原合約工程包	<input type="checkbox"/> 原合約工程加 / 減賬 QT-	<input type="checkbox"/> 新工程報價 QT-
---------------------------------	--	------------------------------------

信件批核號碼/圖紙參考編號:	批核模具圖紙編號:
客戶指示附件:	管理內部批簽署:

<input type="checkbox"/> 初步鋁料 B.M.	<input type="checkbox"/> 加工拆圖, 然後生產	<input type="checkbox"/> 尺寸表
<input type="checkbox"/> 正式鋁料 B.M.	<input type="checkbox"/> 技術上資料/指示	<input type="checkbox"/> 報價
<input type="checkbox"/> 配件 B.M.	<input type="checkbox"/> 樣辦或貨品說明書	<input type="checkbox"/> 分判合約
<input type="checkbox"/> 其他:		

內容: 請按附頁資料生產加工. 送馬灣地盤 此EI是前十間屋的玻璃, 只有半鋼化玻璃 廣東省隆玻科技集團股份有限公司訂貨 <del>*Heat Soak Test 須按 BS EN 14179-1: 2016 ;</del> <del>**Heat-Strengthened Glass、Tempered Glass 生產及品質監控須按照 ASTM C1048 標準進行 ;</del> <del>***每塊強化玻璃角位離邊位 100mm 須加上 一張透明貼紙 (貼紙上印上承判人公司、生產商 Logo 及 Heat Soak Test 字樣) ; (見附件)</del>
完成上列要求日期: 20/02/2024

國內

<input type="checkbox"/> 生產技術總監	<input type="checkbox"/> 連附件	<input type="checkbox"/> 技術部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 生產部	<input type="checkbox"/> 連附件
<input type="checkbox"/> 採購部	<input type="checkbox"/> 連附件	<input checked="" type="checkbox"/> 生產統籌部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 報關組	<input type="checkbox"/> 連附件
<input type="checkbox"/> 質檢部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 會計部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 機械設計部	<input type="checkbox"/> 連附件
<input type="checkbox"/> 香港辦	<input type="checkbox"/> 連附件	<input type="checkbox"/> 其他:			

香港

<input type="checkbox"/> 行政部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 會計部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 統籌部	<input type="checkbox"/> 連附件	<input type="checkbox"/> 工程部	<input type="checkbox"/> 連附件
<input type="checkbox"/> 採購部	<input type="checkbox"/> 連附件	<input type="checkbox"/> QS部	<input type="checkbox"/> 連附件	<input checked="" type="checkbox"/> 地盤管理	<input type="checkbox"/> 連附件	<input type="checkbox"/> 維修部	<input type="checkbox"/> 連附件

*發件人簽署:		*組別成員批核簽署:	
傳遞編號:		項目經理簽署:	

	工程號:	J-860	計算:	劉燦	日期:	2023.12.13	送呈:	施哥
	地盤名稱:	馬灣	核對:		日期:	2023.12.14		
地盤用玻璃B.M.表		項目類別:	前十座	批准:	林仁安	日期:	2023.12.15	
BM編號:	A/C Code:-		數量:	75	總計玻璃面積(平方米):	21.244		

序號	修改標示	顏色與名稱	厚度(mm)	玻璃尺寸		數量(塊)	面積(平方米)		代号	位置
				寬度(mm)	高度(mm)		單件	總面積		
1		W01-11	半鋼化 G3: 8mm CLEAR ANNEALED GLASS WITH CERAMIC FRITTED ON#2, 廣東省隆玻科技集團股份有限公司玻璃樣板編號:LB230825-1	580	805	1	0.467	0.467	G3	141-GF
2		W01-12		580	815	1	0.473	0.473	G3	142-GF
3		W01a-12		580	1005	1	0.583	0.583	G3	(329-GF)
4		W05-08		580	489.5	1	0.284	0.284	G3	(148A-GF)
5		W05-08		580	489.5	1	0.284	0.284	G3	(148A-1F)
6		W05-08		580	489.5	1	0.284	0.284	G3	(148A-2F)
7		W05-09		580	499.5	1	0.290	0.290	G3	(148A-1F)
8		W05-09		580	499.5	1	0.290	0.290	G3	(148A-2F)
9		W05-09		580	499.5	1	0.290	0.290	G3	(384-2F)
10		W05-10		580	509.5	1	0.296	0.296	G3	(384-GF)
11		W05-11		580	519.5	1	0.301	0.301	G3	(384-1F)
12		W05-12		580	659.5	1	0.383	0.383	G3	(329-GF)
13		W05-13		580	719.5	1	0.417	0.417	G3	139RP-GF)
14		W05-14		580	889.5	1	0.516	0.516	G3	(141-1F)
15		W05-15		580	629.5	1	0.365	0.365	G3	(275-GF)
16		W05a-05		580	489.5	1	0.284	0.284	G3	(148A-1F)
17		W05a-06		580	499.5	1	0.290	0.290	G3	(148A-2F)
18		W05a-07		580	509.5	1	0.296	0.296	G3	(148A-2F)
19		W05a-07		580	509.5	1	0.296	0.296	G3	(148A-1F)
20		W05a-07		580	509.5	1	0.296	0.296	G3	(329-1F)
21		W05a-10		580	879.5	1	0.510	0.510	G3	(141-1F)
22		W05-01		580	369.5	2	0.214	0.429	G3	139RP-2F)
23		W05-02		580	379.5	2	0.220	0.440	G3	139RP-1F)
24		W05-03		580	409.5	1	0.238	0.238	G3	(322-GF)
25		W05-04		580	439.5	1	0.255	0.255	G3	(142-2F)
26		W05-05		580	449.5	1	0.261	0.261	G3	(142-1F)
27		W05a-02		580	439.5	1	0.255	0.255	G3	(142-1F)
28		W05a-02		580	439.5	1	0.255	0.255	G3	(142-2F)
29		W05a-03		580	459.5	1	0.267	0.267	G3	(141-GF)
30		W05a-03		580	459.5	1	0.267	0.267	G3	(148A-GF)
31		W05a-04		580	469.5	1	0.272	0.272	G3	(142-GF)
32		W10-01		1232	502	1	0.618	0.618	G3	(384-2F)
33		W10-02		1232	502	1	0.618	0.618	G3	(148A-1F)
34		W10-02		1232	502	1	0.618	0.618	G3	(384-1F)
35		W10-05		482	502	2	0.242	0.484	G3	136A1-1F)
36		W20-11		580	680	3	0.394	1.183	G3	(TTW-GF)
37		W20-12		580	810	3	0.470	1.409	G3	(TTW-GF)
38		W20-13		450	260	3	0.117	0.351	G3	(W4277-GF)
39		W20-14		440	250	3	0.110	0.330	G3	(W4277-GF)
40		W20-1		750	430	1	0.323	0.323	G3	(TW313-GF)
41		W20-2		780	430	1	0.335	0.335	G3	(TW313-GF)
42		W20-3		790	470	4	0.371	1.485	G3	(TW313-GF)
43		W20-4		290	290	1	0.084	0.084	G3	(TOILET-GF)
44		W20-5		450	290	1	0.131	0.131	G3	(TOILET-GF)
45		W20-6		290	290	1	0.084	0.084	G3	(TOILET-GF)
46		W20-7		450	370	1	0.167	0.167	G3	(TOILET-GF)
47		W20-8		300	370	2	0.111	0.222	G3	(TOILET-GF)
48		W20-9		760	470	1	0.357	0.357	G3	(TW313-GF)
49		W09-1		550	290	6	0.160	0.957	G3	(TTW-GF)
50		W09-2		570	315	4	0.180	0.718	G3	(TTW-GF)
51		W09-3		540	315	2	0.170	0.340	G3	(TTW-GF)
						總合計:	75	21.24		

加工注意事項:	1).本表中所有玻璃對角線尺寸偏差要求不超過正負2mm.
	2).本表中所有玻璃要求粗磨邊處理並倒棱角.
	3).本表中玻璃要求粗磨邊處理並倒棱角,而所有玻璃之入爐方向需保持一致.
	4).本表中不同種類玻璃參照玻璃加工圖加工.
	5).本表中所有強化玻璃均需HEAT SOAK TEST.
	6).本表中所有玻璃均需注明室內外面及其玻璃編號和位置,以便識別.

	工程號:	J-860	計算:	徐詳坤	日期:	2023.12.13	送呈:	施哥
	地盤名稱:	馬灣	核對:		日期:	2023.12.14		
地盘用玻璃B.M.表	項目類別:	前十座	批准:	林仁安	日期:	2023.12.15		
BM編號:	A/C Code:-		數量:	75	總計玻璃面積(平方米):		21.244	


序號	修改標示	顏色與名稱	厚度(mm)	玻璃尺寸		數量(塊)	面積(平方米)		代号 位置	
				寬度(mm)	高度(mm)		單件	總面積		
1		W01-11		580	805	1	0.467	0.467	G3	141-GF
2		W01-12		580	815	1	0.473	0.473	G3	142-GF
3		W01a-12		580	1005	1	0.583	0.583	G3	(329-GF)
4		W05-08		580	489.5	1	0.284	0.284	G3	(148A-GF)
5		W05-08		580	489.5	1	0.284	0.284	G3	(148A-1F)
6		W05-08		580	489.5	1	0.284	0.284	G3	(148A-2F)
7		W05-09		580	499.5	1	0.290	0.290	G3	(148A-1F)
8		W05-09		580	499.5	1	0.290	0.290	G3	(148A-2F)
9		W05-09		580	499.5	1	0.290	0.290	G3	(384-2F)
10		W05-10		580	509.5	1	0.296	0.296	G3	(384-GF)
11		W05-11		580	519.5	1	0.301	0.301	G3	(384-1F)
12		W05-12		580	659.5	1	0.383	0.383	G3	(329-GF)
13		W05-13		580	719.5	1	0.417	0.417	G3	139RP-GF)
14		W05-14		580	889.5	1	0.516	0.516	G3	(141-1F)
15		W05-15		580	629.5	1	0.365	0.365	G3	(275-GF)
16		W05a-05		580	489.5	1	0.284	0.284	G3	(148A-1F)
17		W05a-06		580	499.5	1	0.290	0.290	G3	(148A-2F)
18		W05a-07		580	509.5	1	0.296	0.296	G3	(148A-2F)
19		W05a-07		580	509.5	1	0.296	0.296	G3	(148A-1F)
20		W05a-07		580	509.5	1	0.296	0.296	G3	(329-1F)
21		W05a-10		580	879.5	1	0.510	0.510	G3	(141-1F)
22		W05-01		580	369.5	2	0.214	0.429	G3	139RP-2F)
23		W05-02		580	379.5	2	0.220	0.440	G3	139RP-1F)
24		W05-03		580	409.5	1	0.238	0.238	G3	(322-GF)
25		W05-04		580	439.5	1	0.255	0.255	G3	(142-2F)
26		W05-05		580	449.5	1	0.261	0.261	G3	(142-1F)
27		W05a-02		580	439.5	1	0.255	0.255	G3	(142-1F)
28		W05a-02		580	439.5	1	0.255	0.255	G3	(142-2F)
29		W05a-03		580	459.5	1	0.267	0.267	G3	(141-GF)
30		W05a-03		580	459.5	1	0.267	0.267	G3	(148A-GF)
31		W05a-04		580	469.5	1	0.272	0.272	G3	(142-GF)
32		W10-01		1232	502	1	0.618	0.618	G3	(384-2F)
33		W10-02		1232	502	1	0.618	0.618	G3	(148A-1F)
34		W10-02		1232	502	1	0.618	0.618	G3	(384-1F)
35		W10-05		482	502	2	0.242	0.484	G3	136A1-1F)
36		W20-11		580	680	3	0.394	1.183	G3	(TTW-GF)
37		W20-12		580	810	3	0.470	1.409	G3	(TTW-GF)
38		W20-13		450	260	3	0.117	0.351	G3	(W4277-GF)
39		W20-14		440	250	3	0.110	0.330	G3	(W4277-GF)
40		W20-1		750	430	1	0.323	0.323	G3	(TW313-GF)
41		W20-2		780	430	1	0.335	0.335	G3	(TW313-GF)
42		W20-3		790	470	4	0.371	1.485	G3	(TW313-GF)
43		W20-4		290	290	1	0.084	0.084	G3	(TOILET-GF)
44		W20-5		450	290	1	0.131	0.131	G3	(TOILET-GF)
45		W20-6		290	290	1	0.084	0.084	G3	(TOILET-GF)
46		W20-7		450	370	1	0.167	0.167	G3	(TOILET-GF)
47		W20-8		300	370	2	0.111	0.222	G3	(TOILET-GF)
48		W20-9		760	470	1	0.357	0.357	G3	(TW313-GF)
49		W09-1		550	290	6	0.160	0.957	G3	(TTW-GF)
50		W09-2		570	315	4	0.180	0.718	G3	(TTW-GF)
51		W09-3		540	315	2	0.170	0.340	G3	(TTW-GF)
						總合計:	75	21.24		

半鋼化

G3: 8mm CLEAR ANNEALED GLASS WITH CERAMIC FRITTED ON#2, 廣東省隆玻科技集團股份有限公司玻璃樣板編號: LB230825-1


加工注意事項:

- 1). 本表中所有玻璃對角線尺寸偏差要求不超過正負2mm.
- 2). 本表中所有玻璃要求粗磨邊處理並倒棱角.
- 3). 本表中玻璃要求粗磨邊處理並倒棱角, 而所有玻璃之入爐方向需保持一致.
- 4). 本表中不同種類玻璃參照玻璃加工圖加工.
- 5). 本表中所有強化玻璃均需HEAT SOAK TEST.
- 6). 本表中所有玻璃均需注明室內外面及其玻璃編號和位置, 以便識別.



**新輝建築有限公司**  
**Sanfield Building Contractors Ltd.**

新鴻基地產集團成員  
 A MEMBER OF SUN HUNG KAI PROPERTIES GROUP



**Project : Ma Wan Park Phase 2**

**TECHNICAL SUBMISSION FORM**

From : Chan Yun Kan Simon To : Archiplus International (HK) Limited  
 Date : 3 November 2023  
 Our Ref : MWP(P2)/TSF-435A Attn.: Mr. Eddie Li / Mr. Kin Leung

We would like to submit the following documents for your comment and approval.

<b>Subject: 2<sup>nd</sup> Material Submission of Glass Sample for Aluminum Window/Door at Existing Village House (G3)</b>			
Submission Date	Expected Approval Date	Sub-contractor	Approval By
3 November 2023	17 November 2023	MIDI	Archiplus
Remarks: G3 - 8mm clear annealed glass with ceramic fritted at surface			
Comment: - No adverse comment on the glass sample - Material has been approved on site on 30 Nov 2023		Reply: <input checked="" type="checkbox"/> Archiplus <input type="checkbox"/> <input type="checkbox"/> Other: _____	
Signature: <u>M.F. Li</u> Name: <u>Eddie M.F. Li</u> Date: <u>1 Dec 2023</u>		Review Status <input type="checkbox"/> A (No Objection) <input checked="" type="checkbox"/> B (No Objection Subject To Comment As Noted) <input type="checkbox"/> C (Amend. & Resubmit) <input type="checkbox"/> D (Reject & Resubmit)	

Encl.

c.c. MWPL – Mr. Angus Cheung / Mr. W C Wong )All w/e  
 Special Project Team- Mr. Johnson Yau )by email  
 QS – Mr. Charles Chui / Ms. Karen Tung / )  
 Mr. Stephen Cheung / Ms. Becky Cheung )  
 Site Office )  
 MIDI )

Signed  
 For and on behalf of  
**Sanfield Building Contractors Ltd.**

Chan Yun Kan Simon  
 Project Director  
 SC/YSW/TC/FN/lt





广东长隆玻璃科技集团有限公司  
 Guangdong Longglass Technology Group Co., Ltd.  
 网址: www.longglass.cn  
 电话: 0752-3890888 传真: 0752-3726008  
 地址: 广东省佛山市顺德区龙江镇宝林路53号 邮编: 516221

LONGGLASS  
 广东长隆玻璃有限公司

彩釉编号: LB230825-1  
 (Color Code)

项目名称: 香港马湾珀欣路  
 (Project:)

检验员: I.P. 潘欣  
 (QC)



SSVD  
 20

产品结构: 8白玻彩釉  
 (Product Code)

28/8.2023

温馨提示:  
 1. 陶瓷彩釉玻璃不适合透光安装;  
 2. 检验颜色、图案和质量仅供参考, 不作验收标准。  
 3. 执行标准 JC/T 1006-2006

美特铝质有限公司

MIDI ALUMINIUM FABRICATOR LTD.

Project	Proposed Development at Ma Wan Park Phase II, Ma Wan, Village Houses
Subject	8mm Clear Annealed Glass with Ceramic Fritted at Surface no.2 單面彩釉 (G3)
Brand	Longglass Technology Group Co., Ltd
Sample Code	LB230825-1
Location	Village Houses Window Glass (Toilet)
Letter Ref.	
Date	28/8/2023
Approval	A.P.C.